

➤ **BLACKARROW**
TYRES
2025

➤ **BLACKARROW**
TYRES

Tire Direct 
La nueva generación



TIRE DIRECT



/TIRE_DIRECT



/TIREDIRECTMX



TIRE DIRECT

Tire Direct 
La nueva generación

Winter-max

P-Passenger Car tyre



SUV tyre

All Terrain&Rugged Terrain tyre



All Season&Winter tyre



V-Commercial Van&Light Truck tyre



Truck and Bus Tyre

SUPER DART P03



P03 Design For Casual Sport. High-rigidity polyester carcass Material Provide rapidly handing Control.

WHEEL DIAMETER	SIZE	LI/SS	XL
13"	175/70R13	82T	
14"	165/55R14	72V	
15"	165/50R15	73V	
	185/50R15	79V	
	195/50R15	82V	
	185/55R15	82V	
	195/55R15	85V	
16"	205/45ZR16	87W	XL
	205/50ZR16	87W	
	205/55ZR16	91W	
17"	205/45ZR17	88W	XL
	215/45ZR17	91W	XL



SUPER DART P05

WHEEL DIAMETER	SIZE	LI/SS	XL
14"	185/75R14	89T	
15"	195/65R15	91H	
16"	205/55R16	91V	
	215/60R16	95V	

DART P09



The Dart P09 with great feature of long life, enhanced stability on wet road, low noise and ride comfort.

WHEEL DIAMETER	SIZE	LI/SS	XL
12"	145/70R12	69T	
	155/70R12	73T	
	165/70R12	77T	
	145/80R12	74T	
13"	165/60R13	73T	
	175/60R13	77T	
	155/65R13	73T	
	165/65R13	77T	
	155/70R13	75T	
	165/70R13	79T	
	175/70R13	82T	
	185/70R13	86H	
	135/80R13	70T	
	145/80R13	75T	
14"	155/80R13	79T	
	185/55R14	80H	
	165/60R14	75H	
	195/60R14	86H	
	205/60R14	88H	
	155/65R14	75T	
	165/65R14	79T	
	185/65R14	86H	
	165/70R14	81T	
	185/70R14	88H	
	195/70R14	91H	
	205/70R14	95H	
15"	165/80R14	85T	
	175/60R15	81H	
	185/60R15	84H	
	195/60R15	88V	
	205/60R15	91V	
	165/65R15	81T	
	205/65R15	94V	
	215/65R15	96H	
	205/70R15	96H	
	215/70R15	98T	
	225/70R15	100H	
	215/75R15	100T	
16"	185/80R15	93T	
	195/50R16	88V	XL
	225/55R16	99V	XL
	205/60R16	92H	
	225/60R16	98V	
	205/65R16	95V	
	215/65R16	98H	

DART P15



The Dart P15 sport simulation technology offers high level performance on dry and wet roads. Optimizing theory on groove distribution and angle has made low noise pattern in addition to existing chaos arrangement theory.

WHEEL DIAMETER	SIZE	LI/SS	XL
15"	195/65R15	91H	
	195/65R15	91V	
16"	195/45R16	84V	XL
	205/50ZR16	87W	
	205/55R16	91V	
	215/60R16	95V	
17"	205/40ZR17	84W	XL
	215/40ZR17	87W	XL
	245/40ZR17	95W	XL
	245/45ZR17	95W	
	255/45R17	102V	XL
	215/55ZR17	94W	
	235/55ZR17	103W	XL
18"	225/35ZR18	87W	XL
	255/35ZR18	94W	XL
	265/35ZR18	97W	XL
	245/40ZR18	97W	XL
	255/40ZR18	99W	XL
	215/45ZR18	93W	XL
	255/45R18	103W	XL
	225/50ZR18	99W	XL
	245/50ZR18	104W	XL
	255/55R18	109V	XL
	215/35ZR19	85W	XL
19"	225/35ZR19	88W	XL
	235/35ZR19	91W	XL
	245/35ZR19	93W	XL
	255/35ZR19	96W	XL
	275/35ZR19	100W	XL
	245/40ZR19	98W	XL
	255/40ZR19	100W	XL
	275/40ZR19	101W	
	225/45ZR19	96W	XL
	275/45ZR19	108W	XL
	245/50R19	105W	XL
	255/50ZR19	107W	XL
	225/55R19	99V	
	255/55R19	111V	XL
20"	225/30ZR20	85W	XL
	225/35ZR20	90W	XL
	245/35ZR20	95W	XL
	255/35ZR20	102W	XL
	315/35ZR20	110W	XL
	245/40ZR20	99W	XL
	275/40ZR20	106W	XL
	245/45ZR20	103W	XL

SUPER DART P16



The P16 is an new Pattern design for sports cars. Rigid blocks Improve handing ability on both dry and wet roads.

WHEEL DIAMETER	SIZE	LI/SS	XL
14"	185/60R14	84H	
	175/65R14	82H	
	175/70R14	84T	
15"	185/65R15	88H	
	195/65R15	91V	
	205/65R15	94V	
16"	195/55R16	87V	
	195/55R16	91V	XL
	215/55ZR16	97W	XL
	205/60R16	92H	
	215/60R16	95V	
	225/60R16	98V	
	205/65R16	95H	
17"	205/40ZR17	84W	XL
	215/45ZR17	91W	XL
	225/45ZR17	94W	XL
	235/45ZR17	97W	XL
	205/50ZR17	93W	XL
	215/50ZR17	95W	XL
	225/50ZR17	98W	XL
	205/55ZR17	95W	XL
	215/55ZR17	98W	XL
	225/55ZR17	101W	XL
	225/55R17C	109/107H	8PR
	235/55ZR17	103W	XL
	215/60R17	96H	
	225/60R17	99H	
	225/40ZR18	92W	XL
18"	235/40ZR18	95W	XL
	225/45ZR18	95W	XL
	235/45ZR18	98W	XL
	245/45ZR18	100W	XL
	215/55R18	95V	
	225/55R18	98V	
	235/55ZR18	104W	XL
19"	255/35R19	96V	XL
	225/40R19	93V	XL
	245/45ZR19	102W	XL
	235/50R19	99V	
20"	245/55R19	103V	
	255/45R20	105H	XL
	325/30ZR23	109Y	XL
23"	285/35ZR23	107Y	XL
	295/35ZR23	108Y	XL
	325/35ZR23	115Y	XL
	285/40ZR23	111Y	XL



SUPER DART A21

WHEEL DIAMETER	SIZE	LI/SS	PR
16"	225/95R16C	118/116S	8PR
	7.50R16C	112/110R	8PR



A23

WHEEL DIAMETER	SIZE	LI/SS	PR
15"	P255/70R15	108T	4PR
	255/70R15C	113/110S	8PR
16"	205R16C	106/104R	6PR



SUPER DART AIT A25

The SUPERDART A25 is developed for luxury SUVs to achieve all terrain performance. Provides excellent performance on both on and off road capability with low noise level.

WHEEL DIAMETER	Size	LI/SS	PR
16"	265/70R16	112S	
	275/70R16	114H	
17"	265/65R17	112T	
	275/65R17	115H	
	285/65R17	116H	
	225/70R17C	108/106S	6PR
	265/70R17	115S	
18"	265/60R18	110H	
	285/60R18	116H	



SUPER DORT A26

WHEEL DIAMETER	Size	LI/SS	PR
16"	LT235/85R16	114/111S	8PR
	LT235/85R16	120/116S	10PR
17"	245/75R17	112H	



SUPER DORT A30

WHEEL DIAMETER	Size	LI/SS	XL
17"	245/75R17	112H	
18"	265/65R18	114H	
20"	265/55R20	113V	XL



SUPER DORT H/T H55

WHEEL DIAMETER	Size	LI/SS	XL
20"	285/50R20	112V	
22"	265/50R22	112V	XL



SMM 5004

WHEEL DIAMETER	Size	LI/SS	PR
16"	LT235/85R16	114/111R	8PR
	245/85R16	114S	
	225/95R16C	118/116R	8PR

RANGETOUR PLUS H57



RANGETOUR PLUS H57 is designed for luxury SUV , balances high-level of driving performance and environmentally friendly performance of fuel-saving long life.

WHEEL DIAMETER	SIZE	LI/SS	XL
15"	235/75R15	105T	
16"	235/60R16	100V	
	215/70R16	100H	
	225/70R16	103H	
	235/70R16	106H	
	245/70R16	107H	
	265/70R16	112T	
	275/70R16	114T	
17"	215/55R17	94V	
	215/60R17	96V	
	225/60R17	99V	
	235/60R17	102H	
	255/60R17	106H	
	225/65R17	102V	
	235/65R17	104H	
	245/65R17	111T	XL
	265/65R17	112T	
	285/65R17	116H	
	245/70R17	110T	
18"	265/70R17	115T	
	235/50ZR18	101W	XL
	225/55R18	98V	
	235/55R18	100V	
	225/60R18	104V	XL
	235/60R18	107V	XL
	245/60R18	105H	
	265/60R18	114H	XL
	285/60R18	116H	
	265/65R18	114H	
	275/65R18	116T	
	255/70R18	113T	
	265/70R18	116H	
19"	235/40ZR19	96W	XL
	235/55R19	101V	
20"	275/40ZR20	106W	XL
	245/45ZR20	103W	XL
	285/50R20	116V	XL
	235/55R20	102V	
	275/55R20	117V	XL
	275/60R20	115H	
21"	285/30ZR21	100W	XL
	245/35ZR21	96W	XL
	265/45ZR21	104W	
	275/50ZR21	113W	XL
22"	275/40ZR22	107W	XL
	285/45R22	114V	XL
	275/50R22	111V	

SUPER DART H/T H58



WHEEL DIAMETER	SIZE	LI/SS	XL
16"	225/65R16	100T	
	235/65R16	103T	
	215/70R16	100T	
	235/70R16	106T	
	255/70R16	111T	
	265/70R16	112T	
17"	235/50ZR17	96W	
	215/60R17	96H	
	225/60R17	99H	
	215/65R17	99T	
	225/65R17	102T	
	245/65R17	107T	
18"	285/65R17	116T	
	235/50ZR18	97W	
	225/55R18	98V	
	235/55R18	104V	XL
	225/60R18	104V	XL
	235/60R18	107V	XL
	265/60R18	110H	
	285/60R18	116H	
	235/65R18	106T	
	275/65R18	116T	
	265/70R18	116T	
	275/70R18	116T	

H/T H58 as an on-road SUV tyres balances high-level of driving performance and environmentally friendly performance of fuel-saving long life.



SUPERBOW A/T A28

WHEEL DIAMETER	SIZE	LI/SS	PR
16"	225/75R16LT	110/107R	8PR
	245/75R16LT	120/116R	10PR
	265/75R16LT	123/120R	10PR
	235/85R16LT	120/116R	10PR
17"	255/75R17	115T	

UNDER WOLF AT02

WHEEL DIAMETER	SIZE	LI/SS	XL
13"	175/75R13	84S	
14"	175/75R14	86S	
	175/80R14	88T	
15"	205/60R15	91H	
16"	205/60R16	92V	
	215/65R16	98V	
	265/70R16	112T	
	275/70R16	114T	
	265/75R16	116T	
	LT285/75R16	10PR 126/123R	
17"	265/65R17	112S	
	265/70R17	115T	
	LT275/70R17	10PR 121/118S	
	285/70R17	117T	
	315/70R17	125S	
18"	265/60R18	110H	
	275/65R18	116T	



UNDER WOLF RT1

Rugged Terrain(RT) Tyre, Crosses between an all-terrain and a mud-terrain tyre. Dual-compound tread provide exceptional mileage and long tread life.

WHEEL DIAMETER	SIZE	LI/SS	PR
16"	235/70R16LT	110/107Q	8PR
	255/70R16LT	115/112Q	8PR
	245/75R16LT	114/111Q	8PR
	265/75R16LT	123/120Q	10PR
17"	235/65R17LT	109/105Q	8PR
	245/65R17LT	111/108Q	8PR
	265/65R17LT	120/117Q	10PR
18"	265/60R18LT	119/116Q	10PR

TBA81



TBA91

WHEEL DIAMETER	SIZE	PR	LI/SS	PATTERN
22.5"	11R22.5	18PR	149/146L	TBA91
	315/80R22.5	22PR	160/157K	TBA91
	385/65R22.5	24PR	164K	TBA91
20"	12.00R20	22PR	158/155K	TBA81
24"	12.00R24	22PR	162/160K	TBA81
	325/95R24	22PR	162/160K	TBA81



BA71 BA71A BA72 BA73 BA74A BA77



BA81 BA81A BA91 BA92 BA93 BA94



BA95 BA96 BA97 BA98A BA99

WHEEL DIAMETER	Size	LI&SS	PR	TYPE	PATTERN
16"	7.50R16LT	125/121L	16PR	ALL-STEEL	BA81
	7.50R16LT	125/121L	16PR	ALL-STEEL	BA97

WHEEL DIAMETER	SIZE	PR	LI/SS	PATTERN
17.5"	9.5R17.5	18PR	143/141J	BA93
	9.5R17.5	18PR	143/141J	BA73
	245/70R17.5	18PR	143/141J	BA96
	205/75R17.5	14PR	124/122M	BA91
	215/75R17.5	16PR	135/133K	BA91
	215/75R17.5	18PR	135/133K	BA99
	215/75R17.5	16PR	135/133J	BA77
	235/75R17.5	18PR	143/141K	BA91
	235/75R17.5	18PR	143/141J	BA77
	225/80R17.5	16PR	123/122L	BA94
19.5"	225/70R19.5	14PR	128/126M	BA91
	245/70R19.5	18PR	141/140J	BA91
	265/70R19.5	18PR	143/141J	BA91
22.5	11R22.5	16PR	146/143M	BA91
	11R22.5	18PR	149/146L	BA92
	11R22.5	16PR	146/143L	BA72
	11R22.5	16PR	148/145M	BA77
	295/80R22.5	18PR	152/149M	BA95
	295/80R22.5	20PR	154/149L	BA94
	295/80R22.5	20PR	154/149L	BA71
	295/80R22.5	20PR	152/149L	BA98A
	295/80R22.5	20PR	152/149L	BA71A
	315/80R22.5	20PR	156/153L	BA81A
	315/80R22.5	20PR	156/153L	BA98A
	315/80R22.5	20PR	156/153L	BA71A
	315/80R22.5	20PR	156/153L	BA74A
24"	12.00R24	20PR	160/157K	BA81A
	325/95R24	22PR	162/160K	BA81A



SUPERBOW SPORT SP01



SUPERBOW V61

VAN Tyre provides excellent drainage and braking performance and increases loading capacity with excellent heat dissipation.

WHEEL DIAMETER	SIZE	INDEX	PR	PATTERN
14"	175/65R14C	90/88H	6PR	SUPERBOW SPORT SP01
	185/65R14C	95/93T	6PR	SUPERBOW SPORT SP01
	175/70R14C	95/93T	6PR	SUPERBOW SPORT SP01

WHEEL DIAMETER	SIZE	INDEX	PR	PATTERN
14"	185R14LT	102/100S	8PR	SUPER BOW V61
	195R14LT	105/103S	8PR	SUPER BOW V61
16"	215/65R16C	109/107T	8PR	SUPER BOW V61



SUPERBOW VAN V62

VAN Tyre provides excellent drainage and braking performance and increases loading capacity with excellent heat dissipation.

WHEEL DIAMETER	SIZE	INDEX	PR	PATTERN
15"	195R15LT	106/104R	8PR	SUPERBOW VAN V62
	205/70R15C	106/104R	8PR	SUPERBOW VAN V62



TAGA V62A

WHEEL DIAMETER	SIZE	INDEX	PR	PATTERN
16"	185/75R16C	104/102R	8PR	TAGA V62A



TRACFORCE V65

V65 strong and durable, and fitting a wide range of Commercial trucks, Vans and Pickups.

WHEEL DIAMETER	SIZE	LI/SS	PR
12"	155R12C	88/86N	8PR
13"	175R13C	97/95R	8PR
14"	165R14C	96/95T	8PR
	185R14C	102/100R	8PR
	175/70R14C	95/93T	6PR
	175/75R14C	99/98S	8PR
15"	195/70R15C	104/102R	8PR
	205/70R15C	106/104R	8PR
	215/70R15C	109/107S	8PR
	225/70R15C	112/110R	8PR
16"	205/65R16C	107/105T	8PR
	215/65R16C	109/107T	8PR
	225/65R16C	112/110R	8PR
	235/65R16C	115/113T	8PR
	215/70R16C	108/106T	6PR
	205/75R16C	113/111R	10PR
	215/75R16C	116/114S	10PR
	235/85R16C	114/111S	8PR

SUPERBOW V63 SUPER DART V64

WHEEL DIAMETER	SIZE	LI/SS	PR	TYPE	PATTERN
16"	6.50R16LT	107/102N	10PR	Semi-STEEL	SUPER BOW V63
	7.00R16LT	115/110L	12PR	Semi-STEEL/ALL-STEEL	SUPER BOW V63
	7.50R16LT	122/118L	14PR	ALL-STEEL	SUPER BOW V63

WHEEL DIAMETER	SIZE	LI/SS	PATTERN
15"	P225/70R15	WSW	100S
	P205/75R15	WSW	97S



SUPERBOW VAN V66

VAN Tyre provides excellent drainage and braking performance and increases loading capacity with excellent heat dissipation.

WHEEL DIAMETER	SIZE	LI/SS	PR
14"	195R14C	106/104R	8PR
15"	195R15LT(C)	106/104R	8PR



DART 4SV

SUPER BOW V67

V67 strong and durable, and fitting a wide range of Commercial trucks, Vans and Pickups.

SUPER DART V68

WHEEL DIAMETER	SIZE	LI/SS	PR	PATTERN
15"	185/65R15LT	94/91R	8PR	SUPER BOW V67
	195/70R15LT	104/102R	8PR	SUPER BOW V67
	205/70R15C	106/104S	8PR	SUPER BOW V67
	225/70R15LT	112/110R	8PR	SUPER BOW V67
16"	205/65R16C	107/105P	8PR	SUPER BOW V67
	225/65R16C	112/110P	8PR	SUPER BOW V67
	235/65R16C	115/113N	8PR	SUPER BOW V67
	185/75R16LT	104/102R	8PR	SUPER BOW V67
	195/75R16LT	107/105R	8PR	SUPER BOW V67
	215/75R16LT	112/109Q	10PR	SUPER BOW V67

WHEEL DIAMETER	SIZE	LI/SS	PR	PATTERN
12"	5.00R12ULT	92/90P	12PR	SUPERDART V68
	5.50R12ULT	97/95P	12PR	SUPERDART V68

WHEEL DIAMETER	SIZE	LI/SS	PR
15"	195/70R15C	104/102R	8PR
	215/70R15C	109/107R	8PR
	225/70R15C	112/110R	8PR
16"	195/65R16C	104/102T	8PR
	205/65R16C	107/105R	8PR
	215/65R16C	109/107R	8PR
	225/65R16C	112/110R	8PR
	235/65R16C	115/113R	8PR
	235/65R16C	121/119R	8PR
	195/75R16C	107/105T	8PR
	195/75R16C	110/108R	8PR
	215/75R16C	113/111R	8PR
	215/75R16C	116/114R	8PR
	225/75R16C	121/120R	10PR

DART 4S

DART 4S concept combine reliable winter safety with the precise driving stability and firm handling of summer tyres. The DART 4S product family offers first class safety and durability for year-round use. All of the sizes have the Snowflake symbol (3PMSF), which indicates that the tyres have been officially approved for winter use.



WHEEL DIAMETER	SIZE	LI/SS	XL
13"	155/70R13	75T	
	165/70R13	79T	
	155/80R13	79T	
14"	185/55R14	80H	
	165/60R14	79H	XL
	185/60R14	82H	
	155/65R14	75T	
	165/65R14	79T	
	175/65R14	82T	
	185/65R14	86H	
	165/70R14	81T	
	175/70R14	88T	XL
15"	195/50R15	82V	
	185/55R15	86H	XL
	195/55R15	85V	
	165/60R15	81H	XL
	185/60R15	88H	XL
	195/60R15	88H	
	165/65R15	81H	
	175/65R15	84H	
	185/65R15	88H	
	185/65R15	92H	XL
	195/65R15	91H	
	195/65R15	95H	XL
	205/65R15	94V	
	215/65R15	96H	
16"	195/45R16	84V	XL
	205/45R16	87W	XL
	215/45R16	90V	XL
	185/50R16	81V	
	195/50R16	88V	XL
	185/55R16	87V	XL
	195/55R16	91V	XL
	205/55R16	91V	
	205/55R16	94V	XL
	215/55R16	97V	XL
	225/55R16	99W	XL
	205/60R16	96V	XL
	215/60R16	99V	XL
	215/65R16	102V	XL
	215/70R16	100H	

WHEEL DIAMETER	SIZE	LI/SS	XL
17"	215/40R17	87W	XL
	205/45ZR17	88W	XL
	215/45ZR17	91W	XL
	225/45ZR17	94W	XL
	225/45R17	94Y	XL
	235/45ZR17	97W	XL
	245/45ZR17	99W	XL
	205/50ZR17	93W	XL
	215/50ZR17	95W	XL
	225/50ZR17	98W	XL
	205/55R17	95W	XL
	215/55ZR17	98W	XL
	225/55ZR17	101W	XL
	235/55ZR17	103W	XL
	215/60R17	96V	
18"	215/60R17	100V	XL
	225/60R17	103V	XL
	225/65R17	106V	XL
	235/65R17	108V	XL
	215/40R18	89Y	XL
	225/40ZR18	92W	XL
	235/40R18	95Y	XL
	245/40R18	97Y	XL
	215/45R18	93V	XL
	225/45R18	95V	XL
	235/45R18	98Y	XL
	245/45R18	100Y	XL
	215/50R18	92W	
	225/50R18	99W	XL
	235/50R18	101W	XL
19"	215/55R18	99V	XL
	225/55R18	98V	
	235/55R18	104V	XL
	225/60R18	104V	XL
	235/60R18	107V	XL
	235/35R19	91Y	XL
	255/35R19	96Y	XL
	225/40R19	93Y	XL
	235/40R19	96Y	XL
	245/40R19	98Y	XL
	225/45R19	96Y	XL
	235/45R19	99Y	XL
	245/45R19	102Y	XL
	235/50R19	99V	
	255/50R19	107V	XL
20"	205/55R19	97W	XL
	225/55R19	99V	
	235/55R19	105W	XL
20"	235/35R20	92Y	XL
	255/45R20	105W	XL
	195/55R20	95H	XL

TAGA WP10



WHEEL DIAMETER	SIZE	LI/SS	XL
13"	155/65R13	73Q	
	165/65R13	77Q	
	165/70R13	83Q	XL
	175/60R13	77Q	
	175/70R13	82T	
	165/60R14	75Q	
14"	175/60R14	79Q	
	185/60R14	82Q	
	195/60R14	86Q	
	155/65R14	75Q	
	175/65R14	82T	
	185/65R14	90T	XL
	165/70R14	85Q	XL
	175/70R14	88Q	XL
	185/70R14	88T	
	185/75R14	89T	
15"	185/55R15	86Q	XL
	195/55R15	85Q	
	185/60R15	84Q	
	195/60R15	88Q	
	175/65R15	84Q	
	185/65R15	88T	
	195/65R15	91S	
	205/65R15	94Q	
16"	205/70R15	96Q	
	205/55R16	91T	
	215/55R16	97Q	XL
	225/55R16	99Q	XL
	195/60R16	89Q	
	205/60R16	92S	
	215/60R16	95T	
	225/60R16	98Q	
	205/65R16	95Q	
	215/65R16	98Q	
	215/70R16	100Q	
	235/70R16	106S	
	245/70R16	107S	
	255/70R16	111S	
	265/70R16	112S	
17"	225/45R17	91T	
	235/45R17	97S	XL
	255/45R17	102S	XL
	205/50R17	89T	
	215/50R17	95S	XL
	225/50R17	98S	XL
	235/50R17	100S	XL
	205/55R17	91T	
	215/55R17	94S	
	225/55R17	97S	
	235/55R17	103S	XL
	215/60R17	96S	
	225/60R17	103S	XL
	225/65R17	102S	
	235/65R17	104S	
	245/65R17	111S	XL
	265/65R17	112S	
	245/70R17	110S	

WHEEL DIAMETER	SIZE	LI/SS	XL
18"	245/40R18	93T	
	255/40R18	99S	XL
	225/45R18	95S	XL
	235/45R18	94T	
	245/45R18	100S	XL
	215/50R18	92T	
	225/50R18	95T	
	235/50R18	101S	XL
	245/50R18	100T	
	215/55R18	99S	XL
	225/55R18	98T	
	235/55R18	104S	XL
	225/60R18	104S	XL
	235/60R18	107S	XL
19"	245/60R18	105T	
	265/60R18	114S	XL
	235/65R18	106T	
	265/65R18	114T	
	275/35R19	96H	
	235/40R19	92H	
	245/40R19	94H	
	275/40R19	101H	
	225/45R19	92H	
	235/45R19	95H	
	245/45R19	98H	
	255/45R19	100H	
	235/50R19	99T	
	245/50R19	101H	
20"	255/50R19	103T	
	265/50R19	106H	
	225/55R19	99T	
	235/55R19	101T	
	245/55R19	103S	
	255/55R19	107H	
	265/55R19	109H	
	235/60R19	103H	
	255/60R19	109H	
	305/30R20	99Q	
	275/35R20	98H	
	315/35R20	106H	
	255/40R20	97H	
	265/40R20	100H	
21"	275/40R20	102H	
	245/45R20	99T	
	255/45R20	101H	
	265/45R20	104H	
	275/45R20	110T	XL
	285/45R20	108H	
	235/50R20	100H	
	245/50R20	102H	
	255/50R20	109H	XL
	275/50R20	109H	
	285/50R20	112H	
	235/55R20	105S	XL
	255/55R20	110H	XL
	275/55R20	113H	
22"	255/45R21	102S	
	265/45R21	104T	
	275/45R21	107H	
	285/45R21	109H	
	315/35R22	111H	XL
	265/40R22	106H	XL
	275/40R22	107H	XL
	285/40R22	106H	
	285/45R22	110H	

Winter-max s1 WS20

The studded winter tyres is designed for safe driving in deep snow and icy roads in nordic conditions.



Stud Type

EURO:	8x10
TSMI#:	TSMI-#11
LENGTH:	10mm
Head Dia:	8mm
COLOR:	aluminum
WEIGHT:	<0.95g
Qty:	100+

WHEEL DIAMETER	SIZE	LI/SS	XL
13"	175/70R13	82T	
	155/80R13	83Q	XL
	155/80R13	84N	XL
14"	185/60R14	82T	
	175/65R14	86T	XL
	185/65R14	86T	
	185/75R14	89T	
	185R14C	102/100R	8PR
15"	185/60R15	84T	
	185/65R15	88H	
	195/65R15	95T	XL
16"	205/55R16	94T	XL
	205/55R16	91H	
	205/60R16	92H	
	215/65R16	102H	XL
17"	225/45R17	94H	XL
	225/50R17	98H	XL
	215/55R17	98H	XL
	225/55R17	101H	XL
	215/60R17	96H	
	225/60R17	103H	XL
	225/65R17	102T	
	235/65R17	104T	
18"	225/40R18	92H	XL
	225/45R18	95H	XL
	225/45R18	91H	
	225/55R18	102H	XL
	225/60R18	104H	XL
	235/60R18	107H	XL
20"	275/55R20	117H	XL



WINTER VAN WV50

WHEEL DIAMETER	SIZE	LI/SS	PR
14"	165/70R14C	89/87R	6PR
	185R14C	102/100Q	8PR
15"	185/65R15LT	103/100S	12PR
	195/70R15C	104/102R	8PR
	215/70R15C	109/107R	8PR
	225/70R15C	112/110R	8PR
	215/75R15LT	106/103Q	8PR
	235/75R15LT	116/113Q	10PR
16"	195/65R16C	104/102T	8PR
	205/65R16C	107/105R	8PR
	215/65R16C	109/107R	8PR
	225/65R16C	112/110R	8PR
	235/65R16C	115/113R	8PR
	195/75R16C	107/105T	8PR
	215/75R16C	113/111R	8PR
	225/75R16C	121/120R	10PR