

GRANDSTONE



**Truck and Bus
Radial Tyre**

Tire Direct 
La nueva generación

Mix

Steer

Drive

Mine



GT178

GT238

GT168

GT198

GT276

GT266

GT178+

GT286+

Pattern Map

16PR

FABRICA A

Tire Direct
La nueva generación



GT178



GT238

All products are 16PR



GRANDSTONE[®]


Rainy Touch Design

- 4 main grooves for better drainage ability
- Excellent wet grip performance



Cooling-tunnel Design

- Serried gap for heat release
- Longer service life



Eco-drive Technology

- Rigid body for low rolling resistance
- Fuel saving in running



Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	16	14.50	146/143 M	8.25	830
11R24.5	16	14.50	149/146 M	8.25	830
295/75R22.5	16	14.50	146/143 M	9.00	830

Power Travel System

- Big blocks on middle tread
- Great traction ability

**Close Shoulder Design**

- Avoiding irregular wear
- Better stability in running

**Strong Carcass Design**

- Better strength of tyre carcass
- Long tyre life



Size

PR

**Tread Depth
(mm)**

LI & SS

Std. Rim

**Pressure
(kPa)**

11R22.5

16

20.00

146/143 M

8.25

830

11R24.5

16

20.00

149/146 M

8.25

830

295/75R22.5

16

20.00

146/143 M

9.00

830

18PR

FABRICA A

Tire Direct
La nueva generación



GT168



GT266


All products are 18PR



GRANDSTONE[®]


Rainy Touch Design

- 3 main grooves for better drainage ability
- Excellent wet grip performance



Grip-Keeping Design

- Better self-clean ability
- Keep the grip performance during running



MVP Design

- Most viewable pattern over the world
- Classic and popular tyre



Size

PR

**Tread Depth
(mm)**

LI & SS

Std. Rim

**Pressure
(kPa)**

11R22.5

18

14.50

149/146 L

8.25

830

11R24.5

18

14.50

152/149 L

8.25

830

Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	18	20.00	149/146 G	8.25	830
11R24.5	18	20.00	152/149 G	8.25	830



18PR

FABRICA A

Tire Direct
La nueva generación



GT198



GT276

All products are 18PR

GRANDSTONE



Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	18	14.50	149/146 M	8.25	930
11R24.5	18	14.50	152/149 M	8.25	930



Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	18	20.00	149/146 M	8.25	930
11R24.5	18	20.00	152/149 M	8.25	930



18PR

FABRICA B

Tire Direct
La nueva generación



GT178+



GT286+

All products are 18PR



GRANDSTONE

Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	18	14.50	149/146 L	8.25	930
11R24.5	18	14.50	152/149 L	8.25	930



Size	PR	Tread Depth (mm)	LI & SS	Std. Rim	Pressure (kPa)
11R22.5	18	19.50	149/146 L	8.25	930
11R24.5	18	19.50	152/149 L	8.25	930





GRANDSTONE

Tire Direct 
La nueva generación



TIRE DIRECT



/TIRE_DIRECT



/TIREDIRECTMX



TIRE DIRECT