

# **GRITMASTER**



## **CATALOG** **2024**

**Tire Direct**  
La nueva generación

# GRIT MASTER

From a world renowned factory comes **Grit Master**, the new tire brand with impressive grip and long lasting tread life. Since 1975 our factory has been making top tier tires for all kinds of weather and terrains.

**Grit Master** is a Thailand-made brand developed with professional technology and tested by specialists from around the globe.

The company is constantly evolving as we continue to develop new patterns and sizes to serve diverse markets. Our offering is the perfect combination of progressive thinking with modern patterns and sizes.

All our tires are manufactured by one of the largest tire manufacturers in the world and have passed all US DOT, European ECE, and CCC Certification, assuring Grit Master tires are manufactured to offer superior quality, performance and durability.





# GTM HP 01

*Good straight driving stability, comfortable and quiet ride, excellent handling performance. Enhanced wet grip to effectively reduce risk of hydroplaning.*

| TIRE SIZE    | SERVICE DES. / PLY RATING | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|--------------|---------------------------|--------------|-----------|----------------|------------------|-------------|
|              |                           |              | (LBS)     | (PSI)          | (INCHES)         | (32 NDS)    |
| 175/65R14    | 82H                       | 5J           | 1,047     | 36             | 22.99            | 9.45        |
| 185/60R14    | 82H                       | 5 1/2J       | 1,047     | 36             | 22.76            | 9.45        |
| 185/65R14    | 86H                       | 5 1/2J       | 1,168     | 36             | 23.46            | 9.45        |
| 185/70R14    | 88H                       | 5 1/2J       | 1,235     | 36             | 24.25            | 9.45        |
| 195/70R14    | 91H                       | 6J           | 1,356     | 36             | 24.80            | 9.45        |
| 185/60R15    | 84H                       | 5 1/2J       | 1,102     | 36             | 23.74            | 9.45        |
| 185/65R15    | 88H                       | 5 1/2J       | 1,235     | 36             | 24.45            | 9.45        |
| 195/50R15 XL | 86V                       | 6J           | 1,168     | 42             | 22.72            | 9.45        |
| 195/55R15    | 85V                       | 6J           | 1,135     | 36             | 23.43            | 9.45        |
| 195/65R15    | 91H                       | 6J           | 1,356     | 36             | 25.00            | 9.95        |
| 205/65R15    | 94H                       | 6J           | 1,477     | 36             | 25.47            | 9.45        |
| 215/60R15    | 94H                       | 6 1/2J       | 1,477     | 36             | 25.16            | 9.45        |
| 215/65R15 XL | 100H                      | 6 1/2J       | 1,764     | 42             | 26.02            | 9.45        |
| 225/70R15    | 100T                      | 6 1/2J       | 1,764     | 36             | 27.44            | 9.45        |
| 195/55R16    | 87V                       | 6J           | 1,201     | 36             | 24.41            | 9.45        |
| 205/55R16    | 91H                       | 6 1/2J       | 1,356     | 36             | 24.88            | 9.45        |
| 205/60R16    | 92H                       | 6J           | 1,389     | 36             | 25.67            | 9.45        |
| 205/65R16    | 95H                       | 6J           | 1,521     | 36             | 26.46            | 9.45        |
| 215/60R16    | 95H                       | 6 1/2J       | 1,521     | 36             | 26.14            | 9.45        |
| 225/55R16    | 95V                       | 7J           | 1,521     | 36             | 25.75            | 9.45        |
| 225/60R16    | 98H                       | 6 1/2J       | 1,653     | 36             | 26.61            | 10.08       |
| 225/65R16    | 100H                      | 6 1/2J       | 1,764     | 36             | 27.48            | 10.08       |
| 225/70R16 XL | 107H                      | 6 1/2J       | 2,149     | 42             | 28.43            | 10.08       |
| 235/60R16    | 100H                      | 7J           | 1,764     | 36             | 27.09            | 10.08       |
| 235/65R16    | 103H                      | 7J           | 1,929     | 36             | 28.03            | 10.08       |
| 215/50R17 XL | 95V                       | 7J           | 1,521     | 42             | 25.51            | 9.45        |
| 215/55R17    | 94V                       | 7J           | 1,477     | 36             | 26.30            | 9.45        |
| 215/60R17    | 96H                       | 6 1/2J       | 1,565     | 36             | 27.17            | 9.45        |
| 215/65R17    | 99H                       | 6 1/2J       | 1,709     | 36             | 28.03            | 9.45        |
| 225/55R17    | 97H                       | 7J           | 1,609     | 36             | 26.77            | 10.08       |
| 225/60R17    | 99H                       | 6 1/2J       | 1,709     | 36             | 27.64            | 10.08       |
| 225/65R17    | 102H                      | 6 1/2J       | 1,874     | 36             | 28.50            | 10.08       |
| 235/60R17    | 102H                      | 7J           | 1,874     | 36             | 28.11            | 10.08       |
| 235/65R17    | 104H                      | 7J           | 1,984     | 36             | 29.06            | 10.08       |
| 225/55R18    | 98H                       | 7J           | 1,653     | 36             | 27.76            | 10.08       |
| 235/65R18    | 106H                      | 7J           | 2,094     | 36             | 30.04            | 10.08       |

Master of the track!



# GTMUHP 01

*New asymmetric tread design provides excellent handling in both wet and dry conditions. A new and advanced silica-enhanced UHP tread compound formulated to provide class-leading wet grip and extended treadwear.*

| SIZE         | LOAD INDEX / SPEED SYMBOL | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|--------------|---------------------------|--------------|-----------|----------------|------------------|-------------|
|              |                           |              | (LBS)     | (PSI)          | (INCHES)         | (32 NDS)    |
| 195/45R16 XL | 84V                       | 6 1/2J       | 1,102     | 42             | 23               | 9.2         |
| 205/50R16 XL | 91W                       | 6 1/2J       | 1,356     | 42             | 24               | 9.2         |
| 225/50R16 XL | 96V                       | 7J           | 1,565     | 42             | 25               | 9.2         |
| 225/50R16 XL | 94W                       | 6 1/2J       | 1,477     | 42             | 25               | 9.2         |
| 215/55R16 XL | 97W                       | 7J           | 1,609     | 42             | 25               | 9.2         |
| 205/40R17 XL | 84W                       | 7 1/2J       | 1,102     | 42             | 23               | 9.2         |
| 215/40R17 XL | 87W                       | 7 1/2J       | 1,201     | 42             | 24               | 9.2         |
| 245/40R17 XL | 95W                       | 8 1/2J       | 1,521     | 42             | 25               | 9.2         |
| 205/45R17 XL | 88W                       | 7J           | 1,235     | 42             | 24               | 9.2         |
| 215/45R17 XL | 91W                       | 7J           | 1,356     | 42             | 25               | 9.2         |
| 225/45R17 XL | 94W                       | 7 1/2J       | 1,477     | 42             | 25               | 9.2         |
| 235/45R17 XL | 97W                       | 8J           | 1,609     | 42             | 25               | 9.2         |
| 245/45R17 XL | 99W                       | 8J           | 1,709     | 42             | 26               | 9.2         |
| 205/50R17 XL | 93W                       | 6 1/2J       | 1,433     | 42             | 25               | 9.2         |
| 225/50R17XL  | 98W                       | 7J           | 1,653     | 42             | 26               | 9.2         |
| 215/55R17 XL | 98W                       | 7J           | 1,653     | 42             | 26               | 9.2         |
| 215/35R18 XL | 84W                       | 7 1/2J       | 1,102     | 42             | 24               | 9.2         |
| 265/35R18 XL | 97W                       | 9 1/2J       | 1,609     | 42             | 25               | 9.2         |
| 215/40R18 XL | 89Y                       | 7 1/2J       | 1,279     | 42             | 25               | 9.2         |
| 225/40R18 XL | 92Y                       | 8J           | 1,389     | 42             | 25               | 9.7         |
| 235/40R18 XL | 95W                       | 8 1/2J       | 1,521     | 42             | 25               | 9.2         |
| 245/40R18 XL | 97W                       | 8 1/2J       | 1,609     | 42             | 26               | 9.2         |
| 255/40R18 XL | 99Y                       | 9J           | 1,709     | 42             | 26               | 9.2         |
| 275/40R18 XL | 103Y                      | 9 1/2J       | 1,929     | 42             | 27               | 9.2         |
| 225/45R18 XL | 95W                       | 7 1/2J       | 1,521     | 42             | 26               | 9.2         |
| 235/45R18 XL | 98Y                       | 8J           | 1,653     | 42             | 26               | 9.2         |
| 245/45R18 XL | 100W                      | 8J           | 1,765     | 42             | 27               | 9.2         |
| 255/45R18 XL | 103W                      | 8 1/2J       | 1,929     | 42             | 27               | 9.2         |
| 225/50R18    | 95V                       | 7J           | 1,521     | 36             | 27               | 9.2         |
| 235/50R18 XL | 101W                      | 7 1/2J       | 1,819     | 42             | 27               | 9.2         |
| 275/30R19 XL | 96W                       | 9 1/2J       | 1,565     | 42             | 26               | 9.2         |
| 225/35R19 XL | 88W                       | 8J           | 1,235     | 42             | 25               | 9.2         |
| 235/35R19 XL | 91W                       | 8 1/2J       | 1,356     | 42             | 25               | 9.2         |
| 255/35R19 XL | 96W                       | 9J           | 1,565     | 42             | 26               | 9.2         |
| 275/35R19XL  | 100Y                      | 9 1/2J       | 1,764     | 42             | 27               | 9.2         |
| 235/40R19 XL | 96Y                       | 8 1/2J       | 1,565     | 42             | 26               | 9.2         |
| 245/40R19 XL | 98W                       | 8 1/2J       | 1,653     | 42             | 27               | 9.2         |
| 255/40R19 XL | 100Y                      | 9J           | 1,764     | 42             | 27               | 9.2         |
| 275/40R19 XL | 105Y                      | 9 1/2J       | 2,039     | 42             | 28               | 9.2         |

Master of speed!

| SIZE         | LOAD INDEX /<br>SPEED SYMBOL | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|--------------|------------------------------|--------------|-----------|----------------|------------------|-------------|
|              |                              |              | (LBS)     | (PSI)          | (INCHES)         | (32 NDS)    |
| 245/45R19 XL | 102W                         | 8J           | 1,874     | 42             | 28               | 9.2         |
| 255/45R19 XL | 104Y                         | 8 1/2J       | 1,984     | 42             | 28               | 9.2         |
| 235/55R19 XL | 105W                         | 7 1/2J       | 2,039     | 42             | 29               | 9.2         |
| 235/30R20 XL | 88Y                          | 8 1/2J       | 1,235     | 42             | 26               | 9.2         |
| 275/30R20 XL | 97Y                          | 9 1/2J       | 1,609     | 42             | 27               | 9.2         |
| 285/30R20 XL | 99W                          | 10J          | 1,709     | 42             | 27               | 9.2         |
| 225/35R20XL  | 90W                          | 8J           | 1,323     | 42             | 26               | 9.2         |
| 245/35R20 XL | 95W                          | 8 1/2J       | 1,521     | 42             | 27               | 9.2         |
| 255/35R20 XL | 97W                          | 9J           | 1,609     | 42             | 27               | 9.2         |
| 275/35R20 XL | 102Y                         | 9 1/2J       | 1,874     | 42             | 28               | 9.2         |
| 315/35R20 XL | 110W                         | 11J          | 2,337     | 42             | 29               | 9.2         |
| 245/40R20 XL | 99Y                          | 8 1/2J       | 1,709     | 42             | 28               | 9.2         |
| 275/40R20 XL | 106W                         | 9 1/2J       | 2,094     | 42             | 29               | 9.2         |
| 235/45R20 XL | 100W                         | 8J           | 1,764     | 42             | 28               | 9.2         |
| 245/45R20 XL | 103W                         | 8J           | 1,929     | 42             | 29               | 9.2         |
| 255/45R20 XL | 105Y                         | 8 1/2J       | 2,039     | 42             | 29               | 9.2         |
| 275/45R20 XL | 110V                         | 9J           | 2,337     | 42             | 30               | 9.2         |
| 245/50R20    | 102V                         | 7 1/2J       | 1,874     | 36             | 30               | 9.2         |
| 275/55R20 XL | 117W                         | 8 1/2J       | 2,833     | 42             | 32               | 9.2         |
| 295/25R22 XL | 97W                          | 10 1/2J      | 1,609     | 42             | 28               | 9.2         |
| 305/25R22 XL | 99Y                          | 11J          | 1,709     | 42             | 28               | 9.2         |
| 235/30R22 XL | 90W                          | 8 1/2J       | 1,323     | 42             | 28               | 9.2         |
| 245/30R22 XL | 92W                          | 8 1/2J       | 1,389     | 42             | 28               | 9.2         |
| 255/30R22 XL | 95V                          | 9J           | 1,521     | 42             | 28               | 9.2         |
| 265/30R22 XL | 97W                          | 9 1/2J       | 1,609     | 42             | 28               | 9.2         |
| 265/35R22 XL | 102W                         | 9 1/2J       | 1,874     | 42             | 29               | 9.2         |
| 285/35R22 XL | 106W                         | 10J          | 2,094     | 42             | 30               | 9.2         |
| 265/40R22 XL | 106V                         | 9 1/2J       | 2,094     | 42             | 30               | 9.2         |
| 285/40R22 XL | 110V                         | 10J          | 2,337     | 42             | 31               | 9.2         |
| 305/40R22 XL | 114V                         | 11J          | 2,601     | 42             | 32               | 9.2         |
| 285/45R22 XL | 114V                         | 9 1/2J       | 2,601     | 42             | 32               | 9.2         |
| 305/45R22 XL | 118V                         | 10J          | 2,910     | 42             | 33               | 9.2         |
| 275/25R24 XL | 96W                          | 10J          | 1,565     | 42             | 29               | 9.2         |
| 255/30R24 XL | 97W                          | 9J           | 1,609     | 42             | 30               | 9.2         |
| 295/35R24 XL | 110V                         | 10 1/2J      | 2,337     | 42             | 32               | 9.2         |
| 305/35R24 XL | 112V                         | 11J          | 2,469     | 42             | 32               | 9.2         |
| 275/25R26 XL | 98W                          | 10J          | 1,653     | 42             | 31               | 9.2         |
| 295/30R26 XL | 107W                         | 10 1/2J      | 2,149     | 42             | 33               | 9.2         |
| 305/30R26 XL | 109W                         | 11J          | 2,271     | 42             | 33               | 9.2         |
| 295/25R28 XL | 103V                         | 10 1/2J      | 1,929     | 42             | 34               | 9.2         |
| 275/25R28 XL | 99W                          | 10J          | 1,709     | 42             | 33               | 9.2         |
| 275/25R30 XL | 101W                         | 10J          | 1,819     | 42             | 35               | 9.2         |

Master of speed!



# GTM GP

*Wide circumferential grooves effectively evacuate water for improved wet handling. Decoupling groove in tread shoulder block enhances ride comfort and noise. All-season tread design provides traction in a variety of conditions. Optimized tread pattern pitch sequence reduces road noise*

| SIZE         | LOAD INDEX / SPEED SYMBOL | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|--------------|---------------------------|--------------|-----------|----------------|------------------|-------------|
|              |                           |              | (LBS)     | (PSI)          | (INCHES)         | (32 NDS)    |
| 175/70R12    | 80H                       | 5.00B        | 992       | 36             | 22               | 9.7         |
| 165/60R13    | 73T                       | 5.00B        | 805       | 36             | 21               | 10.96       |
| 175/70R13    | 82T                       | 5.00B        | 1,047     | 36             | 23               | 9.7         |
| 185/70R13    | 86T                       | 5.50B        | 1,168     | 36             | 23               | 9.7         |
| 175/65R14    | 82T                       | 5J           | 1,047     | 36             | 23               | 9.7         |
| 185/65R14    | 86T                       | 5 1/2J       | 1,168     | 36             | 23               | 9.7         |
| 185/70R14    | 88T                       | 5 1/2J       | 1,235     | 36             | 24               | 9.7         |
| 195/70R14    | 91T                       | 6J           | 1,356     | 36             | 25               | 9.83        |
| 195/50R15    | 82H                       | 6J           | 1,047     | 36             | 23               | 10.71       |
| 195/60R15    | 88H                       | 6J           | 1,235     | 36             | 24               | 10.71       |
| 205/60R15    | 91H                       | 6J           | 1,356     | 36             | 25               | 10.71       |
| 185/65R15    | 88T                       | 5 1/2J       | 1,235     | 36             | 24               | 9.7         |
| 195/65R15    | 91H                       | 6J           | 1,356     | 36             | 25               | 10.71       |
| 205/65R15    | 94H                       | 6J           | 1,477     | 36             | 25               | 10.71       |
| 205/70R15    | 96T                       | 6J           | 1,565     | 36             | 26               | 10.71       |
| 215/70R15    | 98T                       | 6 1/2J       | 1,653     | 36             | 27               | 10.71       |
| 225/70R15    | 100T                      | 6 1/2J       | 1,764     | 36             | 27               | 10.96       |
| 205/75R15    | 97S                       | 5 1/2J       | 1,609     | 36             | 27               | 10.71       |
| 215/75R15    | 100S                      | 6J           | 1,765     | 36             | 28               | 10.71       |
| 225/75R15    | 102S                      | 6J           | 1,874     | 36             | 28               | 10.96       |
| 235/75R15    | 105S                      | 6 1/2J       | 2,039     | 36             | 29               | 10.96       |
| 205/55R16    | 91H                       | 6 1/2J       | 1,356     | 36             | 25               | 10.71       |
| 225/60R16    | 98H                       | 6 1/2J       | 1,653     | 36             | 27               | 10.96       |
| 205/60R16    | 92H                       | 6J           | 1,389     | 36             | 26               | 10.96       |
| 215/60R16    | 95H                       | 6 1/2J       | 1,521     | 36             | 26               | 11.09       |
| 225/65R16    | 100H                      | 6 1/2J       | 1,764     | 36             | 27               | 10.96       |
| 205/65R16    | 95H                       | 6J           | 1,521     | 36             | 26               | 10.71       |
| 215/65R16    | 98H                       | 6 1/2J       | 1,653     | 36             | 27               | 10.96       |
| 215/70R16    | 100T                      | 6 1/2J       | 1,764     | 36             | 28               | 10.96       |
| 225/70R16 XL | 107H                      | 6 1/2J       | 2,149     | 42             | 28               | 10.96       |
| 235/70R16    | 106H                      | 7J           | 2,094     | 36             | 29               | 10.96       |
| 245/70R16    | 107H                      | 7J           | 2,149     | 36             | 30               | 10.96       |
| 255/70R16    | 111S                      | 7 1/2J       | 2,403     | 36             | 30               | 10.96       |
| 265/70R16    | 112S                      | 8J           | 2,469     | 36             | 31               | 10.96       |
| 245/75R16    | 111H                      | 7J           | 2,403     | 36             | 30               | 10.96       |
| 265/75R16    | 116T                      | 7 1/2J       | 2,756     | 36             | 32               | 10.96       |

Master of comfort!



# GTMH/T 01

Wide circumferential grooves reduce hydroplaning. Microgrooves in tread provide biting edges for enhanced wet traction and lock together for confident grip in turns. Solid shoulder tread block elements help provide cornering power, with enhanced handling and grip. Newly developed tread compound improves wear, wet grip and performance.

| SIZE          | LOAD INDEX / SPEED SYMBOL | STANDARD RIM | MAX. LOAD         | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|---------------|---------------------------|--------------|-------------------|----------------|------------------|-------------|
|               |                           |              | (LBS)             | (PSI)          | (INCHES)         | (32 NDS)    |
| 235/75R15 XL  | 109T                      | 6 1/2J       | 2,271             | 42             | 29               | 10.96       |
| 255/70R15     | 108T                      | 7 1/2J       | 2,205             | 36             | 29               | 11.97       |
| 31X10.50R15LT | 109R                      | 8 1/2J       | 2,270             | 50             | 31               | 13.23       |
| 215/70R16     | 100T                      | 6 1/2J       | 1,764             | 36             | 28               | 11.34       |
| LT215/85R16   | 115/112Q                  | 6J           | D 2,470 / S 2,680 | 80             | 30               | 13.86       |
| 225/70R16 XL  | 107T                      | 6 1/2J       | 2,149             | 42             | 28               | 11.97       |
| LT225/75R16   | 115/112Q                  | 6J           | D 2,470 / S 2,680 | 80             | 29               | 13.86       |
| 235/70R16 XL  | 109T                      | 7J           | 2,271             | 42             | 29               | 11.97       |
| LT235/85R16   | 120/116R                  | 6 1/2J       | D 2,778 / S 3,042 | 80             | 32               | 13.86       |
| 245/70R16 XL  | 111T                      | 7J           | 2,403             | 42             | 30               | 11.97       |
| 245/75R16     | 111T                      | 7J           | 2,403             | 36             | 30               | 11.97       |
| LT245/75R16   | 120/116R                  | 7J           | D 2,778 / S 3,042 | 80             | 30               | 13.86       |
| 255/70R16     | 111T                      | 7 1/2J       | 2,403             | 36             | 30               | 11.97       |
| 265/70R16     | 112T                      | 8J           | 2,469             | 36             | 31               | 11.97       |
| 265/75R16     | 116T                      | 7 1/2J       | 2,756             | 36             | 32               | 11.59       |
| LT265/75R16   | 123/120R                  | 7 1/2J       | D 3,085 / S 3,415 | 80             | 32               | 13.86       |
| 235/65R17     | 104T                      | 7J           | 1,984             | 36             | 29               | 10.96       |
| 245/65R17     | 107T                      | 7J           | 2,149             | 36             | 30               | 11.59       |
| 245/70R17     | 110T                      | 7J           | 2,337             | 36             | 31               | 11.97       |
| 265/65R17     | 112H                      | 8J           | 2,469             | 36             | 31               | 11.97       |
| 265/70R17     | 115T                      | 8J           | 2,679             | 36             | 32               | 11.97       |
| LT265/70R17   | 121/118R                  | 8J           | D 2,910 / S 3,195 | 80             | 32               | 13.86       |
| 275/65R17 XL  | 119H                      | 8J           | 3,000             | 42             | 31               | 11.97       |
| 285/65R17     | 116S                      | 8 1/2J       | 2,756             | 36             | 32               | 11.97       |
| LT265/70R18   | 124/121R                  | 8J           | D 3,195 / S 3,525 | 80             | 33               | 13.23       |
| 265/50R20 XL  | 112V                      | 8 1/2J       | 2,469             | 42             | 30               | 11.34       |
| 275/55R20 XL  | 117V                      | 8 1/2J       | 2,833             | 42             | 32               | 11.34       |

Master of the highway!



# GTM 4X4 HP01

*Computer generated asymmetric tread design that promotes even wear, low noise and all-season traction. Four circumferential grooves help channel water to resist hydro-planing and help maintain wet traction.*

| SIZE         | LOAD INDEX / SPEED SYMBOL | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|--------------|---------------------------|--------------|-----------|----------------|------------------|-------------|
|              |                           |              | (LBS)     | (PSI)          | (INCHES)         | (32 NDS)    |
| 235/70R15 XL | 106H                      | 7J           | 2,094     | 42             | 28               | 10.08       |
| 205/70R16    | 97 V                      | 6J           | 1,609     | 36             | 27               | 10.08       |
| 215/65R16 XL | 102H                      | 6 1/2J       | 1,874     | 42             | 27               | 10.08       |
| 215/70R16    | 100H                      | 6 1/2J       | 1,764     | 36             | 28               | 10.08       |
| 225/75R16    | 104H                      | 6J           | 1,984     | 36             | 29               | 10.08       |
| 235/70R16    | 106H                      | 7J           | 2,094     | 36             | 29               | 10.08       |
| 245/70R16 XL | 111H                      | 7J           | 2,403     | 42             | 30               | 10.08       |
| 265/70R16    | 112H                      | 8J           | 2,469     | 36             | 31               | 10.08       |
| 275/70R16    | 114H                      | 8J           | 2,601     | 36             | 31               | 10.08       |
| 225/55R17 XL | 101V                      | 7J           | 1,819     | 42             | 27               | 9.70        |
| 225/60R17    | 99H                       | 6 1/2J       | 1,709     | 36             | 28               | 10.08       |
| 225/65R17    | 102H                      | 6 1/2J       | 1,874     | 36             | 29               | 10.08       |
| 235/55R17 XL | 103W                      | 7 1/2J       | 1,929     | 42             | 27               | 9.70        |
| 235/60R17 XL | 106V                      | 7J           | 2,094     | 42             | 28               | 10.08       |
| 235/65R17 XL | 108V                      | 7J           | 2,205     | 42             | 29               | 10.08       |
| 235/70R17 XL | 109T                      | 7J           | 2,271     | 42             | 30               | 10.08       |
| 245/65R17 XL | 111H                      | 7J           | 2,403     | 42             | 30               | 10.08       |
| 255/60R17    | 106H                      | 7 1/2J       | 2,094     | 36             | 29               | 10.08       |
| 255/65R17    | 110H                      | 7 1/2J       | 2,337     | 36             | 30               | 10.08       |
| 255/70R17    | 112T                      | 7 1/2J       | 2,469     | 36             | 31               | 10.08       |
| 265/65R17    | 112H                      | 8J           | 2,469     | 36             | 31               | 10.08       |
| 225/60R18    | 100H                      | 6 1/2J       | 1,764     | 36             | 29               | 10.08       |
| 235/55R18 XL | 104V                      | 7 1/2J       | 1,984     | 42             | 28               | 9.70        |
| 235/60R18 XL | 107W                      | 7J           | 2,149     | 42             | 29               | 10.08       |
| 235/65R18    | 106H                      | 7J           | 2,094     | 42             | 30               | 10.08       |
| 245/60R18    | 105V                      | 7J           | 2,039     | 36             | 30               | 10.08       |
| 255/55R18 XL | 109V                      | 8J           | 2,271     | 42             | 29               | 9.70        |
| 255/60R18 XL | 112V                      | 7 1/2J       | 2,469     | 42             | 30               | 10.08       |
| 255/65R18    | 111H                      | 7 1/2J       | 2,403     | 36             | 31               | 10.08       |
| 255/70R18    | 113T                      | 7 1/2J       | 2,535     | 36             | 32               | 10.08       |
| 265/60R18    | 110H                      | 8J           | 2,337     | 36             | 31               | 10.08       |
| 265/65R18    | 114H                      | 8J           | 2,601     | 36             | 32               | 10.08       |
| 265/70R18    | 116T                      | 8J           | 2,756     | 36             | 33               | 10.08       |
| 275/65R18    | 116H                      | 8J           | 2,756     | 36             | 32               | 10.08       |
| 245/55R19    | 103V                      | 7 1/2J       | 1,929     | 36             | 30               | 9.70        |
| 255/50R19 XL | 107W                      | 8J           | 2,149     | 42             | 29               | 9.70        |
| 255/55R19 XL | 111V                      | 8J           | 2,403     | 42             | 30               | 9.70        |
| 255/60R19    | 109H                      | 7 1/2J       | 2,271     | 36             | 31               | 10.08       |
| 245/50R20    | 102V                      | 7 1/2J       | 1,874     | 36             | 30               | 9.70        |
| 255/50R20 XL | 109V                      | 8J           | 2,271     | 42             | 30               | 9.70        |
| 265/50R20 XL | 111V                      | 8 1/2J       | 2,403     | 42             | 30               | 9.70        |
| 275/60R20    | 115T                      | 8J           | 2,679     | 36             | 33               | 10.08       |

Master of the unknown!



# GTMA/T

Versatile, all-terrain tread pattern provides confident handling on and off-road. Micro-grooves in tread enhance traction in wet or muddy conditions. Aggressive sidewall protectors are strategically located near the tire's shoulders to increase loose-surface bite while they resist cuts and abrasions from rocks and stumps. New tread compound formula enhances treadwear and grip

| SIZE          | LOAD INDEX /<br>SPEED SYMBOL | STANDARD RIM | MAX. LOAD         | MAX. INFLATION | OVERALL DIAMETER | TREAD DEPTH |
|---------------|------------------------------|--------------|-------------------|----------------|------------------|-------------|
|               |                              |              | (LBS)             | (PSI)          | (INCHES)         | (32 NDS)    |
| 235/75R15 XL  | 109T                         | 6 1/2J       | 2,271             | 42             | 29               | 13.86       |
| LT235/75R15   | 104/101R                     | 6 1/2J       | D 1,820 / S 1,985 | 50             | 29               | 13.61       |
| 265/70R15 OWL | 112T                         | 8J           | 2,469             | 36             | 30               | 13.86       |
| 30X9.50R15LT  | 104S                         | 7 1/2J       | 1,985             | 51             | 30               | 15.12       |
| 31X10.50R15LT | 109R                         | 8 1/2J       | 2,270             | 51             | 31               | 15.75       |
| 205R16LT      | 110/108T                     | 6J           | D 2,205 / S 2,337 | 65             | 29               | 15.75       |
| LT215/85R16   | 115/112Q                     | 6J           | D 2,470 / S 2,680 | 80             | 30               | 13.61       |
| LT225/75R16   | 115/112Q                     | 6J           | D 2,470 / S 2,680 | 80             | 29               | 13.61       |
| 235/70R16     | 106T                         | 7J           | 2,094             | 36             | 29               | 13.86       |
| LT235/85R16   | 120/116Q                     | 6 1/2J       | D 2,778 / S 3,042 | 80             | 32               | 15.75       |
| 245/70R16 XL  | 111T                         | 7J           | 2,403             | 42             | 30               | 13.86       |
| 245/75R16     | 111T                         | 7J           | 2,403             | 36             | 30               | 12.98       |
| LT245/75R16   | 120/116Q                     | 7J           | D 2,778 / S 3,042 | 80             | 30               | 16.00       |
| 255/70R16     | 111S                         | 7 1/2J       | 2,403             | 36             | 30               | 12.98       |
| 265/70R16     | 112T                         | 8J           | 2,469             | 36             | 31               | 13.86       |
| 265/75R16     | 116T                         | 7 1/2J       | 2,756             | 36             | 32               | 12.98       |
| LT265/75R16   | 123/120R                     | 7 1/2J       | D 3,086 / S 3,417 | 80             | 32               | 15.75       |
| LT285/75R16   | 126/123R                     | 8J           | D 3,415 / S 3,750 | 80             | 33               | 16.00       |
| LT305/70R16   | 124/121R                     | 9J           | D 3,195 / S 3,525 | 65             | 33               | 15.75       |
| LT235/80R17   | 120/117R                     | 6 1/2J       | D 2,835 / S 3,085 | 80             | 32               | 13.61       |
| 245/65R17 XL  | 111T                         | 7J           | 2,403             | 42             | 30               | 13.86       |
| 245/70R17     | 110S                         | 7J           | 2,337             | 36             | 31               | 12.98       |
| LT245/70R17   | 119/116Q                     | 7J           | D 2,755 / S 3,000 | 80             | 31               | 14.74       |
| LT245/75R17   | 121/118R                     | 7J           | D 2,910 / S 3,195 | 80             | 31               | 14.74       |
| 265/65R17     | 112T                         | 8J           | 2,469             | 36             | 31               | 12.98       |
| 265/70R17     | 115T                         | 8J           | 2,679             | 36             | 32               | 13.86       |
| LT265/70R17   | 121/118R                     | 8J           | D 2,910 / S 3,195 | 80             | 32               | 15.75       |
| P285/70R17    | 117T                         | 8 1/2J       | 2,833             | 36             | 33               | 12.98       |
| LT285/70R17   | 121/118S                     | 8 1/2J       | D 2,910 / S 3,195 | 80             | 33               | 15.75       |
| LT285/70R17   | 121/118S                     | 8 1/2J       | D 2,910 / S 3,195 | 65             | 33               | 16.00       |
| LT305/70R17   | 119/116R                     | 9J           | D 2,755 / S 3,000 | 50             | 34               | 15.75       |
| LT305/70R17   | 121/118S                     | 9J           | D 2,910 / S 3,195 | 65             | 34               | 15.75       |
| 255/70R18     | 113S                         | 7 1/2J       | 2,535             | 36             | 32               | 12.98       |
| LT265/65R18   | 122/119Q                     | 8J           | D 3,000 / S 3,305 | 80             | 32               | 14.74       |
| 265/70R18     | 116T                         | 8J           | 2,756             | 36             | 33               | 12.98       |
| LT265/70R18   | 124/121S                     | 8J           | D 3,195 / S 3,525 | 80             | 33               | 14.74       |
| 275/65R18     | 116T                         | 8J           | 2,756             | 36             | 32               | 12.98       |
| LT275/65R18   | 123/120S                     | 8J           | D 3,085 / S 3,415 | 80             | 32               | 14.74       |
| LT275/70R18   | 125/122S                     | 8J           | D 3,305 / S 3,640 | 80             | 33               | 14.74       |
| LT305/60R18   | 121/118R                     | 9J           | D 2,910 / S 3,195 | 65             | 32               | 15.75       |
| LT265/60R20   | 121/118R                     | 8J           | D 2,910 / S 3,195 | 80             | 33               | 14.74       |
| 275/55R20     | 113S                         | 8 1/2J       | 2,535             | 36             | 32               | 10.96       |

Master of the terrain!

# GTMM/T 01



Rugged tread pattern design provides maximum traction in off-road conditions. Versatile all-season traction in wet or muddy conditions as a result of its open tread pattern. Enhanced tread compound offers cut and chip resistance in on and off-road conditions. Wraparound shoulder design provides aggressive appearance and enhances off road traction.

| SIZE              | LOAD INDEX / SPEED SYMBOL | PLY | STANDARD RIM | MAX. LOAD         | MAX. INFLATION | OVERALL DIAMETER |
|-------------------|---------------------------|-----|--------------|-------------------|----------------|------------------|
|                   |                           |     |              | (LBS)             | (PSI)          | (INCHES)         |
| LT215/75R15 OWL   | 100/97Q                   | 6   | 6J           | D 1,610 / S 1,765 | 51             | 28               |
| LT235/75R15 OWL   | 104/101Q                  | 6   | 6 1/2J       | D 1,820 / S 1,985 | 51             | 29               |
| 265/70R15 OWL     | 112T                      | -   | 8J           | 2,469             | 36             | 30               |
| 265/75R15 OWL     | 112Q                      | -   | 7 1/2J       | 2,469             | 36             | 31               |
| 30X9.50R15LT OWL  | 104Q                      | 6   | 7 1/2J       | 1,985             | 51             | 30               |
| 31X10.50R15LT OWL | 109Q                      | 6   | 8 1/2J       | 2,270             | 51             | 31               |
| 33X12.50R15LT OWL | 108Q                      | 6   | 10J          | 2,205             | 36             | 33               |
| 35X12.50R15LT     | 113Q                      | 6   | 10J          | 2,535             | 35             | 35               |
| 205R16LT OWL      | 110/108Q                  | 8   | 6J           | D 2,205 / S 2,337 | 65             | 29               |
| LT225/75R16 OWL   | 110/107Q                  | 8   | 6J           | D 2,150 / S 2,335 | 65             | 30               |
| LT235/85R16 OWL   | 120/116Q                  | 10  | 6 1/2J       | D 2,778 / S 3,042 | 80             | 32               |
| LT245/75R16 OWL   | 120/116Q                  | 10  | 7J           | D 2,778 / S 3,042 | 80             | 31               |
| LT255/70R16 OWL   | 115/112Q                  | 8   | 7 1/2J       | D 2,470 / S 2,680 | 65             | 30               |
| LT265/70R16 OWL   | 110/107Q                  | 6   | 8J           | D 2,150 / S 2,335 | 51             | 31               |
| LT265/75R16 OWL   | 119/116Q                  | 8   | 7 1/2J       | D 2,755 / S 3,000 | 65             | 32               |
| LT285/75R16 OWL   | 126/123Q                  | 10  | 8J           | D 3,415 / S 3,750 | 80             | 33               |
| LT305/70R16 OWL   | 124/121Q                  | 10  | 9J           | D 3,195 / S 3,525 | 65             | 33               |
| LT315/75R16 OWL   | 127/124Q                  | 10  | 8 1/2J       | D 3,525 / S 3,860 | 65             | 35               |
| LT375/65R16       | 126/123Q                  | 8   | 11J          | D 3,415 / S 3,750 | 50             | 35               |
| LT235/80R17 OWL   | 120/117Q                  | 10  | 6 1/2J       | D 2,835 / S 3,085 | 80             | 32               |
| LT265/65R17       | 120/117Q                  | 10  | 8J           | D 2,835 / S 3,085 | 80             | 31               |
| LT265/70R17 OWL   | 121/118Q                  | 10  | 8J           | D 2,910 / S 3,195 | 80             | 32               |
| LT285/70R17 OWL   | 121/118Q                  | 10  | 8 1/2J       | D 2,910 / S 3,195 | 80             | 33               |
| LT295/70R17       | 121/118Q                  | 10  | 8 1/2J       | D 2,910 / S 3,195 | 80             | 34               |
| LT305/65R17       | 121/118Q                  | 10  | 9J           | D 2,910 / S 3,195 | 65             | 33               |
| LT305/70R17 OWL   | 119/116Q                  | 8   | 9J           | D 2,755 / S 3,000 | 51             | 34               |
| LT315/70R17       | 121/118Q                  | 10  | 9 1/2J       | D 2,910 / S 3,195 | 65             | 35               |
| 33X12.50R17LT     | 120Q                      | 10  | 10J          | 3,085             | 65             | 33               |
| 35X12.50R17LT OWL | 121Q                      | 10  | 10J          | 3,195             | 65             | 35               |
| 37X12.50R17LT     | 124Q                      | 8   | 10J          | 3,525             | 50             | 37               |
| 37X13.50R17LT 10  | 121Q                      | 10  | 11J          | 3,195             | 65             | 37               |
| 40X13.50R17LT     | 121Q                      | 6   | 11J          | 3,195             | 35             | 40               |
| LT275/70R18 OWL   | 125/122Q                  | 10  | 8J           | D 3,305 / S 3,640 | 80             | 33               |
| LT295/70R18       | 129/126Q                  | 10  | 8 1/2J       | D 3,750 / S 4,080 | 80             | 35               |
| LT305/60R18       | 121/118Q                  | 10  | 9J           | D 2,910 / S 3,195 | 65             | 33               |
| LT305/70R18       | 126/123Q                  | 10  | 9J           | D 3,415 / S 3,750 | 65             | 35               |
| 33X12.50R18LT OWL | 118Q                      | 10  | 10J          | 2,910             | 65             | 33               |
| 33X12.50R18LT     | 122Q                      | 12  | 10           | 3,305             | 80             | 33               |
| 35X12.50R18LT OWL | 123Q                      | 10  | 10J          | 3,415             | 65             | 35               |
| 35X12.50R18LT     | 128Q                      | 12  | 10           | 3,970             | 80             | 35               |
| 37X13.50R18LT     | 124Q                      | 8   | 11J          | 3,525             | 50             | 37               |
| LT285/55R20 OWL   | 122/119Q                  | 10  | 9J           | D 3,000 / S 3,305 | 80             | 33               |
| LT285/65R20 OWL   | 127/124Q                  | 10  | 8 1/2J       | D 3,525 / S 3,860 | 80             | 35               |

Master of mud!

| SIZE              | LOAD INDEX /<br>SPEED SYMBOL | PLY | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL<br>DIAMETER | OVERALL<br>DIAMETER |
|-------------------|------------------------------|-----|--------------|-----------|----------------|---------------------|---------------------|
|                   |                              |     |              | (LBS)     | (PSI)          | (INCHES)            | (INCHES)            |
| 33X12.50R20LT OWL | 114Q                         | 10  | 10J          | 2,600     | 65             | 33                  | 19.91               |
| 33X12.50R20LT     | 119Q                         | 12  | 10           | 3,000     | 80             | 33                  | 19.91               |
| 35X12.50R20LT OWL | 121Q                         | 10  | 10J          | 3,195     | 65             | 35                  | 19.91               |
| 35X12.50R20LT     | 125Q                         | 12  | 10           | 3,640     | 80             | 35                  | 19.91               |
| 36X15.50R20LT     | 126Q                         | 10  | 12 1/2J      | 3,750     | 65             | 36                  | 20.03               |
| 37X13.50R20LT     | 127Q                         | 10  | 11J          | 3,860     | 65             | 37                  | 20.03               |
| 38X15.50R20LT OWL | 125Q                         | 8   | 12 1/2J      | 3,640     | 51             | 38                  | 20.03               |
| 40X14.50R20LT     | 128Q                         | 8   | 11 1/2J      | 3,970     | 50             | 40                  | 20.03               |
| 33X12.50R22LT     | 109Q                         | 10  | 10J          | 2,270     | 65             | 33                  | 19.91               |
| 33X12.50R22LT     | 114Q                         | 12  | 10           | 2,600     | 80             | 33                  | 19.91               |
| 35X12.50R22LT OWL | 117Q                         | 10  | 10J          | 2,835     | 65             | 35                  | 19.91               |
| 35X12.50R22LT     | 121Q                         | 12  | 10           | 3,195     | 80             | 35                  | 19.91               |
| 37X13.50R22LT     | 123Q                         | 10  | 11J          | 3,415     | 65             | 37                  | 19.78               |
| 37X13.50R22LT     | 128Q                         | 12  | 11J          | 3,970     | 80             | 37                  | 19.78               |
| 37X13.50R24LT     | 120Q                         | 10  | 11J          | 3,085     | 65             | 37                  | 19.78               |
| 37X13.50R26LT     | 114Q                         | 10  | 11J          | 2,600     | 65             | 37                  | 19.78               |

Master of mud!

# GTM RT



Crisscrossed crocheted blocks are designed to provide strong traction on dirt and soft surfaces. Advanced magic rock composite tread formula can cope with a variety of harsh terrain and climate. The design of tire shoulder pattern can effectively remove the sticky mud and provide strong traction on the muddy ground and soft road surface. The inner and outer tires are designed with different patterns to give customers more

| SIZE          | LOAD INDEX /<br>SPEED SYMBOL | PLY | STANDARD RIM | MAX.<br>LOAD      | MAX.<br>INFLATION | OVERALL<br>DIAMETER | TREAD<br>DEPTH |
|---------------|------------------------------|-----|--------------|-------------------|-------------------|---------------------|----------------|
|               |                              |     |              | (LBS)             | (PSI)             | (INCHES)            | (32 NDS)       |
| 31X10.50R15LT | 109Q                         | 6   | 8 1/2J       | 2,270             | 51                | 31                  | 14.74          |
| LT235/85R16   | 123/120Q                     | 12  | 6 1/2J       | D 3,085 / S 3,415 | 94                | 32                  | 14.74          |
| LT245/75R16   | 120/116Q                     | 10  | 7J           | D 2,755 / S 3,085 | 80                | 30                  | 14.74          |
| LT305/70R16   | 128/125Q                     | 12  | 9J           | 3,640/3,970       | 80                | 33                  | 17.64          |
| LT235/80R17   | 120/117Q                     | 10  | 6 1/2J       | D 2,835 / S 3,085 | 80                | 32                  | 14.74          |
| LT255/80R17   | 121/118Q                     | 10  | 7J           | 2,910/3,195       | 80                | 33                  | 14.74          |
| LT265/70R17   | 121/118Q                     | 10  | 8J           | 2,910/3,195       | 80                | 32                  | 14.74          |
| LT285/70R17   | 121/118Q                     | 10  | 8 1/2J       | 2,910/3,195       | 80                | 33                  | 17.64          |
| LT295/70R17   | 121/118Q                     | 10  | 8 1/2J       | D 2,910 / S 3,195 | 80                | 33                  | 17.64          |
| LT305/70R17   | 121/118Q                     | 10  | 9J           | D 2,910 / S 3,195 | 65                | 34                  | 17.64          |
| 35X12.50R17LT | 121Q                         | 12  | 10J          | 3,195             | 80                | 35                  | 17.64          |
| LT275/65R18   | 123/120Q                     | 10  | 8J           | 3,085/3,415       | 80                | 32                  | 17.64          |
| LT285/75R18   | 129/126Q                     | 10  | 8J           | 3,750/4,080       | 80                | 35                  | 17.64          |
| 33X12.50R18LT | 122Q                         | 12  | 10J          | 3,305             | 80                | 33                  | 17.64          |
| LT265/60R20   | 122/118Q                     | 10  | 8J           | D 2,910 / S 3,195 | 80                | 33                  | 14.74          |
| LT275/60R20   | 123/120Q                     | 10  | 8J           | D 3,085 / S 3,415 | 80                | 33                  | 14.74          |
| LT275/65R20   | 128/125R                     | 12  | 8J           | D 1,650/3,640     | 95                | 34                  | 17.64          |
| LT285/55R20   | 124/121S                     | 12  | 9J           | D 3,195 / S 3,525 | 95                | 33                  | 17.64          |
| LT295/60R20   | 126/123Q                     | 10  | 8 1/2J       | D 3,415 / S 3,750 | 80                | 34                  | 17.64          |
| LT295/65R20   | 129/126Q                     | 10  | 8 1/2J       | D 3,750 / S 4,080 | 80                | 35                  | 17.64          |
| LT305/55R20   | 125/122S                     | 12  | 9 1/2J       | D 3,305 / S 3,640 | 80                | 33                  | 17.64          |
| 33X12.50R20LT | 119Q                         | 12  | 10J          | 3,000             | 80                | 33                  | 17.64          |
| 35X12.50R20LT | 125Q                         | 12  | 10           | 3,640             | 80                | 35                  | 19.91          |
| 33X12.50R22LT | 114Q                         | 12  | 10           | 2,600             | 80                | 33                  | 19.91          |
| 35X12.50R22LT | 121Q                         | 12  | 10           | 3,195             | 80                | 35                  | 19.91          |
| 37X12.50R22LT | 127Q                         | 12  | 10J          | 3,860             | 80                | 37                  | 17.64          |
| 33X12.50R24LT | 106Q                         | 12  | 11.5J        | 2,095             | 80                | 33                  | 17.64          |
| 33X13.50R24LT | 110Q                         | 12  | 11J          | 2,335             | 80                | 33                  | 17.64          |
| 35X12.50R24LT | 116Q                         | 12  | 10 1/2J      | 2,755             | 80                | 35                  | 17.64          |
| 35X13.50R24LT | 116Q                         | 12  | 12J          | 2,755             | 80                | 35                  | 17.64          |
| 37X13.50R24LT | 124Q                         | 12  | 11J          | 3,525             | 80                | 37                  | 17.64          |
| 37X13.50R26LT | 117Q                         | 12  | 11J          | 2,835             | 80                | 37                  | 17.64          |

Master of Grip!



# XT GTM

*Extraordinary grip, Enhanced traction, and Excellent handling, snow and wet traction. Using the patented technology E-L MAX, and adopting the high- strength three-layer body design, can meet all kinds of tests. Advanced magic rock composite tread formula can cope with a variety of harsh terrain and climate.*

| SIZE          | LOAD INDEX /<br>SPEED SYMBOL | PLY | STANDARD RIM | MAX. LOAD | MAX. INFLATION | OVERALL<br>DIAMETER | TREAD DEPTH |
|---------------|------------------------------|-----|--------------|-----------|----------------|---------------------|-------------|
|               |                              |     |              | (LBS)     | (PSI)          | (INCHES)            | (32 NDS)    |
| 33X12.50R20LT | 119R                         | 12  | 8 1/2J       | 3,000     | 80             | 33                  | 17.64       |

Master of the extreme!