# MAZZINI TYRES

## PRODUCT CATALOGUE

DRIVE UNLIMITED >

MAZZINI TYRES

Tire Direct
La nueva generación

TIRE DIRECT /TIRE_DIRECT /TIREDIRECTMX TIRE DIRECT

TD

MAZZINI TYRES

# CONTENTS


**PASSENGER CAR TYRES**

ECO307 ---------- P01
ECO603 ---------- P03
FALCONER F1 ---------- P05
ECO809 ---------- P07
ECO819 ---------- P07
ECO605 PLUS ---------- P09
ECO607 ---------- P11
ECO602 ---------- P13
ECO606 ---------- P15
ECO907 TAXI ---------- P17

**SUV/LIGHT TRUCK TYRES**

STREET SPOR ▾
VARENNA S01 ---------- P19
SHARK-Z02 ---------- P19
SHARK-A30 ---------- P21

HIGHWAY ▾
ECOSAVER ---------- P23

ON/OFF ROAD ALL TERRAIN ▾
GIANTSAVER A/T ---------- P25
GIANTXPLORER AT ---------- P27

OFF ROAD ▾
MUD CRUSHER M/T ---------- P27
MUD CONTENDER ---------- P29
MUD TIGER M1 ---------- P29
RUGGED CONTENDER ---------- P31

**VAN TYRES**

ECOTOUR ---------- P31
EFFIVAN ---------- P33

**RUN-FLAT TYRE**

SUPERSPORTCHASER SSC5 ---------- P35


Tire Direct
La nueva generación

# ECO307

COMFORT | QUIET | ECONOMY | HIGHMILEAGE

**SPEED RATE: T/H/V**

**RIM: 13'-16'**

**SECTION WIDTH: 155-225**

**RATIO: 50-80**

**ON-/OFF-ROAD: 90%/10%**

The ECO307 is a summer tire designed for ordinary compact cars. The symmetric tread pattern of ECO307 is designed for good straight line high speed stability and the two anti-uneven-wear shoulder strips provide excellent wear and steering performance.
The ECO307 provides good traction and braking at all weather conditions.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| 4 wide main circumferential grooves | Help to increase wet handling reduce the risk of aquaplaning | Wet grip and safety |
| Silent pitch arrangement | Reduce tire harmonic noise | Comfortable and quite ride |
| Anti-uneven-wear shoulder strip | Ensure sufficient shoulder support and stability at high speed cornering | High speed safety |

MAZZINI TYRES

# ECO307

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 155/65R13 | 73T | 400/A/A | D | C | 70 | B |
| 155/70R13 | 75T | 400/A/A | D | C | 70 | B |
| 155/80R13 | 79T | 400/A/A | D | C | 70 | B |
| 165/65R13 | 77T | 400/A/A | D | C | 70 | B |
| 165/70R13 | 79T | 400/A/A | D | C | 70 | B |
| 175/70R13 | 82T | 400/A/A | D | C | 70 | B |
| 175/75R13 | 85T | | | | | |
| 185/70R13 | 86H | 400/A/A | D | C | 70 | B |
| 155/65R14 | 75T | 400/A/A | D | C | 70 | B |
| 165/60R14 | 75H | 400/A/A | D | C | 70 | B |
| 165/70R14 | 81T | 400/A/A | D | C | 70 | B |
| 175/65R14 | 82T | 400/A/A | D | C | 70 | B |
| 175/65R14 | 82H | 400/A/A | D | C | 70 | B |
| 175/75R14 | 87T | | | | | |
| 175/70R14 | 84T | 400/A/A | D | C | 70 | B |
| 185/60R14 | 82H | 400/A/A | D | C | 70 | B |
| 185/65R14 | 86H | 400/A/A | D | C | 70 | B |
| 185/70R14 | 88H | 400/A/A | C | C | 70 | B |
| 195/70R14 | 91H | 400/A/A | D | C | 71 | B |
| 205/70R14 | 98T XL | 400/A/A | C | B | 71 | B |
| 175/65R15 | 84H | 400/A/A | D | C | 70 | B |
| 185/55R15 | 82H | 400/A/A | D | C | 70 | B |
| 185/55R15 | 82V | 400/A/A | D | C | 70 | B |
| 185/60R15 | 88H XL | 400/A/A | C | C | 70 | B |
| 185/65R15 | 88H | 400/A/A | D | C | 70 | B |
| 195/60R15 | 88H | 400/A/A | D | C | 71 | B |
| 195/60R15 | 88V | 400/A/A | D | C | 71 | B |
| 195/65R15 | 91H | 400/A/A | D | C | 71 | B |
| 195/65R15 | 91V | 400/A/A | D | C | 71 | B |
| 205/60R15 | 91V | 400/A/A | D | B | 71 | B |
| 205/65R15 | 94H | 400/A/A | C | B | 71 | B |
| 205/65R15 | 94V | 400/A/A | C | B | 71 | B |
| 205/70R15 | 96H | 400/A/A | C | B | 71 | B |
| 215/65R15 | 96H | 400/A/A | D | B | 71 | B |
| 215/70R15 | 98H | 400/A/A | C | B | 71 | B |
| 185/50R16 | 85V XL | 400/A/A | D | C | 70 | B |
| 185/55R16 | 87V XL | 400/A/A | D | C | 70 | B |
| 205/55R16 | 91V | 400/A/A | C | B | 71 | B |
| 205/55ZR16 | 91W | 400/A/A | C | B | 71 | B |
| 205/60R16 | 92H | 400/A/A | C | B | 71 | B |
| 205/60R16 | 92V | 400/A/A | C | B | 71 | B |
| 205/65R16 | 99H XL | 400/A/A | C | B | 71 | B |
| 215/60R16 | 95H | 400/A/A | C | B | 71 | B |
| 225/60R16 | 98H | 400/A/A | C | B | 71 | B |

Tire Direct
La nueva generación

# ECO603

COMFORT | QUIET | ECONOMY | HIGHMILEAGE

**SPEED RATE: T/H/V/W**

**RIM: 13'-18'**

**SECTION WIDTH: 155-245**

**RATIO: 45-75**

Excellent Grip Performance

Low Noise and More Comfortable

Optimised rolling resisitance
for reduced fuel consumption

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Excellent Grip Performance | Asymmetrical pttern design ensures the grip of the tire when turning | Improves the handling performance |
| Low Noise and More Comfortable | Dual pitch design with optimal pitch order | Effectively educe the noise peak |
| Optimised rolling resisitance for reduced fuel consumption | Its advantage lies in reducing the rolling resistance of the tires while ensuring a high degree of safety during braking. | This is a tire suitable for long-distance driving, and also suitable for people who pay attention to fuel consumption |

MAZZINI TYRES

# ECO603

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 155/70R13 | 75T | 380/A/A | D | B | 70 | B |
| 175/60R13 | 77T | 380/A/A | D | B | 70 | B |
| 175/65R14 | 82H | 380/A/A | D | B | 70 | B |
| 175/70R13 | 82H | 380/A/A | D | B | 70 | B |
| 175/75R13 | 85T | 380/A/A | D | B | 70 | B |
| 175/75R14 | 86T | 380/A/A | D | B | 70 | B |
| 185/60R14 | 82H | 380/A/A | D | B | 70 | B |
| 185/65R14 | 86H | 380/A/A | D | B | 70 | B |
| 185/65R15 | 88H | 380/A/A | D | B | 70 | B |
| 185/70R13 | 86T | 380/A/A | D | B | 70 | B |
| 185/70R14 | 88H | 380/A/A | D | B | 70 | B |
| 195/50R15 | 82V | 380/A/A | D | B | 70 | B |
| 195/55R15 | 85V | 380/A/A | D | B | 70 | B |
| 195/55R16 | 91V | 380/A/A | D | B | 71 | B |
| 195/60R15 | 88V | 380/A/A | D | B | 70 | B |
| 195/60R15 | 88H | 380/A/A | D | B | 70 | B |
| 195/65R15 | 91V | 380/A/A | C | B | 70 | B |
| 205/55R16 | 91V | 380/A/A | C | B | 70 | B |
| 205/60R16 | 92V | 380/A/A | C | B | 71 | B |
| 215/50ZR17 | 95W | 380/A/A | C | B | 72 | B |
| 215/55R16 | 97W XL | 380/A/A | C | B | 72 | B |
| 215/55ZR17 | 98W | 380/A/A | C | B | 72 | B |
| 225/40ZR18 | 92W | 380/A/A | C | B | 72 | B |
| 225/45ZR17 | 94W XL | 380/A/A | C | B | 72 | B |
| 225/45ZR18 | 95W | 380/A/A | C | B | 72 | B |
| 235/40ZR18 | 95W | 380/A/A | C | B | 72 | B |
| 235/45ZR18 | 98W | 380/A/A | C | B | 72 | B |
| 245/40ZR18 | 97W | 380/A/A | C | B | 72 | B |
| 245/45ZR18 | 100W | 380/A/A | C | B | 72 | B |

Tire Direct
La nueva generación

# FALCONER F1

HIGHSPEED

SAFETY

**SPEED RATE: V/T/H**

**RIM: 13'-17'**

**SECTION WIDTH: 175-225**

**RATIO: 50-70**

## INTRODUCTION

Falconer F1 is a pattern designed for comfort and safety.
The advanced asymmetrical tread design brings silence and good handling to drivers.

MAZZINI TYRES

# FALCONER F1

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 175/70R13 | 82T | 320/A/A | B | C | 70 | B |
| 175/65R14 | 82H | 320/A/A | B | C | 71 | B |
| 175/70R14 | 84T | 320/A/A | B | C | 71 | B |
| 185/60R15 | 88H | 320/A/A | C | C | 71 | B |
| 185/65R15 | 88H | 320/A/A | B | C | 70 | B |
| 195/50R15 | 82V | 320/A/A | C | C | 70 | B |
| 195/55R15 | 85V | 320/A/A | C | C | 70 | B |
| 195/60R15 | 88V | 320/A/A | C | C | 70 | B |
| 195/65R15 | 91V | 320/A/A | C | C | 70 | B |
| 205/65R15 | 94H | 320/A/A | C | C | 71 | B |
| 195/55R16 | 87V | 320/A/A | C | C | 71 | B |
| 205/55R16 | 91V | 320/A/A | C | C | 71 | B |
| 205/60R16 | 92V | 320/A/A | C | C | 71 | B |
| 215/55ZR16 | 97W | 320/A/A | C | C | 71 | B |
| 215/60R16 | 95H | 320/A/A | C | C | 71 | B |
| 205/50ZR17 | 93W | 320/A/A | C | C | 71 | B |
| 215/50ZR17 | 95W | 320/A/A | C | C | 71 | B |
| 215/55ZR17 | 98W | 320/A/A | C | C | 71 | B |
| 225/50ZR17 | 98W | 320/A/A | C | C | 71 | B |

Tire Direct
La nueva generación

MAZZINI TYRES

# ECO809

STRONG | QUIET | TRACTION

**SPEED RATE: H/V**

**RIM: 15'-16'**

**SECTION WIDTH: 185-205**

**RATIO: 55-65**

ECO809 provides low rolling resistance and increases wet grip, plus a shoulder base that inhibits block wriggling and tyre deformity. Stiff sidewalls absorb impact and improve ride comfort .

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 185/55R15 | 82V | 320/A/A | C | B | 70 | B |
| 185/60R15 | 84H | 320/A/A | C | B | 70 | B |
| 185/65R15 | 88H | 320/A/A | C | B | 70 | B |
| 195/60R15 | 88H | 320/A/A | C | B | 71 | B |
| 195/65R15 | 91H | 320/A/A | C | B | 71 | B |
| 205/55R16 | 91V | 320/A/A | C | B | 71 | B |
| 205/60R16 | 92H | 320/A/A | C | B | 71 | B |

# ECO819

ECONOMY | QUIET

**SPEED RATE: W/Y/V**

**RIM: 15'-18'**

**SECTION WIDTH: 195-245**

**RATIO: 40-45**

Comfortable and quiet ride

Low rolling resistance for better fuel efficiency

4 wide grooves hlep to increase wet handling and reduce the risk of aquaplaning

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 195/45R16 | 84V XL | 320/A/A | C | B | 71 | B |
| 205/45ZR17 | 88W XL | 320/A/A | C | B | 71 | B |
| 215/45ZR17 | 91W XL | 320/A/A | C | B | 72 | B |
| 235/45ZR17 | 97W XL | 320/A/A | C | B | 72 | B |
| 245/40ZR18 | 97Y XL | 320/A/A | C | B | 72 | B |
| 245/45ZR18 | 100W XL | 320/A/A | C | B | 72 | B |

# ECO605 PLUS

HIGHSPEED | QUIET | ECONOMY

**SPEED RATE: H/V/W**

**RIM: 14'-19'**

**SECTION WIDTH: 175-255**

**RATIO: 35-65**

**ON-/OFF-ROAD: 90%/10%**

The ECO605 PLUS is a max performance summer tyre designed to complement the performance of sports cars, sports coupes and sport sedans.

The ECO605 PLUS is developed to provide good traction along with responsive and predictable dry and wet road handling.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Asymmetric pattern design<br>Outside with circumferential straight groove<br>Inside rug groove of shoulder area | Give high speeds handling<br>Drain most of the water away from block surface | High speed safety |
| High Wet Grip compound | Maximun resistance to aquaplaning | Unique wet handing,traction and acceleration capability |
| State of the art tread compound | Improvement for traction& stability | Unique traction and acceleration capability |

MAZZINI TYRES

# ECO605 PLUS

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 175/65R14 | 82H | 320/A/A | D | C | 69 | B |
| 185/60R14 | 82H | 320/A/A | D | C | 69 | B |
| 185/65R14 | 86H | 320/A/A | D | C | 69 | B |
| 195/60R14 | 86H | 320/A/A | D | C | 70 | B |
| 185/65R15 | 88H | 320/A/A | C | C | 69 | B |
| 195/50R15 | 86V XL | 320/A/A | D | C | 71 | B |
| 195/55R15 | 85V | 320/A/A | C | C | 70 | B |
| 195/60R15 | 88V | 320/A/A | C | C | 70 | B |
| 195/65R15 | 91V | 320/A/A | C | C | 70 | B |
| 205/60R15 | 91V | 320/A/A | C | C | 70 | B |
| 205/65R15 | 94H | 320/A/A | C | C | 70 | B |
| 195/55ZR16 | 91W XL | 320/A/A | C | C | 71 | B |
| 205/45ZR16 | 87W XL | 320/A/A | C | C | 71 | B |
| 205/50ZR16 | 87W | 320/A/A | C | C | 70 | B |
| 205/55R16 | 91V | 320/A/A | D | C | 71 | B |
| 205/55ZR16 | 94W XL | 320/A/A | C | C | 71 | B |
| 215/55ZR16 | 97W XL | 320/A/A | C | B | 71 | B |
| 215/60R16 | 95H | 320/A/A | C | B | 70 | B |
| 225/55ZR16 | 99W XL | 320/A/A | C | B | 71 | B |
| 225/60R16 | 98H | 320/A/A | C | B | 71 | B |
| 205/40ZR17 | 84W XL | 320/A/A | C | C | 71 | B |
| 205/45ZR17 | 88W XL | 320/A/A | C | C | 71 | B |
| 205/50ZR17 | 93W XL | 320/A/A | C | C | 71 | B |
| 215/40ZR17 | 87W XL | 320/A/A | C | B | 71 | B |
| 215/45ZR17 | 91W XL | 320/A/A | C | B | 71 | B |
| 225/45ZR17 | 94W XL | 320/A/A | C | B | 71 | B |
| 225/50ZR17 | 98W XL | 320/A/A | C | B | 71 | B |
| 225/55ZR17 | 101W XL | 320/A/A | C | B | 71 | B |
| 235/45ZR17 | 97W XL | 320/A/A | C | B | 71 | B |
| 245/45ZR17 | 99W XL | 320/A/A | C | B | 71 | B |
| 215/35ZR18 | 84W XL | 320/A/A | C | B | 71 | B |
| 225/40ZR18 | 92W XL | 320/A/A | C | B | 71 | B |
| 225/45ZR18 | 95W XL | 320/A/A | C | B | 71 | B |
| 235/40ZR18 | 95W XL | 320/A/A | C | B | 71 | B |
| 245/40ZR18 | 97W XL | 320/A/A | C | B | 71 | B |
| 245/45ZR18 | 100W XL | 320/A/A | C | B | 71 | B |
| 255/35ZR18 | 94W XL | 320/A/A | C | B | 72 | B |
| 235/35ZR19 | 91W XL | 320/A/A | C | B | 71 | B |
| 245/35ZR19 | 97W XL | 320/A/A | C | B | 71 | B |

# ECO607

HIGHSPEED | QUIET | ECONOMY

**SPEED RATE: V/W/Y**

**RIM: 15'-24'**

**SECTION WIDTH: 195-305**

**RATIO: 30-55**

**ON-/OFF-ROAD: 90%/10%**

The ECO607 is a high performance summer tyre designed for Premium cars. The directional tread pattern design provides good traction along with responsive and predictable dry and wet road handling. Tread compoud with more silica decreases energy loss and reduces rolling resistance. ECO607 has a high performance in low noise emission.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| 4 wide longitudinal grooves | Excellent water evacuation and improve wet performance Enhance water evacuation on wet roads | Wet grip and safety |
| Tread compoud with more silica | Decrease energy loss and reduce rolling resistance | Save fuel |
| Directional tread pattern | Provide maximum water evacuation | High speed stability |

Tire Direct
La nueva generación

MAZZINI TYRES

# ECO607

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 195/50R15 | 82V | 320/A/A | D | B | 71 | B |
| 195/55R15 | 85V | 320/A/A | D | B | 71 | B |
| 195/45R16 | 84V XL | 320/A/A | C | B | 71 | B |
| 195/50R16 | 88V XL | 320/A/A | C | B | 71 | B |
| 205/50ZR16 | 87W | 320/A/A | D | B | 71 | B |
| 205/55ZR16 | 94W XL | 320/A/A | B | B | 71 | B |
| 215/55ZR16 | 97W XL | 320/A/A | B | B | 71 | B |
| 225/50ZR16 | 96W XL | 320/A/A | C | B | 71 | B |
| 225/55R16 | 95V | 320/A/A | D | B | 71 | B |
| 205/40ZR17 | 84W XL | 320/A/A | C | B | 71 | B |
| 205/45ZR17 | 88W XL | 320/A/A | C | B | 71 | B |
| 205/50ZR17 | 93W XL | 320/A/A | C | B | 71 | B |
| 215/40ZR17 | 87W XL | 320/A/A | D | B | 71 | B |
| 215/45ZR17 | 91W XL | 320/A/A | C | B | 71 | B |
| 215/50ZR17 | 95W XL | 320/A/A | C | B | 71 | B |
| 215/55ZR17 | 98W XL | 320/A/A | C | B | 71 | B |
| 225/45ZR17 | 94W XL | 320/A/A | C | B | 71 | B |
| 225/50ZR17 | 98W XL | 320/A/A | C | B | 71 | B |
| 225/55ZR17 | 101W XL | 320/A/A | B | B | 71 | B |
| 235/45ZR17 | 97W XL | 320/A/A | C | B | 71 | B |
| 235/50ZR17 | 100W XL | 320/A/A | D | B | 71 | B |
| 235/55ZR17 | 103W XL | 320/A/A | B | B | 71 | B |
| 245/40ZR17 | 95W XL | 320/A/A | D | B | 71 | B |
| 245/45ZR17 | 99W XL | 320/A/A | C | B | 71 | B |
| 215/35ZR18 | 84W XL | 320/A/A | D | B | 71 | B |
| 225/40ZR18 | 92W XL | 320/A/A | C | B | 71 | B |
| 225/45ZR18 | 95W XL | 320/A/A | C | B | 71 | B |
| 235/40ZR18 | 95W XL | 320/A/A | D | B | 71 | B |
| 235/45ZR18 | 98Y XL | 320/A/A | D | B | 71 | B |
| 235/50ZR18 | 101W XL | 320/A/A | D | B | 71 | B |
| 245/40ZR18 | 97Y XL | 320/A/A | C | B | 71 | B |
| 245/45ZR18 | 100W XL | 320/A/A | C | B | 71 | B |
| 255/35ZR18 | 94W XL | 320/A/A | D | B | 72 | B |
| 255/45ZR18 | 103W XL | 320/A/A | C | B | 72 | B |
| 225/35ZR19 | 88W XL | 320/A/A | D | B | 71 | B |
| 235/35ZR19 | 91W XL | 320/A/A | C | B | 71 | B |
| 245/35ZR19 | 93W XL | 320/A/A | C | B | 71 | B |
| 245/55ZR19 | 103W | 320/A/A | D | B | 71 | B |
| 255/35ZR19 | 96Y XL | 320/A/A | D | B | 72 | B |
| 255/40ZR19 | 100W XL | 320/A/A | D | B | 72 | B |
| 265/30ZR19 | 93W XL | 320/A/A | D | B | 72 | B |
| 275/30ZR19 | 96W XL | 320/A/A | D | B | 72 | B |
| 225/35ZR20 | 90W XL | 320/A/A | D | B | 71 | B |
| 255/35ZR20 | 97W XL | 320/A/A | C | B | 72 | B |
| 275/40ZR20 | 106Y XL | 320/A/A | D | B | 72 | B |
| 275/45R20 | 110V XL | 320/A/A | C | B | 72 | B |
| 275/55ZR20 | 117W XL | 320/A/A | C | B | 72 | B |
| 285/50R20 | 116V XL | 320/A/A | C | B | 73 | B |
| 285/35ZR22 | 112W XL | 320/A/A | C | B | 73 | B |
| 305/35ZR24 | 112W XL | 320/A/A | C | B | 73 | B |

# ECO602

HIGHSPEED | QUIET | SAFETY

**SPEED RATE: W/Y**

**RIM: 18'-21'**

**SECTION WIDTH: 215-325**

**RATIO: 30-55**

ECO602 is a new pattern of Mazzini series, which is aim to offer the driver and passager a luxury experience.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Super handling and shorter braking distance. | Silent and comfortable driving experience. | The unique design of "water absorber" offer better wet grip for safer trip. |

Tire Direct
La nueva generación

## ECO602

MAZZINI TYRES

### M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 225/55ZR18 | 102W XL | 480/A/A | C | B | 72 | B |
| 225/50ZR18 | 99W XL | 480/A/A | C | B | 72 | B |
| 215/45ZR18 | 93W XL | 480/A/A | D | B | 72 | B |
| 215/40ZR18 | 89Y XL | 480/A/A | D | B | 72 | B |
| 255/40ZR18 | 99Y XL | 480/A/A | C | B | 73 | B |
| 265/40ZR18 | 101Y XL | 480/A/A | C | B | 73 | B |
| 275/40ZR18 | 103Y XL | 480/A/A | C | B | 73 | B |
| 265/35ZR18 | 97Y XL | 480/A/A | C | B | 73 | B |
| 275/55ZR19 | 111W | 480/A/A | C | B | 72 | B |
| 265/50ZR19 | 110W XL | 480/A/A | C | B | 73 | B |
| 225/45ZR19 | 96W XL | 480/A/A | C | B | 72 | B |
| 275/45ZR19 | 108W XL | 480/A/A | C | B | 73 | B |
| 285/45ZR19 | 111Y XL | 480/A/A | C | B | 75 | B |
| 225/40ZR19 | 93Y XL | 480/A/A | D | B | 72 | B |
| 235/40ZR19 | 96Y XL | 480/A/A | C | B | 72 | B |
| 285/40ZR19 | 107Y XL | 480/A/A | C | B | 75 | B |
| 215/35ZR19 | 85W XL | 480/A/A | D | B | 72 | B |
| 265/35ZR19 | 98Y XL | 480/A/A | C | B | 73 | B |
| 285/35ZR19 | 103Y XL | 480/A/A | C | B | 75 | B |
| 255/30ZR19 | 91Y XL | 480/A/A | D | B | 73 | B |
| 255/50ZR19 | 107W XL | 480/A/A | C | B | 73 | B |
| 245/35ZR19 | 93Y | 480/A/A | D | B | 72 | B |
| 255/35ZR19 | 96Y | 480/A/A | C | B | 73 | B |
| 255/45ZR19 | 104W | 480/A/A | C | B | 73 | B |
| 255/50ZR20 | 109W XL | 480/A/A | C | B | 73 | B |
| 255/45ZR20 | 105W XL | 480/A/A | C | B | 73 | B |
| 245/40ZR20 | 99Y XL | 480/A/A | C | B | 72 | B |
| 255/40ZR20 | 101Y XL | 480/A/A | C | B | 73 | B |
| 295/40ZR20 | 110Y XL | 480/A/A | C | B | 75 | B |
| 235/35ZR20 | 92Y XL | 480/A/A | D | B | 72 | B |
| 265/35ZR20 | 99Y XL | 480/A/A | C | B | 73 | B |
| 275/35ZR20 | 102Y XL | 480/A/A | C | B | 73 | B |
| 285/35ZR20 | 104Y XL | 480/A/A | C | B | 75 | B |
| 225/30ZR20 | 85Y XL | 480/A/A | D | B | 72 | B |
| 235/30ZR20 | 88Y XL | 480/A/A | D | B | 72 | B |
| 245/30ZR20 | 90Y XL | 480/A/A | D | B | 72 | B |
| 275/30ZR20 | 97Y XL | 480/A/A | C | B | 73 | B |
| 285/30ZR20 | 99Y XL | 480/A/A | C | B | 75 | B |
| 245/35ZR20 | 95Y | 480/A/A | C | B | 72 | B |
| 255/35ZR20 | 97Y | 480/A/A | C | B | 73 | B |
| 275/45ZR20 | 110W | 480/A/A | C | B | 73 | B |
| 265/45ZR21 | 104Y | 480/A/A | C | B | 73 | B |
| 275/45ZR21 | 110W XL | 480/A/A | C | B | 73 | B |
| 265/40ZR21 | 105Y XL | 480/A/A | C | B | 73 | B |
| 275/40ZR21 | 107Y XL | 480/A/A | C | B | 73 | B |
| 285/40ZR21 | 109Y XL | 480/A/A | C | B | 75 | B |
| 295/40ZR21 | 111Y XL | 480/A/A | C | B | 75 | B |
| 245/35ZR21 | 96Y XL | 480/A/A | C | B | 72 | B |
| 285/35ZR21 | 105Y XL | 480/A/A | C | B | 75 | B |
| 295/35ZR21 | 107Y XL | 480/A/A | C | B | 75 | B |
| 285/30ZR21 | 100Y XL | 480/A/A | C | B | 75 | B |
| 325/30ZR21 | 108Y XL | 480/A/A | C | B | 75 | B |

# ECO606

HIGHSPEED SAFETY

**SPEED RATE: V/W/Y**

**RIM: 16'-24'**

**SECTION WIDTH: 205-315**

**RATIO: 35-55**

**ON-/OFF-ROAD: 90%/10%**

ECO606 is a ultra high performance summer tyre designed to complement the performance of sports cars. ECO606 is developed to provide good cornering performance and good wet grip.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Asymmetric pattern design | Improve braking performance and cornering stability | Cornering safety |
| Center rib | Improve straight line stability | High speed safety |
| 4 wide main circumferential grooves | Increase wet handling and reduce the risk of aquaplaning | Wet grip and safety |

MAZZINI TYRES

# ECO606

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 215/45ZR16 | 90V XL | 320/A/A | C | B | 71 | B |
| 205/55ZR17 | 95W XL | 320/A/A | C | B | 71 | B |
| 225/35ZR20 | 90W XL | 320/A/A | C | B | 72 | B |
| 245/35ZR20 | 95W XL | 320/A/A | D | B | 72 | B |
| 245/45ZR20 | 99W | 320/A/A | D | B | 71 | B |
| 255/35ZR20 | 97W XL | 320/A/A | C | B | 72 | B |
| 265/45ZR20 | 104W XL | 320/A/A | | | | |
| 275/40ZR20 | 106Y XL | 320/A/A | C | B | 72 | B |
| 275/45R20 | 110V XL | 320/A/A | C | B | 72 | B |
| 275/55ZR20 | 117W XL | 320/A/A | B | B | 72 | B |
| 285/50R20 | 116V XL | 320/A/A | B | B | 73 | B |
| 315/35ZR20 | 110Y XL | 320/A/A | C | B | 73 | B |
| 265/35ZR22 | 102W XL | 320/A/A | C | B | 72 | B |
| 285/35ZR22 | 112W XL | 320/A/A | C | B | 73 | B |
| 305/40ZR22 | 114W XL | 320/A/A | C | B | 73 | B |
| 305/45ZR22 | 118W XL | 320/A/A | C | B | 73 | B |
| 305/35ZR24 | 112W XL | 320/A/A | C | B | 73 | B |

# ECO907 TAXI

HIGHSPEED SAFETY

**SPEED RATE: V/T/H**

**RIM: 13'-16'**

**SECTION WIDTH: 165-215**

**RATIO: 55-70**

## INTRODUCTION

Specially designed for taxis car with excellent fuel saving performance
Silent and comfortable driving experience
The unique design of "water absorber" offer better wet grip for safer trip
The wide tread block design improves more mileage and safety.
Use excellent wear resistant formula in design and delivers the best wear resisting performance
The tread blcoks on shoulders deliver excellent stability and good handing.
Advanced tread design channels out water to resist aquaplaning.

Tire Direct
La nueva generación

MAZZINI TYRES

# ECO907 TAXI

## M+S

| Size | Load Index &Speed Rate | /XL | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|---|
| | | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 165/60R14 | 75H | | 680/A/A | D | C | 68 | )) |
| 165/65R13 | 77T | | 680/A/A | D | C | 68 | )) |
| 165/70R13 | 79T | | 680/A/A | D | C | 68 | )) |
| 165/70R14 | 85T | | 680/A/A | D | C | 68 | )) |
| 175/65R14 | 86H | | 680/A/A | D | C | 68 | )) |
| 175/70R13 | 82T | | 680/A/A | D | C | 68 | )) |
| 175/70R14 | 88T | | 680/A/A | D | C | 68 | )) |
| 185/55R15 | 82H | | 680/A/A | D | C | 68 | )) |
| 185/60R14 | 82H | | 680/A/A | D | C | 68 | )) |
| 185/60R15 | 88H | | 680/A/A | D | C | 69 | )) |
| 185/65R14 | 90H | | 680/A/A | D | C | 69 | )) |
| 185/65R15 | 92H | | 680/A/A | D | C | 69 | )) |
| 195/60R14 | 86H | | 680/A/A | D | C | 70 | )) |
| 195/60R15 | 92H | | 680/A/A | D | C | 70 | )) |
| 195/65R15 | 95H | | 680/A/A | D | C | 70 | )) |
| 205/55R16 | 91V | | 680/A/A | D | C | 69 | )) |
| 205/60R16 | 92H | | 680/A/A | D | C | 69 | )) |
| 205/65R15 | 99H | | 680/A/A | D | C | 70 | )) |
| 215/60R16 | 99H | | 680/A/A | D | C | 70 | )) |

# VARENNA S01

HIGHSPEED SAFETY

**SPEED RATE: V/Y**

**RIM: 19'/20'**

**SECTION WIDTH: 225/275**

**RATIO: 35-55**

**ON-/OFF-ROAD: 90%/10%**

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 225/55R19 | 99V | 420/A/A | C | B | 71 | B |
| 235/50R19 | 99V | 420/A/A | D | B | 71 | B |
| 235/55R19 | 105V XL | 420/A/A | C | B | 72 | B |
| 245/40ZR19 | 98Y XL | 320/A/A | C | B | 72 | B |
| 245/45ZR19 | 98Y | 320/A/A | D | B | 71 | B |
| 245/50R20 | 102V | 420/A/A | C | B | 71 | B |
| 255/45R19 | 100V | 420/A/A | D | B | 72 | B |
| 255/55R19 | 111V XL | 420/A/A | C | B | 73 | B |
| 275/35ZR19 | 100Y XL | 320/A/A | D | B | 73 | B |
| 275/40ZR19 | 101Y | 320/A/A | D | B | 72 | B |

# SHARK-Z02

TRACTION SAFETY

**SPEED RATE: H/V/W**

**RIM: 15'/18'/20'**

**SECTION WIDTH: 265/295**

**RATIO: 50-60**

**ON-/OFF-ROAD: 90%/10%**

The SHARK-Z02 tyre is designed for your truck or SUV. The tyre features an asymmetrical pattern that can be cross-rotated so it wears more evenly. SHARK-Z02 is an ultra high performance tyre that provide perfect performance on road.

## M+S

| Size | L&S | UTQG |
|---|---|---|
| 295/50R15 | 108H XL | 420/A/A |
| 265/60R18 | 110V | 420/A/A |
| 265/50R20 | 111W XL | 420/A/A |

Tire Direct
La nueva generación

MAZZINI TYRES

# SHARK-A30

COMFORT | QUIET | ECONOMY | HIGHMILEAGE

**SPEED RATE: T/H/V/Y**

**RIM: 15'-18'**

**SECTION WIDTH: 215-285**

**RATIO: 55-75**

**ON-/OFF-ROAD: 90%/10%**

The SHARK-A30 is a tough and long-lasting all-terrain tyre, offering drivers confidence in off-road performance while maintaining on-road ride comfort, great handling stability, and good wet performance

## M+S

| Size | L&S | UTQG |
|---|---|---|
| 265/55R20 | 113V | |
| 265/55R19 | 109V | |

## FUNCTION DESCRIPTION

| FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Long Connected Block design improves handling and wet grip. | Stone Ejector design enhances durability with a rugged, abrasion-resistant compound. | Large block design improves wear performance, contact pressure distribution, and overall handling stability. |

Tire Direct
La nueva generación

# ECOSAVER

COMFORT | QUIET | ECONOMY | HIGHMILEAGE

**SPEED RATE: T/H/V/Y**

**RIM: 15'-18'**

**SECTION WIDTH: 215-285**

**RATIO: 55-75**

**ON-/OFF-ROAD: 90%/10%**

ECOSAVER is a civic SUV tyre for highway and city roads. Solid circumferential center rib enhances high speed driving response and straight line stability.
The staggered pattern with variable pitch reduces tread noise and provides more tread wear. The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Circumferential grooves and lateral sipes | Increase traction on wet surface | Traction and Safety |
| 4 wide grooves | Help to increase wet handling, reduces the risk of aquaplaning | Wet grip and Safety |
| Blocks with variable dimensions & variable angles and lateral sipes | For better road holding, Lower noise | Comfort & quite ride |

Tire Direct
La nueva generación

MAZZINI TYRES

# ECOSAVER

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 215/70R15 | 98H | 440/A/B | D | C | 71 | B |
| 215/75R15 | 100H | 440/A/B | D | C | 71 | B |
| 225/70R15 | 100H | 440/A/B | D | C | 71 | B |
| 225/75R15 | 102H | 440/A/B | D | C | 71 | B |
| 235/75R15 | 105H | 440/A/B | D | C | 71 | B |
| 265/70R15 | 110H | 440/A/B | D | C | 72 | B |
| 205/60R16 | 96V XL | 440/A/B | | | | |
| 215/60R16 | 99H XL | 440/A/B | D | C | 71 | B |
| 215/65R16 | 98H | 440/A/B | D | C | 71 | B |
| 215/70R16 | 100H | 440/A/B | D | C | 71 | B |
| 225/60R16 | 98H | 440/A/B | D | C | 72 | B |
| 225/65R16 | 100H | 440/A/B | D | C | 71 | B |
| 225/70R16 | 102T | 440/A/B | D | C | 71 | B |
| 235/60R16 | 100H | 440/A/B | D | C | 71 | B |
| 235/65R16 | 103T | 440/A/B | D | C | 71 | B |
| 235/70R16 | 106H | 440/A/B | D | C | 71 | B |
| 245/70R16 | 111H XL | 440/A/B | C | C | 72 | B |
| 245/75R16 | 111H | 440/A/B | C | C | 71 | B |
| 255/65R16 | 109H | 440/A/B | D | C | 72 | B |
| 255/70R16 | 111T | 440/A/B | D | C | 72 | B |
| 265/70R16 | 112H | 440/A/B | D | C | 72 | B |
| 265/75R16 | 116T | 440/A/B | C | C | 72 | B |
| 275/70R16 | 114H | 440/A/B | D | C | 72 | B |
| 215/60R17 | 96H | 440/A/B | D | C | 71 | B |
| 225/60R17 | 99H | 440/A/B | D | C | 71 | B |
| 225/65R17 | 102H | 440/A/B | D | C | 71 | B |
| 225/70R17 | 108T XL | 440/A/B | C | C | 71 | B |
| 235/60R17 | 102H XL | 440/A/B | C | C | 72 | B |
| 235/65R17 | 104H | 440/A/B | D | C | 71 | B |
| 235/70R17 | 107H | 440/A/B | C | C | 71 | B |
| 245/65R17 | 111H XL | 440/A/B | C | C | 72 | B |
| 245/70R17 | 108T | 440/A/B | C | C | 71 | B |
| 255/65R17 | 110H | 440/A/B | D | C | 72 | B |
| 255/70R17 | 112T | 440/A/B | C | C | 72 | B |
| 265/65R17 | 112H | 440/A/B | D | C | 72 | B |
| 265/70R17 | 113H | 440/A/B | D | C | 72 | B |
| 275/60R17 | 110H | 440/A/B | D | B | 72 | B |
| 275/65R17 | 115H | 440/A/B | D | B | 72 | B |
| 285/65R17 | 116H | 440/A/B | D | B | 73 | B |
| 215/55R18 | 99V XL | 440/A/B | C | C | 71 | B |
| 225/60R18 | 100H | 440/A/B | C | C | 71 | B |
| 235/55R18 | 104V XL | 440/A/B | C | C | 72 | B |
| 235/60R18 | 103H | 440/A/B | C | C | 71 | B |
| 235/65R18 | 110V XL | 440/A/B | C | C | 72 | B |
| 245/60R18 | 104H | 440/A/B | D | C | 71 | B |
| 255/55R18 | 109V XL | 440/A/B | C | C | 72 | B |
| 255/70R18 | 112H | 440/A/B | C | C | 72 | B |
| 265/60R18 | 110H | 440/A/B | D | C | 72 | B |
| 285/60R18 | 120H XL | 440/A/B | C | B | 73 | B |

MAZZINI TYRES

# GIANTSAVER A/T

OFF-ROAD

TRACTION

**SPEED RATE: R/S/T**

**RIM: 15'-18'**

**SECTION WIDTH: 215-315**

**RATIO: 65-85**

**ON-/OFF-ROAD: 50%/50%**

GIANTSAVER is premium On/Off-Road All-Terrain tyre developed for light truck drivers looking to combine on-road competence with off-road versatility.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Staggered and big shoulder blocks | Extra traction in sand, mud, loose soil and snow | Excellent traction on and off-road |
| Strong carcass & jointless mono-strand bead bundle | Better reliable operation in rough terrain | Safety and excellent traction |
| Deep-biting and self-cleaning tread lugs design | Better traction under extreme conditions | Got extra bite on rough terrain |

# GIANTSAVER A/T

## M+S

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 215/70R16 | 99T | 480/A/B | D | D | 71 | B |
| 225/70R16 | 107T XL | 480/A/B | D | D | 72 | B |
| 235/70R16 | 106T | 480/A/B | D | D | 71 | B |
| 245/70R16 | 106T | 480/A/B | D | D | 71 | B |
| 245/70R16 | 111T XL | 480/A/B | D | D | 72 | B |
| 255/70R16 | 111T | 480/A/B | D | D | 72 | B |
| 265/70R16 | 112T | 480/A/B | D | D | 72 | B |
| 265/65R17 | 112T | 480/A/B | D | D | 72 | B |
| 265/70R17 | 113T | 480/A/B | D | D | 72 | B |
| 275/65R17 | 115T | 480/A/B | D | D | 72 | B |

| Size | L&S | PR | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| LT215/75R15 | 106/103S | 8PR | D | C | 73 | B |
| 31x10.50R15LT | 109S | 6PR | D | C | 73 | B |
| LT225/75R15 | 108/104S | 8PR | D | C | 73 | B |
| LT235/75R15 | 110/107S | 8PR | D | C | 73 | B |
| LT215/85R16 | 115/112S | 10PR | D | C | 73 | B |
| LT225/75R16 | 115/112S | 10PR | D | C | 73 | B |
| LT235/85R16 | 120/116S | 10PR | D | C | 73 | B |
| LT245/75R16 | 120/116S | 10PR | D | C | 73 | B |
| LT265/70R16 | 121/118R | 10PR | D | C | 73 | B |
| LT265/75R16 | 123/120S | 10PR | | | | |
| LT285/75R16 | 126/123R | 10PR | | | | |
| LT245/75R17 | 121/118S | 10PR | D | C | 73 | B |
| LT265/70R17 | 121/118S | 10PR | D | C | 73 | B |
| LT285/70R17 | 121/118S | 10PR | D | C | 73 | B |
| LT315/70R17 | 121/118R | 10PR | D | C | 73 | B |
| 305/70R17LT | 121/118R | 10PR | | | | |
| LT275/65R18 | 123/120S | 10PR | | | | |

MAZZINI TYRES

## GIANTXPLORER AT

OFF-ROAD TRACTION

**SPEED RATE: T/S**

**RIM: 15'-18'**

**SECTION WIDTH: 215-285**

**RATIO: 65-75**

**ON-/OFF-ROAD: 50%/50%**

Aggressive and popular All Terrain pattern.
Modern side-wall with raised white letters.
Wide driving surface, increases the contact area with the road.
Adapt to all road conditions with outstanding durability.
Developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers when driving on- and off- road.

### M+S

| Size | L&S | PR |
|---|---|---|
| 215/70R16 RWL | 100T | |
| 225/65R17 RWL | 102T | |
| 245/70R16 RWL | 111T | |
| 265/60R18 RWL | 110T | |
| 265/65R17 RWL | 112T | |
| 265/70R16 RWL | 112T | |
| 265/70R17 RWL | 115T | |
| 31x10.50R15LT RWL | 109S | 6PR |
| LT235/75R15 RWL | 104/101S | 8PR |
| LT245/65R17 RWL | 117/114S | 10PR |
| LT245/75R16 RWL | 120/116S | 10PR |
| LT265/75R16 RWL | 123/120S | 10PR |
| LT285/75R16 RWL | 126/123S | 10PR |

## MUD CRUSHER M/T

OFF-ROAD TRACTION

**SPEED RATE: T/S**

**RIM: 15'-18'**

**SECTION WIDTH: 215-285**

**RATIO: 60-75**

**ON-/OFF-ROAD: 50%/50%**

Attractive direction pattern.
Large tread blocks provide stable traction on various gravel roads, and center blocks are for maximum traction in tough mud road condition.
Provides strong traction on muddy roads.
This pattern design are used to remove the dirt stuck to the pattern groove.

### M+S

| Size | L&S | PR |
|---|---|---|
| 215/70R16 RWL | 100T | |
| 225/65R17 RWL | 102T | |
| 245/70R16 RWL | 111T | |
| 265/60R18 RWL | 110T | |
| 265/65R17 RWL | 112T | |
| 265/70R16 RWL | 112T | |
| 265/70R17 RWL | 115T | |
| 31x10.50R15LT RWL | 109S | 6PR |
| LT235/75R15 RWL | 104/101S | 8PR |
| LT245/65R17 RWL | 117/114S | 10PR |
| LT245/75R16 RWL | 120/116S | 10PR |
| LT265/75R16 RWL | 123/120S | 10PR |
| LT285/75R16 RWL | 126/123S | 10PR |

## MUD CONTENDER

OFF-ROAD | TRACTION | STRONG

**SPEED RATE: Q**

**RIM: 15'-20'**

**SECTION WIDTH: 215-295**

**RATIO: 55-75**

**ON-/OFF-ROAD: 10%/90%**

MUD CONTENDER is designed for off-road terrain. Specially arranged profile blocks can obtain the best traction in soil and rock. MUD CONTENDER has excellent off-road traction, durable structure and aggressive shape to offer you the aggressive ride.

### M+S

| Size | L&S | PR |
|---|---|---|
| 215/75R15LT | 106/103Q | |
| 245/75R16LT | 114/111Q | |
| LT235/75R15 | 110/107Q | |
| LT265/75R16 | 123/120Q | 10PR |
| LT285/75R16 | 126/123Q | 10PR |
| LT265/70R17 | 121/118Q | 10PR |
| LT285/70R17 | 121/118Q | 10PR |
| LT285/75R17 | 121/118Q | 10PR |
| LT295/70R17 | 121/118Q | 10PR |
| LT275/65R18 | 123/120Q | 10PR |
| LT285/70R18 | 127/124Q | 10PR |
| LT285/55R20 | 122/119Q | 10PR |
| 31x10.50R15LT | 109Q | 6PR |
| 33x12.50R17LT | 120Q | 10PR |
| 33x12.50R18LT | 118Q | 10PR |
| 33x12.50R20LT | 114Q | 10PR |
| 35x12.50R20LT | 121Q | 10PR |

## MUD TIGER M1

OFF-ROAD | TRACTION | STRONG

**SPEED RATE: Q**

**RIM: 14'**

**SECTION WIDTH: 215**

**RATIO: 75**

The special 3D solid pattern design is suitable to the cross-country vehicles on the non-pavement road with supreme anti-skid performance on muddy road, powerful traction force and extreme grip performance.

### M+S

| Size | L&S | PR |
|---|---|---|
| LT215/75R14 | 104/101Q | 8PR |

Tire Direct
La nueva generación

## RUGGED CONTENDER

OFF-ROAD | TRACTION | STRONG

**SPEED RATE: Q**

**RIM: 15'-22'**

**SECTION WIDTH: 235-265**

**RATIO: 70-75**

Hybrid Terrain Design

Specially Designed Dynamic Tread Pattern

Staggered Shoulder Lugs

### M+S

| Size | L&S | PR |
|---|---|---|
| LT235/75R15 | 104/101Q | 6PR |
| LT245/75R16 | 120/116Q | 10PR |
| LT265/70R17 | 121/118Q | 10PR |
| 33X12.50R17LT | 120Q | 10PR |
| 33X12.50R18LT | 118Q | 10PR |
| 33X12.50R20LT | 114Q | 10PR |
| 35X12.50R20LT | 121Q | 10PR |
| 33X12.50R22LT | 109Q | 10PR |

## ECOTOUR

COMFORT | OFF-ROAD | ECONOMY | HIGHMILEAGE

**SPEED RATE: R**

**RIM: 16'**

**SECTION WIDTH: 185**

**RATIO: 75**

**ON-/OFF-ROAD: 40%/60%**

The ECOTOUR is designed specifically for Russia. ECOTOUR provides good traction and braking at allweather conditions for your safety and comfortable driving.

### M+S

| Size | L&S | PR |
|---|---|---|
| 185/75R16C | 104/102R | 8PR |
| 195/75R16C | 107/105R | 8PR |

Tire Direct
La nueva generación

MAZZINI TYRES

# EffiVan

COMFORT | QUIET | ECONOMY | HIGHMILEAGE

**SPEED RATE: Q/R/S/T**

**RIM: 13'-16'**

**SECTION WIDTH: 155-235**

**RATIO: 65-75**

**ON-/OFF-ROAD: 70%/30%**

The EffiVan is a max performance summer tyre designed for VAN, Commercial Vehicle and Light Truck.The EffiVan provides good traction and safety driving.

## FUNCTION DESCRIPTION

| PRODUCT FEATURE | EFFECT | CUSTOMER BENEFIT |
|---|---|---|
| Three main circumferential groove design | Good for high speed drive | Safety assurance |
| Continuous shoulder ribs | Provide uniform tread wear | Long service life |
| Special compound formula | Increased handling performance | Comfort drive |

# EffiVan

## M+S

| Size | L&S | PR |
|---|---|---|
| 155R13C | 85/83S | 6PR |
| 165R13C | 94/93R | 8PR |
| 175R13C | 97/95S | 8PR |
| 175/70R14C | 95/93S | 6PR |
| 175R14C | 99/98R | 8PR |
| 185R14C | 102/100Q | 8PR |
| 195R14C | 106/104Q | 8PR |
| 205R14C | 109/107S | 8PR |
| 195/70R15C | 104/102R | 8PR |
| 195R15C | 106/104Q | 8PR |
| 205/70R15C | 106/104R | 8PR |
| 215/70R15C | 109/107S | 8PR |
| 225/70R15C | 112/110S | 8PR |
| 185/75R16C | 104/102R | 8PR |
| 195/65R16C | 104/102R | 8PR |
| 195/75R16C | 107/105R | 8PR |
| 205/65R16C | 107/105R | 8PR |
| 215/65R16C | 109/107R | 8PR |
| 215/75R16C | 116/114R | 10PR |
| 225/65R16C | 112/110R | 8PR |
| 235/65R16C | 115/113R | 8PR |

MAZZINI TYRES

# SuperSportChaser
SSC5

HIGHSPEED SAFETY

**SPEED RATE: V/W/Y**

**RIM: 16'-20'**

**SECTION WIDTH: 195-275**

**RATIO: 35-55**

Reduced danger and hassle.
Drive after a loss of some or all inflation pressure for up to 80km at maximum speed up to 80km/h.
Compatible with standard wheel rims.
No need for a spare tyre.

## Advanced Run-Flat Technology

GENERAL DESCRIPTION PRODUCT FEATURE

RFT Tyre

Normal Tyre




# SuperSportChaser
SSC5

## RUN FLAT TYRE

| Size | L&S | UTQG | Labeling | | | |
|---|---|---|---|---|---|---|
| | | | Fuel Efficiency | Wet Grip | Noise dB | Noise Grade |
| 195/55RF16 | 87V | 320/A/B | D | C | 71 | B |
| 205/55RF16 | 91V | 320/A/B | D | C | 71 | B |
| 205/45RF17 | 84V | 320/A/B | D | B | 71 | B |
| 205/50ZRF17 | 89W | 320/A/A | D | B | 71 | B |
| 205/55ZRF17 | 95W XL | 320/A/A | D | B | 71 | B |
| 225/45ZRF17 | 91W | 320/A/A | D | B | 71 | B |
| 225/50ZRF17 | 94W | 320/A/A | D | B | 71 | B |
| 225/55ZRF17 | 97W | 320/A/A | D | B | 71 | B |
| 225/40ZRF18 | 88W | 320/A/A | D | B | 71 | B |
| 225/45ZRF18 | 91W | 320/A/A | D | B | 71 | B |
| 225/50ZRF18 | 95W | 320/A/A | D | B | 71 | B |
| 235/50RF18 | 97W | | | | | |
| 245/40ZRF18 | 97W XL | 320/A/A | D | B | 71 | B |
| 245/45ZRF18 | 96W | 320/A/A | D | B | 71 | B |
| 255/45ZRF18 | 99W | 320/A/A | D | B | 71 | B |
| 225/35ZRF19 | 88Y XL | 320/A/A | D | B | 71 | B |
| 225/40ZRF19 | 93Y XL | 320/A/A | D | B | 71 | B |
| 225/45ZRF19 | 96W XL | 320/A/A | D | B | 71 | B |
| 245/40ZRF19 | 98Y XL | 320/A/A | D | B | 71 | B |
| 245/45ZRF19 | 102Y XL | 320/A/A | D | B | 71 | B |
| 255/35ZRF19 | 92Y | 320/A/A | D | B | 71 | B |
| 275/35ZRF19 | 100Y XL | | | | | |
| 255/45ZRF20 | 101W | 320/A/A | D | B | 71 | B |

## Function Description

### Product Feature

- Reinforced sidewalls to support the vehicle in the event of an air pressure loss.

### Effect

- In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

### Customer Benefit

- Increasing safety.

Tire Direct
La nueva generación