

MAZZINI
TYRES

PRODUCT CATALOGUE

MAZZINI
TYRES



DRIVE UNLIMITED >

BEST CHOICE INTERNATIONAL TRADE CO., LTD.

Add: Third Floor of North Anhua Mansion, No.8 Yinghua
West Street, Chaoyang District, Beijing, 100029, China

Web: www.mazzinityre.com

E-mail: info@chinese-tyres.com

Fax: 86-10-64447978 **Tel:** 86-10-64449145

CONTENTS

PASSENGER CAR TYRES

ECO307	P01
ECO602	P03
ECO603	P05
ECO605 PLUS	P07
ECO607	P09

SUV/LIGHT TRUCK TYRES

STREET SPORT	
VARENNA S01	P11
ECO606	P13
SHARK-Z02	P15
HIGHWAY	
CRUISE HTX	P17
ECOSAVER	P19
ROAD LEGEND HT	P21
ON/OFF ROAD ALL TERRAIN	
GIANTS AVER A/T	P23
TUFTRAIL A/T	P25
OFF ROAD	
MUD CONTENDER	P27
MUD TIGER M1	P29

VAN TYRES

ECOTOUR	P31
EFFIVAN	P33

RUN-FLAT TYRE

SUPERSPORTCHASER SSC5	P35
-----------------------	-----

ALL SEASON TYRE

AS8	P37
AS9	P39

WINTER TYRES

SNOWLEOPARD	P41
SNOWLEOPARD LX	P43
SNOWLEOPARD2	P45
SNOWLEOPARD VAN	P47
ICE LEOPARD	P49
ICE LEOPARD SUV	P51

WARRANTY	P53
-----------------	-----

ECO307



SPEED RATE: T/H/V

RIM: 13'-16'

SECTION WIDTH: 155-225

RATIO: 50-80

ON-/OFF-ROAD: 90%/10%

The ECO307 is a summer tire designed for ordinary compact cars. The symmetric tread pattern of ECO307 is designed for good straight line high speed stability and the two anti-uneven-wear shoulder strips provide excellent wear and steering performance. The ECO307 provides good traction and braking at all weather conditions.



FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
4 wide main circumferential grooves	Help to increase wet handling reduce the risk of aquaplaning	Wet grip and safety
Silent pitch arrangement	Reduce tire harmonic noise	Comfortable and quite ride
Anti-uneven-wear shoulder strip	Ensure sufficient shoulder support and stability at high speed cornering	High speed safety

ECO307



M+S

Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155/80R13	79T		400/ A/ A	E	C	70)	6924590212718
155/70R13	75T		400/ A/ A	E	C	70)	6924590212725
165/70R13	79T		400/ A/ A	E	B	70)	6924590211650
175/70R13	82T		400/ A/ A	E	B	70)	6924590211667
155/65R13	73T		400/ A/ A	E	B	70)	6924590211674
165/65R13	77T		400/ A/ A	E	B	70)	6924590211681
165/70R14	81T		400/ A/ A	E	B	70)	6924590211698
175/70R14	84T		400/ A/ A	E	B	70)	6924590211704
185/70R14	88H		400/ A/ A	E	B	70)	6924590211711
195/70R14	91T		400/ A/ A	E	B	71)	6924590211728
195/70R14	91H		400/ A/ A	E	B	71)	6924590211735
205/70R14	98T	XL	400/ A/ A	C	C	71)	6924590212466
155/65R14	75T		400/ A/ A	E	C	70)	6924590212817
175/65R14	82T		400/ A/ A	E	B	70)	6924590211742
175/65R14	82H		400/ A/ A	E	B	70)	6924590211759
185/65R14	86H		400/ A/ A	E	B	70)	6924590211766
165/60R14	75H		400/ A/ A	E	B	70)	6924590212473
185/60R14	82H		400/ A/ A	E	B	70)	6924590211773
205/70R15	96H		400/ A/ A	C	C	71)	6924590212367
215/70R15	98H		400/ A/ A	C	C	71)	6924590211797
175/65R15	84H		400/ A/ A	E	C	70)	6924590212480
185/65R15	88H		400/ A/ A	E	B	70)	6924590211803
195/65R15	91H		400/ A/ A	E	B	71)	6924590211810
195/65R15	91V		400/ A/ A	E	B	71)	6924590211827
205/65R15	94H		400/ A/ A	C	B	71)	6924590211834
205/65R15	94V		400/ A/ A	C	B	71)	6924590211841
215/65R15	96H		400/ A/ A	E	C	71)	6924590211858
185/60R15	88H	XL	400/ A/ A	C	C	70)	6924590211865
195/60R15	88H		400/ A/ A	E	B	71)	6924590211872
195/60R15	88V		400/ A/ A	E	B	71)	6924590211889
205/60R15	91H		400/ A/ A	E	B	71)	6924590211896
205/60R15	91V		400/ A/ A	E	B	71)	6924590211902
185/55R15	82V		400/ A/ A	E	C	70)	6924590211926
205/65R16	99H	XL	400/ A/ A	C	B	71)	6924590212824
195/60R16	89H		400/ A/ A	E	B	71)	6924590214507
205/60R16	92H		400/ A/ A	C	B	71)	6924590211933
205/60R16	92V		400/ A/ A	C	B	71)	6924590211940
215/60R16	95H		400/ A/ A	C	B	71)	6924590211957
225/60R16	98H		400/ A/ A	C	B	71)	6924590211971
185/55R16	87V	XL	400/ A/ A	E	B	70)	6924590212732
205/55R16	91V		400/ A/ A	C	B	71)	6924590211988
185/50R16	85V	XL	400/ A/ A	E	B	70)	6924590212749

ECO602



SPEED RATE: W/Y

RIM: 17'-26'

SECTION WIDTH: 205-325

RATIO: 30-55

ECO602 is a new pattern of Mazzini series, which is aim to offer the driver and passager a luxury experience.



ECO602



FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Super handling and shorter braking distance	Super handling and shorter braking distance	Super handling and shorter braking distance
Silent and comfortable driving experience	Silent and comfortable driving experience	Silent and comfortable driving experience
The unique design of "water absorber" offer better wet grip for safer trip	The unique design of "water absorber" offer better wet grip for safer trip	The unique design of "water absorber" offer better wet grip for safer trip

Size	Load Index & Speed Rate	/XL	Labeling			UPC
			Fuel Efficiency	Wet Grip	Noise dB	
205/55ZR17	95W		C	B	72	
225/55ZR18	102W		C	B	72	6924590217027
225/50ZR18	99W		C	B	72	6924590217034
215/45ZR18	93W		D	B	72	6924590217041
215/40ZR18	89Y		D	B	72	6924590217058
255/40ZR18	99Y		C	B	73	6924590217065
265/40ZR18	101Y		C	B	73	6924590217072
275/40ZR18	103Y		C	B	73	6924590217089
265/35ZR18	97Y		C	B	73	6924590217096
275/55ZR19	111W		C	B	72	6924590217102
265/50ZR19	110W		C	B	73	6924590217119
225/45ZR19	96W		C	B	72	6924590217126
275/45ZR19	108W		C	B	73	6924590217133
285/45ZR19	111Y		C	B	75	6924590217140
225/40ZR19	93Y		D	B	72	6924590217157
235/40ZR19	96Y		C	B	72	6924590217164
285/40ZR19	107Y		C	B	75	6924590217171
215/35ZR19	85W		D	B	72	6924590217188
265/35ZR19	98Y		C	B	73	6924590217195
285/35ZR19	103Y		C	B	75	6924590217201
255/30ZR19	91Y		D	B	73	6924590217218
255/50ZR20	109W		C	B	73	6924590217225
255/45ZR20	105W		C	B	73	6924590217232
245/40ZR20	99Y		C	B	72	6924590217249
255/40ZR20	101Y		C	B	73	6924590217256
295/40ZR20	110Y		C	B	75	6924590217263
235/35ZR20	92Y		D	B	72	6924590217270
265/35ZR20	99Y		C	B	73	6924590217287
275/35ZR20	102Y		C	B	73	6924590217294
285/35ZR20	104Y		C	B	75	6924590217300
225/30ZR20	85Y		D	B	72	6924590217317
235/30ZR20	88Y		D	B	72	6924590217324
245/30ZR20	90Y		D	B	72	6924590217331
275/30ZR20	97Y		C	B	73	6924590217348
285/30ZR20	99Y		C	B	75	6924590217355
265/45ZR21	104Y		C	B	73	6924590217362
275/45ZR21	110W		C	B	73	6924590217379
265/40ZR21	105Y		C	B	73	6924590217386
275/40ZR21	107Y		C	B	73	6924590217393
285/40ZR21	109Y		C	B	75	6924590217409
295/40ZR21	111Y		C	B	75	6924590217416
245/35ZR21	96Y		C	B	72	6924590217423
285/35ZR21	105Y		C	B	75	6924590217430
295/35ZR21	107Y		C	B	75	6924590217447
285/30ZR21	100Y		C	B	75	6924590217454
325/30ZR21	108Y		C	B	75	6924590217461
255/50R19	107W		C	B	73	6924590217478
295/30ZR26	107Y		C	B	75	

ECO603



SPEED RATE: T/H/V/W

RIM: 13'-17'

SECTION WIDTH: 155-225

RATIO: 45-70



Excellent Grip Performance,
Low Noise and More Comfortable,
Optimised rolling resistance
for reduced fuel consumption

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Excellent Grip Performance	Asymmetrical pttren design ensures the grip of the tire when turning	improves the handling performance
Low Noise and More Comfortable	Dual pitch design with optimal pitch order	effectively educe the noise peak
Optimised rolling resistance for reduced fuel consumption	Its advantage lies in reducing the rolling resistance of the tires while ensuring a high degree of safety during braking.	This is a tire suitable for long-distance driving, and also suitable for people who pay attention to fuel consumption

ECO603



Size	Load Index & Speed Rate	/XL	Section Width	Overall Diameter	Std. Rim	Standard Pressure
155/70R13	75T	S	157	548	4.50B	300
165/70R13	79T	SL	170	562	5.00B	300
175/70R13	82H	SL	177	576	5.00B	300
175/60R13	77T	SL	177	540	5.00B	300
185/70R14	88H	SL	189	616	5 1/2J	300
175/65R14	82H	SL	177	584	5J	300
175/65R14	86T	XL	177	584	5J	300
185/65R14	86H	SL	189	596	5 1/2J	300
185/60R14	82H	SL	189	578	5 1/2J	300
205/70R15	96H	SL	209	669	6J	300
185/65R15	88H	SL	189	621	5 1/2J	300
195/65R15	91V	SL	201	635	6J	300
185/60R15	84H	SL	189	603	5 1/2J	300
185/60R15	88HXL					
195/60R15	88H	SL	201	615	6J	300
195/60R15	88V	SL	201	615	6J	300
195/55R15	85V	SL	201	595	6J	300
195/50R15	82V	SL	201	577	6J	300
205/60R16	92V	SL	209	652	6J	300
205/60R16	96V	XL	209	652	6J	300
205/55R16	91V	SL	214	632	6 1/2J	300
225/45ZR17	94WXL	SL	225	634	7 1/2J	300

ECO605 PLUS



SPEED RATE: H/V/W

RIM: 14'-19'

SECTION WIDTH: 175-255

RATIO: 35-65

ON-/OFF-ROAD: 90%/10%

The ECO605 PLUS is a max performance summer tire designed to complement the performance of sports cars, sports coupes and sport sedans. The ECO605 PLUS is developed to provide good traction along with responsive and predictable dry and wet road handling.



FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Asymmetric pattern design Outside with circumferential straight groove Inside rug groove of shoulder area	Give high speeds handling Drain most of the water away from block surface	High speed safety
High Wet Grip compound	Maximun resistance to aquaplaning	Unique wet handing,traction and acceleration capability
State of the art tread compound	Improvement for traction& stability	Unique traction and acceleration capability

ECO605 PLUS



M+S

Size	Load Index &Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
175/65R14	82H		320/ A/ A	E	C	69)	6924590214071
185/65R14	86H		320/ A/ A	E	C	69)	6924590214088
185/60R14	82H		320/ A/ A	E	C	69)	6924590214095
195/60R14	86H		320/ A/ A	E	C	70)	6924590214101
185/65R15	88H		320/ A/ A	C	C	69)	6924590214118
195/65R15	91V		320/ A/ A	C	C	70)	6924590214125
205/65R15	94H		320/ A/ A	C	C	70)	6924590214132
195/60R15	88V		320/ A/ A	C	C	70)	6924590214149
205/60R15	91V		320/ A/ A	C	C	70)	6924590214156
195/55R15	85V		320/ A/ A	C	C	70)	6924590214163
195/50R15	86V	XL	320/ A/ A	E	C	71)	6924590214170
215/60R16	95H		320/ A/ A	C	B	70)	6924590214187
225/60R16	98H		320/ A/ A	C	B	71)	6924590214194
195/55ZR16	91W	XL	320/ A/ A	C	C	71)	6924590214200
205/55ZR16	94W	XL	320/ A/ A	C	C	71)	6924590214217
215/55ZR16	97W	XL	320/ A/ A	C	B	71)	6924590214224
225/55ZR16	99W	XL	320/ A/ A	C	B	71)	6924590214231
205/50ZR16	87W		320/ A/ A	C	C	70)	6924590214248
205/45ZR16	87W	XL	320/ A/ A	C	C	71)	6924590214255
215/55ZR17	98W	XL	320/ A/ A	C	B	71)	6924590214262
225/55ZR17	101W	XL	320/ A/ A	C	B	71)	6924590214279
205/50ZR17	93W	XL	320/ A/ A	C	C	71)	6924590214286
215/50ZR17	95W	XL	320/ A/ A	C	B	71)	6924590214293
225/50ZR17	98W	XL	320/ A/ A	C	B	71)	6924590214309
245/50R17	98H		320/ A/ A	C	B	71)	6924590214316
245/50R17	98V		320/ A/ A	C	B	71)	6924590214323
205/45ZR17	88W	XL	320/ A/ A	C	C	71)	6924590214330
215/45ZR17	91W	XL	320/ A/ A	C	B	71)	6924590214347
225/45ZR17	94W	XL	320/ A/ A	C	B	71)	6924590214354
235/45ZR17	97W	XL	320/ A/ A	C	B	71)	6924590214361
245/45ZR17	99W	XL	320/ A/ A	C	B	71)	6924590214378
205/40ZR17	84W	XL	320/ A/ A	C	C	71)	6924590214385
215/40ZR17	87W	XL	320/ A/ A	C	B	71)	6924590214392
225/45ZR18	95W	XL	320/ A/ A	C	B	71)	6924590214408
245/45ZR18	100W	XL	320/ A/ A	C	B	71)	6924590214415
225/40ZR18	92W	XL	320/ A/ A	C	B	71)	6924590214422
235/40ZR18	95W	XL	320/ A/ A	C	B	71)	6924590214439
245/40ZR18	97W	XL	320/ A/ A	C	B	71)	6924590214446
215/35ZR18	84W	XL	320/ A/ A	C	B	71)	6924590214453
255/35ZR18	94W	XL	320/ A/ A	C	B	72)	6924590214460
235/35ZR19	91W	XL	320/ A/ A	C	B	71)	6924590214477
245/35ZR19	97W	XL	320/ A/ A	C	B	71)	6924590214484

ECO607



SPEED RATE: V/W/Y

RIM: 15'-24'

SECTION WIDTH: 195-305

RATIO: 30-55

ON-/OFF-ROAD: 90%/10%

The ECO607 is a high performance summer tire designed for Premium cars. The Unidirectional tread pattern design provide good traction along with responsive and predictable dry and wet road handling. Tread compoud with more silica decrease energy loss and reduce rolling resistance. ECO607 has a high performance in low noise emission.



FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
4 wide longitudinal grooves	Excellent water evacuation and improve wet performance Enhance water evacuation on wet roads	Wet grip and safety
Tread compoud with more silica	Decrease energy loss and reduce rolling resistance	Save fuel
Directional tread pattern	Provide maximum water evacuation	High speed stability

ECO607

M+S



Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/55R15	85V		320/ A/ A	E	C	71)	6924590212008
195/50R15	82V		320/ A/ A	E	C	71)	6924590212015
205/55ZR16	94W	XL	320/ A/ A	B	C	71)	6924590212022
215/55ZR16	97W	XL	320/ A/ A	B	C	72)	6924590212039
225/55R16	95V		320/ A/ A	E	C	71)	6924590212046
195/50R16	88V	XL	320/ A/ A	C	B	71)	6924590212831
205/50ZR16	87W		320/ A/ A	E	C	71)	6924590212053
225/50ZR16	96W	XL	320/ A/ A	E	C	71)	6924590212510
195/45R16	84V	XL	320/ A/ A	C	B	71)	6924590212848
215/55ZR17	98W	XL	320/ A/ A	C	C	72)	6924590212060
225/55ZR17	101W	XL	320/ A/ A	B	C	72)	6924590212077
235/55ZR17	103W	XL	320/ A/ A	B	C	72)	6924590212572
205/50ZR17	93W	XL	320/ A/ A	C	C	72)	6924590212091
215/50ZR17	95W	XL	320/ A/ A	E	C	72)	6924590212107
225/50ZR17	98W	XL	320/ A/ A	C	C	72)	6924590212114
235/50ZR17	100W	XL	320/ A/ A	E	B	71)	6924590214538
205/45ZR17	88W	XL	320/ A/ A	C	C	72)	6924590212121
215/45ZR17	91W	XL	320/ A/ A	C	C	72)	6924590212138
225/45ZR17	94W	XL	320/ A/ A	C	C	72)	6924590212145
235/45ZR17	97W	XL	320/ A/ A	C	C	72)	6924590212152
245/45ZR17	99W	XL	320/ A/ A	E	C	72)	6924590212169
205/40ZR17	84W	XL	320/ A/ A	E	C	72)	6924590212176
215/40ZR17	87W	XL	320/ A/ A	E	C	72)	6924590212374
245/40ZR17	95W	XL	320/ A/ A	E	C	72)	6924590212527
235/50ZR18	101W	XL	320/ A/ A	E	B	71)	6924590214545
225/45ZR18	95W	XL	320/ A/ A	E	C	72)	6924590212183
235/45ZR18	98Y	XL	320/ A/ A	E	B	71)	6924590212756
245/45ZR18	100W	XL	320/ A/ A	C	C	72)	6924590212190
255/45ZR18	103W	XL	320/ A/ A	C	C	73)	6924590212381
225/40ZR18	92W	XL	320/ A/ A	C	C	72)	6924590212206
235/40ZR18	95W	XL	320/ A/ A	E	C	72)	6924590212213
245/40ZR18	97Y	XL	320/ A/ A	C	C	72)	6924590212220
215/35ZR18	84W	XL	320/ A/ A	E	C	72)	6924590212398
255/35ZR18	94W	XL	320/ A/ A	E	C	73)	6924590212237
245/55R19	103V		320/ A/ A	E	B	71)	6924590214552
245/55ZR19	103W		320/ A/ A	E	B	71)	6924590214767
255/40ZR19	100Y	XL	320/ A/ A	E	B	72)	6924590214729
225/35ZR19	88W	XL	320/ A/ A	E	C	72)	6924590212244
225/35ZR19	88Y	XL	320/ A/ A	E	C	72)	6924590212800
235/35ZR19	91W	XL	320/ A/ A	C	C	72)	6924590212251
245/35ZR19	93W	XL	320/ A/ A	C	C	72)	6924590212268
255/35ZR19	96Y	XL	320/ A/ A	E	B	73)	6924590212763
265/30ZR19	93W	XL	320/ A/ A	E	C	73)	6924590212534
275/30ZR19	96W	XL	320/ A/ A	E	C	73)	6924590212541
275/55ZR20	117W	XL	320/ A/ A	C	C	73)	6924590212404
285/50R20	116V	XL	320/ A/ A	C	E	73)	6924590212411
275/45R20	110V	XL	320/ A/ A	C	C	72)	6924590212428
275/40ZR20	106Y	XL	320/ A/ A	E	B	73)	6924590212770
225/35ZR20	90W	XL	320/ A/ A	E	C	72)	6924590212435
255/35ZR20	97W	XL	320/ A/ A	C	C	73)	6924590212442
285/35ZR22	112W	XL	320/ A/ A	E	B	75)	6924590212787
305/35ZR24	112W	XL	320/ A/ A	C	C	75)	6924590212459

VARENNA S01



HIGHSPEED

SAFETY

SPEED RATE: V/Y

RIM: 19"/20"

SECTION WIDTH: 225/275

RATIO: 35-55

ON-/OFF-ROAD: 90%/10%



VARENNA S01

M+S



Size	Load Index & Speed Rate	/XL	Fuel Efficiency	Labeling			UPC
				Wet Grip	Noise dB	Noise Grade	
225/55R19	99V		C	B	71)	6924590215504
235/50R19	99V		E	B	71)	6924590215511
235/55R19	105V	XL	C	B	72)	6924590215528
245/40R19	98Y	XL	C	B	72)	6924590215535
245/45R19	98Y		E	B	71)	6924590215542
255/45R19	100V		E	B	72)	6924590215566
255/55R19	111V	XL	C	B	73)	6924590215573
275/35R19	100Y	XL	E	B	73)	6924590215580
275/40R19	101Y		E	B	72)	6924590215597
245/50R20	102V		C	B	71)	6924590215559

FUNCTION DESCRIPTION

4 wide longitudinal grooves	Excellent water evacuation and improve wet performance Enhance water evacuation on wet roads	Wet grip and safety
Wide and deep directional grooves	Provide excellent drainage and braking	Acceleration capability
Large shoulder blocks	Maximize cornering grip	High speed safety



ECO606



HIGHSPEED



SAFETY

SPEED RATE: V/W/Y

RIM: 20"-24"

SECTION WIDTH: 245-315

RATIO: 35-55

ON-/OFF-ROAD: 90%/10%

ECO606 is a ultra high performance summer tire designed to complement the performance of sports cars. ECO606 is developed to provide good cornering performance and good wet grip.



ECO606

M+S



Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
275/55ZR20	117W	XL	320/ A/ A	C	B	73)	6924590212589
285/50R20	116V	XL	320/ A/ A	C	B	75)	6924590212596
245/45ZR20	99W		320/ A/ A	E	B	72)	6924590212602
265/45ZR20	104W		320/ A/ A	E	B	72)	6924590214774
275/45R20	110V	XL	320/ A/ A	C	B	73)	6924590215085
275/45ZR20	110Y	XL	320/ A/ A	C	B	73)	6924590212619
275/40ZR20	106Y	XL	320/ A/ A	E	B	73)	6924590212626
225/35ZR20	90Y	XL	320/ A/ A	C	B	72)	6924590212633
245/35ZR20	95W	XL	320/ A/ A	E	B	72)	6924590212640
255/35ZR20	97Y	XL	320/ A/ A	C	B	73)	6924590212657
315/35ZR20	110Y	XL	320/ A/ A	C	B	75)	6924590214712
305/45ZR22	118W	XL	320/ A/ A	E	B	75)	6924590212664
305/40ZR22	114W	XL	320/ A/ A	E	B	75)	6924590212671
265/35ZR22	102W	XL	320/ A/ A	E	B	73)	6924590212688
285/35ZR22	112W	XL	320/ A/ A	E	B	74)	6924590212695
305/35ZR24	112W	XL	320/ A/ A	C	B	75)	6924590212701

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Asymmetric pattern design	Improve braking performance and cornering stability	Cornering safety
Center rib	Improve straight line stability	High speed safety
4 wide main circumferential grooves	Increase wet handling and reduce the risk of aquaplaning	Wet grip and safety



SHARK-Z02



TRACTION



SAFETY

SPEED RATE: H/V/W

RIM: 15'/18'/20'

SECTION WIDTH: 265/295

RATIO: 50-60

ON-/OFF-ROAD: 90%/10%

The SHARK-Z02 tire is designed for your truck or SUV. The tire features an asymmetrical pattern that can be cross-rotated so it wears more evenly. SHARK-Z02 is an ultra high performance tire that provide perfect performance on road.



SHARK-Z02

M+S

Size	Load Index & Speed Rate	/XL	UTQG	UPC
295/50R15	108H	XL	420/ A/ A	6924590213968
265/60R18	110V		420/ A/ A	6924590213272
265/50ZR20	111W	XL	420/ A/ A	6924590213296

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The asymmetrical, non-directional tread pattern	Increase the amount of surface area in contact with the road, this improves dry cornering and handling.	Safety
Siping across the tread pattern	Provide additional traction in wet and dry conditions	Optimum grip and safety
Center rib	Provide consistent contact with the road for a high level of dry performance	High speed safety



CRUISE HTX



SPEED RATE: H/V

RIM: 15'-18'

SECTION WIDTH: 205-265

RATIO: 55-70

ON-/OFF-ROAD: 90%/10%

The CRUISE HTX was specially developed for Urban SUV. The CRUISE HTX guarantees the driver a quiet and comfortable ride, low fuel consumption and at the same high safety reserves on road..



CRUISE HTX

M+S

Size	Load Index & Speed Rate	/XL	UTQG	UPC
205/70R15	96H		440/ A/ B	6924590213302
215/70R16	100H		440/ A/ B	6924590213319
225/70R16	102H		440/ A/ B	6924590213326
215/65R16	98H		440/ A/ B	6924590213333
225/65R17	102H		440/ A/ B	6924590213340
235/65R17	108V	XL	440/ A/ B	6924590213364
265/65R17	112H		440/ A/ B	6924590213371
225/60R17	99H		440/ A/ B	6924590213388
235/60R17	103H		440/ A/ B	6924590213395
235/60R18	103V		440/ A/ B	6924590213401
235/55R18	104V	XL	440/ A/ B	6924590213418

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Large shoulder blocks	Provide strength and stiffness for outstanding cornering	Traction and Safety
4 longitudinal grooves and wide contacting area	Provide outstanding drainage performance and maneuverability	Wet grip and Safety
Optimized pitch arrangement and tread profile	Lower noise	Extra grasp on rough terrain



ECOSAVER



SPEED RATE: T/H/V/Y

RIM: 15'-19'

SECTION WIDTH: 205-285

RATIO: 50-75

ON-/OFF-ROAD: 90%/10%

ECOSAVER is a civic SUV tyre for highway and city roads. Solid circumferential center rib enhances high speed driving response and straight line stability. The staggered pattern with variable pitch reduces tread noise and provides more tread wear. The large stabilized shoulder blocks with small sipes improve traction and provide precise control on both dry and wet roads.

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Circumferential grooves and lateral sipes	Increase traction on wet surface	Traction and Safety
4 wide grooves	Help to increase wet handling, reduces the risk of aquaplaning	Wet grip and Safety
Blocks with variable dimensions & variable angles and lateral sipes	For better road holding, Lower noise	Comfort & quiet ride



ECOSAVER

M+S

Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
215/75R15	100H		440/ A/ B	E	C	71)	6924590210530
225/75R15	102H		440/ A/ B	E	C	71)	6924590210547
235/75R15	105H		440/ A/ B	E	C	71)	6924590210554
215/70R15	98H		440/ A/ B	E	C	71)	6924590210578
225/70R15	100H		440/ A/ B	E	C	71)	6924590210585
265/70R15	112T	XL	440/ A/ B	E	E	72)	6924590210781
245/75R16	111H		440/ A/ B	C	C	71)	6924590210608
265/75R16	116H		440/ A/ B	C	B	72)	6924590210615
215/70R16	100H		440/ A/ B	E	C	71)	6924590210622
225/70R16	102T		440/ A/ B	E	C	71)	6924590210639
235/70R16	106H		440/ A/ B	E	C	71)	6924590210646
245/70R16	111H	XL	440/ A/ B	C	C	72)	6924590210660
255/70R16	111T		440/ A/ B	E	E	72)	6924590210677
265/70R16	112H		440/ A/ B	E	E	72)	6924590210684
275/70R16	114H		440/ A/ B	E	E	72)	6924590210691
215/65R16	98H		440/ A/ B	E	C	71)	6924590210707
225/65R16	100H		440/ A/ B	E	C	71)	6924590210714
235/65R16	103T		440/ A/ B	E	C	71)	6924590210721
255/65R16	109H		440/ A/ B	E	E	72)	6924590210738
215/60R16	99H	XL	440/ A/ B	C	C	71)	6924590210752
225/60R16	98H		440/ A/ B	E	C	71)	6924590210769
235/60R16	100H		440/ A/ B	E	C	71)	6924590210776
225/70R17	108T	XL	440/ A/ B	B	C	72)	6924590210783
235/70R17	107H		440/ A/ B	E	C	71)	6924590210790
245/70R17	108T		440/ A/ B	E	E	71)	6924590210806
255/70R17	112T		440/ A/ B	C	E	72)	6924590210820
265/70R17	113H		440/ A/ B	E	E	72)	6924590210837
225/65R17	102H		440/ A/ B	E	C	71)	6924590210844
235/65R17	104H		440/ A/ B	E	C	71)	6924590210868
245/65R17	111H		440/ A/ B	C	C	72)	6924590210882
255/65R17	110H		440/ A/ B	E	E	72)	6924590210899
265/65R17	112H		440/ A/ B	E	E	72)	6924590210905
275/65R17	115H		440/ A/ B	E	E	72)	6924590214064
285/65R17	116T		440/ A/ B	E	E	72)	6924590210936
285/65R17	116H		440/ A/ B	E	E	72)	6924590210943
215/60R17	96H		440/ A/ B	E	C	71)	6924590210950
225/60R17	99H		440/ A/ B	E	C	71)	6924590210967
235/60R17	106V	XL	440/ A/ B	C	C	72)	6924590214583
275/60R17	110H		440/ A/ B	E	E	72)	6924590210974
255/70R18	112H		440/ A/ B	C	B	72)	6924590210981
235/65R18	110V	XL	440/ A/ B	C	C	72)	6924590214590
225/60R18	100H		440/ A/ B	E	C	71)	6924590210998
235/60R18	103H		440/ A/ B	E	C	71)	6924590211001
245/60R18	104H		440/ A/ B	E	C	71)	6924590211018
265/60R18	110H		440/ A/ B	C	B	72)	6924590211025
285/60R18	120H	XL	440/ A/ B	C	B	73)	6924590211032
215/55R18	99V	XL	440/ A/ B	E	C	71)	6924590214736
235/55R18	104V	XL	440/ A/ B	C	C	72)	6924590214743
255/55R18	109V	XL	440/ A/ B	C	E	73)	6924590214613
255/50ZR19	107Y	XL	440/ A/ B	C	E	73)	6924590214620



ROAD LEGEND HT



SPEED RATE: R/S

RIM: 16'-17'

SECTION WIDTH: 225-265

RATIO: 70-85

ON-/OFF-ROAD: 90%/10%

ROAD LEGEND HT is specially developed for the wide bandwidth of modern pickup and SUV vehicles in urban and rural transport. The ROAD LEGEND HT guarantees a quiet and comfortable ride, low fuel consumption and at the same high safety reserves.



ROAD LEGEND HT

M+S



Size	Load Index & Speed Rate	Load Range	PR	UPC
LT235/85R16	120/116R	E	10PR	6924590213166
LT225/75R16	115/112R	E	10PR	6924590213173
LT245/75R16	120/116R	E	10PR	6924590213180
LT265/75R16	123/120R	E	10PR	6924590213197
LT245/75R17	121/118S	E	10PR	6924590213210
LT265/70R17	121/118S	E	10PR	6924590213227

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
4 longitudinal grooves	Provide outstanding drainage performance	Wet grip and safety
Optimized pitch arrangement and tread profile	Low noise	Comfortable and quiet ride
Longitudinal and lateral zigzag pattern	Increase lateral rigidity	Cornering safety

GIANTSAYER A/T



SPEED RATE: R/S/T

RIM: 15'-18'

SECTION WIDTH: 215-315

RATIO: 65-85

ON-/OFF-ROAD: 50%/50%

GIANTSAYER is premium On/Off-Road All-Terrain tyre developed for light truck drivers looking to combine on-road competence with off-road versatility.



GIANTSAYER A/T

M+S



Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
215/70R16	99T	-	480/ A/ B	E	E	71)	6924590211049
225/70R16	107T	XL	480/ A/ B	E	E	71)	6924590212275
235/70R16	106T	-	480/ A/ B	E	E	71)	6924590212282
245/70R16	111T	XL	480/ A/ B	E	E	72)	6924590212299
255/70R16	111T	-	480/ A/ B	E	E	72)	6924590212305
265/70R16	112T	-	480/ A/ B	E	E	72)	6924590212312
265/70R17	113T	-	480/ A/ B	E	E	72)	6924590211100
265/65R17	112T	-	480/ A/ B	E	E	72)	6924590212329
275/65R17	115T	-	480/ A/ B	E	E	72)	6924590212336

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Staggered and big shoulder blocks	Extra traction in sand, mud, loose soil and snow	Excellent traction on and off-road
Strong carcass & jointless mono-strand bead bundle	Better reliable operation in rough terrain	Safety and excellent traction
Deep-biting and self-cleaning tread lugs design	Better traction under extreme conditions	Got extra bite on rough terrain

Size	Load Index & Speed Rate	/XL	PR	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
LT215/75R15	106/103S	D	8PR	F	E	72)	6924590211131
LT225/75R15	108/104S	D	8PR	F	E	72)	6924590211148
LT235/75R15	110/107S	D	8PR	F	E	73)	6924590211155
LT215/85R16	115/112S	E	10PR	F	E	72)	6924590211162
LT235/85R16	120/116S	E	10PR	F	E	73)	6924590211179
LT225/75R16	115/112S	E	10PR	F	E	72)	6924590211186
LT245/75R16	120/116S	E	10PR	F	E	73)	6924590211193
LT265/75R16	123/120S	E	10PR	F	E	75)	6924590211209
LT285/75R16	126/123R	E	10PR	F	E	75)	6924590211216
LT265/70R16	121/118R	E	10PR	F	E	73)	6924590211223
LT245/75R17	121/118S	E	10PR	F	E	73)	6924590211230
LT265/70R17	121/118S	E	10PR	F	E	73)	6924590211247
LT285/70R17	121/118S	E	10PR	F	E	73)	6924590211254
LT305/70R17	121/118R	E	10PR	F	E	73)	6924590212794
LT315/70R17	121/118R	E	10PR	F	E	73)	6924590211261
LT275/65R18	123/120S	E	10PR	F	E	75)	6924590211278
31x10.50R15LT	109S	C	6PR	F	E	72)	6924590211285

TUFTRAIL A/T



SPEED RATE: R/S/T/H

RIM: 15'-17'

SECTION WIDTH: 205-265

RATIO: 65-85

ON-/OFF-ROAD: 40%/60%



TUFTRAIL A/T

M+S




Size	Load Index & Speed Rate	/XL	UTQG	Ply Rating	UPC
235/75R15	109S	XL	500/ A/ B		6924590213975
205/80R16	110S	XL	500/ A/ B		6924590213982
245/70R16	111T	XL	500/ A/ B		6924590212862
265/70R16	112T		500/ A/ B		6924590212879
265/65R17	112T		500/ A/ B		6924590214002
205R16C	110/108S			8PR	6924590212893
LT235/75R15	110/107S			8PR	6924590212916
LT225/75R16	115/112S			10PR	6924590214033
LT265/75R16	123/120S			10PR	6924590214040
LT235/85R16	120/116S			10PR	6924590214057
31x10.50R15LT	109S			6PR	6924590212954

TUFTRAIL AT is the perfect tire that suits for any terrain and which you can drive with to anywhere you want to go. The All-Terrain performance of the tire is completed by new technologies that provide for a balanced and quiet driving behavior.

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Large tread blocks	Enhance stability and handling	Driving stability
Wider running surface	Improve grip performance of off-road terrain	Safety and perfect grip
Special design to enhance the bead	Improve the sidewall support	Good durability



MUD CONTENDER



SPEED RATE: Q

RIM: 16'-20'

SECTION WIDTH: 265-315

RATIO: 55-75

ON-/OFF-ROAD: 10%/90%

MUD CONTENDER is designed for off-road terrain. Specially arranged profile blocks can obtain the best traction in soil and rock. MUD CONTENDER has excellent off-road traction, durable structure and aggressive shape to offer you the aggressive ride.



MUD CONTENDER

M+S



Size	Load Index & Speed Rate	Load Range	PR	UPC
LT265/75R16	123/120Q	E	10PR	6924590212961
LT285/75R16	126/123Q	E	10PR	6924590212978
LT285/75R17	121/118Q	E	10PR	6924590212985
LT265/70R17	121/118Q	E	10PR	6924590212992
LT285/70R17	121/118Q	E	10PR	6924590213005
LT295/70R17	121/118Q	E	10PR	6924590213012
LT285/70R18	127/124Q	E	10PR	6924590213029
LT275/65R18	123/120Q	E	10PR	6924590213036
LT285/55R20	122/119Q	E	10PR	6924590213043
31x10.50R15LT	109Q	C	6PR	6924590213050
33x12.50R17LT	120Q	E	10PR	6924590213067
33x12.50R18LT	118Q	E	10PR	6924590213081
33x12.50R20LT	114Q	E	10PR	6924590213111
35x12.50R20LT	121Q	E	10PR	6924590213128

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Massive side-lugs and 3-ply polyester sidewall construction	Help prevent sidewall punctures when facing the most challenging off-road obstacles	Use longer
Deep ledges in the treads-blocks	Provide excellent wet adhesion and braking power	Drive safety
Combined concave and convex shoulders	Provide excellent traction	Perfect handling on the road and in terrain

MUD TIGER M1



SPEED RATE: Q

RIM: 14'

SECTION WIDTH: 215

RATIO: 75

The special 3D solid pattern design is suitable to the cross-country vehicles on the non-pavement road with supreme anti-skid performance on muddy road, powerful traction force and extreme grip performance.



MUD TIGER M1


M+S



Size	Load Index & Speed Rate	Load Range	PR	UPC
LT215/75R14	104/101Q		8PR	6924590216891

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The deep shoulder pattern design and wide pattern block provide extreme grip force	extreme grip force	which ensured the excellent handling and safety performance for the vehicle on the severe condition such as mountain and muddy road etc.
The ideal configuration of the pattern grooves and blocks and the high proportional horizontal grooves guaranteed the excellent anti-skid performance on the muddy road.	guaranteed the excellent anti-skid performance on the muddy road	
The design of anti-collision wall in the sidewall prevents the puncture, road collision and pressure damage.		



ECOTOUR



SPEED RATE: R

RIM: 16'

SECTION WIDTH: 185

RATIO: 75

ON-/OFF-ROAD: 40%/60%

The ECOTOUR is designed specifically for Russia. ECOTOUR provides good traction and braking at allweather conditions for your safety and comfortable driving.



ECOTOUR

M+S



Size	Load Index & Speed Rate	Load Range	PR	UPC
185/75R16C	104/102R	D	8PR	6924590211476

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Zigzag main groove design	Increased tread rigidity	High load wear-resisting
Low sea-land ratio tread design	Improved crown rigidity	High load capacity
Large shoulder blocks	Provide strength and stiffness for outstanding cornering	Comfort ride and safety

EffiVan



SPEED RATE: Q/R/S/T

RIM: 13'-16'

SECTION WIDTH: 155-235

RATIO: 65-75

ON-/OFF-ROAD: 70%/30%

The EffiVan is a max performance summer tire designed for VAN, Commercial Vehicle and Light Truck. The EffiVan provides good traction and safety driving.



EffiVan

M+S



Size	Load Index & Speed Rate	/XL	PR	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155R13C	85/83S	C	6PR	E	C	72)	6924590211483
165R13C	94/93R	D	8PR	C	C	72)	6924590214637
175R13C	97/95S	D	8PR	C	C	72)	6924590214644
165R14C	96/95R	D	8PR	C	C	72)	6924590214651
175R14C	99/98R	D	8PR	C	C	72)	6924590214668
185R14C	102/100Q	D	8PR	C	C	72)	6924590211490
195R14C	106/104Q	D	8PR	C	C	72)	6924590211506
205R14C	109/107S	D	8PR	C	C	72)	6924590211513
185R15C	103/102R	D	8PR	C	C	72)	6924590214675
195R15C	106/104Q	D	8PR	C	C	72)	6924590211520
165/70R13C	88/86T	C	6PR	C	C	72)	6924590214682
175/70R14C	95/93S	C	6PR	C	C	72)	6924590211537
195/70R15C	104/102R	D	8PR	C	C	72)	6924590211544
205/70R15C	106/104R	D	8PR	C	C	72)	6924590211551
215/70R15C	109/107S	D	8PR	C	C	72)	6924590214699
225/70R15C	112/110S	D	8PR	C	C	72)	6924590211568
185/75R16C	104/102R	D	8PR	C	C	72)	6924590211575
195/75R16C	107/105R	D	8PR	C	C	72)	6924590211582
215/75R16C	116/114R	E	10PR	C	C	72)	6924590211599
195/65R16C	104/102R	D	8PR	C	C	72)	6924590211605
205/65R16C	107/105R	D	8PR	C	C	72)	6924590211612
215/65R16C	109/107R	D	8PR	C	C	72)	6924590211629
225/65R16C	112/110R	D	8PR	C	C	72)	6924590211636
235/65R16C	115/113R	D	8PR	C	C	72)	6924590211643

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Three main circumferential groove design	Good for high speed drive	Safety assurance
Continuous shoulder ribs	Provide uniform tread wear	Long service life
Special compound formula	Increased handling performance	Comfort drive

SuperSportChaser
SSC5



SPEED RATE: V/W/Y

RIM: 16'-19'

SECTION WIDTH: 195-275

RATIO: 35-55

Reduced danger and hassle.
Drive after a loss of some or all
inflation pressure for up to 80km
at maximum speed up to 80km/h.
Compatible with standard wheel rims.
No need for a spare tyre.



**Advanced
Run-Flat Technology**

SuperSportChaser
SSC5



RUN-FLAT TYRE

Size	Load Index & Speed Rate	/XL	UTQG	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/55RF16	87V		320/ A/ A	E	C	71))	6924590222786
205/55RF16	91V		320/ A/ A	E	C	71))	6924590222809
* 205/55ZRF17	95W	XL	320/ A/ A					6924590225220
225/55ZRF17	97W		320/ A/ A	E	B	71))	6924590223073
205/50ZRF17	89W		320/ A/ A	E	B	71))	6924590222823
225/50ZRF17	94W		320/ A/ A	E	B	71))	6924590222847
205/45RF17	84V		320/ A/ A	E	B	71))	6924590222861
225/45ZRF17	91W		320/ A/ A	E	B	71))	6924590222885
225/50ZRF18	95W		320/ A/ A	E	B	71))	6924590223653
235/50ZRF18	97W		320/ A/ A	E	B	71))	6924590223660
225/45ZRF18	91W		320/ A/ A	E	B	71))	6924590223080
245/45ZRF18	96W		320/ A/ A	E	B	71))	6924590223172
* 255/45ZRF18	99W		320/ A/ A					6924590225237
225/40ZRF18	88W		320/ A/ A	E	B	71))	6924590223189
245/40ZRF18	97W	XL	320/ A/ A	E	B	71))	6924590223134
* 245/45ZRF19	102Y	XL	320/ A/ A					6924590225244
* 225/40ZRF19	93Y	XL	320/ A/ A					6924590225251
* 245/40ZRF19	98Y	XL	320/ A/ A					6924590225268
225/35ZRF19	88Y	XL	320/ A/ A	E	B	71))	6924590223141
* 255/35ZRF19	96Y	XL	320/ A/ A					6924590225275
* 275/35ZRF19	100Y	XL	320/ A/ A					6924590225282

* Represents new specifications

Function Description

Product Feature

- Reinforced sidewalls to support the vehicle in the event of an air pressure loss.

Effect


- In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

Customer Benefit


- Increasing safety.



RFT Tyre



Normal Tyre



ALL SEASON VERSAT-AS8



TRACTION



WINTER



SAFETY

SPEED RATE: T/H/V/W

RIM: 13'-18'

SECTION WIDTH: 155-245

RATIO: 40-80

All Season Versat AS8 combine reliable winter safety with the precise driving stability and firm handing of our summer tyres. The AS2 Weatherproof product offers first class safety and durability for year round use. All sizes have the Snowflake symbol (3PMS-F), which indicates that the the tyres have been officially approved for winter use.



FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
Special compound for all season tyre tread can ensure the comprehensive performance in summer and winter.	Special compound for all season tyre tread	ensure the comprehensive performance in summer and winter.
Directional pattern design can maintain good high-speed stability, better snow discharge and water drainage performance.	maintain good high-speed stability	better snow discharge and water drainage performance.
Optimize pitch width and pitch arrangement can reduce noise.	Optimize pitch width and pitch arrangement	reduce noise.

ALL SEASON VERSAT



M+S



Size	Load Index & Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
155/80R13	79T		D	D	67	A	6924590223936
155/70R13	75T		D	D	67	A	6924590223677
165/70R14	81T		D	D	67	A	6924590223684
155/65R14	75T		D	D	67	A	6924590223943
175/65R14	82T		C	D	67	A	6924590223691
175/70R14	88T	XL	C	D	67	A	6924590223707
175/65R15	84H		C	D	67	A	6924590223714
185/55R15	86H	XL	C	C	67	A	6924590223721
185/60R15	88H	XL	C	C	67	A	6924590223738
185/65R15	88H		C	C	67	A	6924590223745
195/60R15	88H		C	C	67	A	6924590223752
195/65R15	91H		C	C	67	A	6924590223769
195/65R15	95H	XL	C	C	67	A	6924590223776
195/55R16	91V	XL	C	C	67	A	6924590223783
205/55R16	91V		C	C	67	A	6924590223790
205/55R16	94V	XL	C	C	67	A	6924590223806
205/60R16	96V	XL	C	C	67	A	6924590223813
215/55ZR17	98W	XL	C	C	70	B	6924590225305
225/55ZR17	101W	XL	C	C	70	B	6924590225312
235/55ZR17	103W	XL	C	C	70	B	6924590225329
205/50ZR17	93W	XL	C	C	67	A	6924590223967
215/50ZR17	95W	XL	C	C	67	A	6924590223981
225/50ZR17	98W	XL	C	C	70	B	6924590223998
205/45ZR17	88W	XL	C	C	67	A	6924590223950
215/45ZR17	91W	XL	C	C	67	A	6924590223974
225/45ZR17	94W	XL	C	C	70	B	6924590223820
235/45R17	97W	XL	C	C	70	B	6924590225336
245/45R17	99W	XL	C	C	70	B	6924590225343
225/45R18	95V	XL	C	C	70	B	6924590225350
225/40ZR18	92W	XL	C	C	70	B	6924590223837

SUPER LEOPARD VAN-AS9



TRACTION



WINTER



SAFETY



SPEED RATE: R/T

RIM: 15'-16'

SECTION WIDTH: 195-235

RATIO: 65-75

ALL SEASON VAN-AS7 tyre that delivers the traction, durability and performance you need in demanding conditions. Special pattern design enables to enjoy flexible operation and control on all kinds of roa

SUPER LEOPARD VAN-AS9



M+S



Size	Load Index & Speed Rate	Ply Rating	Load Range	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/70R15C	104/102R	8PR	D	D	C	71	B	6924590225367
215/70R15C	109/107R	8PR	D	C	C	71	B	6924590225374
195/75R16C	107/105T	8PR	D	C	C	71	B	6924590225381
215/75R16C	113/111R	8PR	D	C	C	71	B	6924590225398
225/75R16C	121/120R	10PR	E	C	C	71	B	6924590225404
195/65R16C	104/102T	8PR	D	C	C	71	B	6924590225411
205/65R16C	107/105R	8PR	D	C	C	71	B	6924590225428
215/65R16C	109/107R	8PR	D	C	C	71	B	6924590225435
225/65R16C	112/110R	8PR	D	C	C	71	B	6924590225442
235/65R16C	115/113R	8PR	D	C	C	71	B	6924590225459

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The wide groove and asymmetrical pattern design	bring excellent handling stability and outstanding drainage performance.	Drive safety
The Soft Tread compound and enhanced sidewall stiffness comprehensively	improve the performance of tyres on snowy and icy roads	Better driving experience
The reinforced bars and jagged design	provide excellent braking performance	Drive safety



SNOWLEOPARD



TRACTION



WINTER



SAFETY

SPEED RATE: T/H/V

RIM: 13'-18'

SECTION WIDTH: 165-245

RATIO: 40-70

SNOWLEOPARD is the special pattern design with single-direction and V style sipe provides excellent performance on ice and snow.



SNOWLEOPARD



M+S



Size	Load Index & Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
165/70R13	83T	XL	E	C	71)	6924590213432
175/70R13	82T		E	C	71)	6924590213449
165/70R14	81T		E	C	71)	6924590213456
175/70R14	84T		E	C	70)	6924590213463
185/70R14	88T		E	C	71)	6924590213092
175/65R14	82T		E	C	70)	6924590213470
185/65R14	90T	XL	E	C	71)	6924590213487
185/60R14	82T		E	C	70)	6924590213494
195/60R14	86Q		E	C	71)	6924590213500
185/65R15	88T		E	C	70)	6924590213517
195/65R15	91T		E	C	71)	6924590213524
205/65R15	94T		E	C	71)	6924590213531
185/60R15	84T		E	C	70)	6924590213548
195/60R15	88T		E	C	71)	6924590213555
195/55R15	85T		E	C	71)	6924590213562
215/65R16	98T		E	C	71)	6924590213579
225/65R16	100T		E	C	71)	6924590213586
205/60R16	96T	XL	E	C	72)	6924590213593
215/60R16	95T		E	C	71)	6924590213609
225/60R16	102T	XL	E	C	72)	6924590213616
195/55R16	91H	XL	E	C	72)	6924590213623
205/55R16	91T		E	C	71)	6924590213630
215/55R16	97T	XL	E	C	72)	6924590213647
225/55R16	99T	XL	E	C	72)	6924590213654
225/65R17	102T		E	C	71)	6924590213661
215/55R17	94T		E	C	71)	6924590213678
225/55R17	101H	XL	E	C	72)	6924590213692
235/55R17	99T		E	C	71)	6924590213708
215/50R17	95H	XL	E	C	72)	6924590213715
225/50R17	98V	XL	E	C	72)	6924590213108
215/45R17	91V	XL	E	C	72)	6924590213722
225/45R17	94H	XL	E	C	72)	6924590213739
235/45R17	97H	XL	E	C	72)	6924590213753
225/45R18	95H	XL	E	C	72)	6924590213760
245/45R18	100V	XL	E	C	72)	6924590213777
225/40R18	92H	XL	E	C	72)	6924590213784
245/40R18	93V		E	C	72)	6924590213791

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The wide pattern and 3D sawtooth sipe design	Effectively improved grasp force of tire on ice and snow	Traction and Safety
The special V shape and single direction groove design	Increased drainage and brake performance in winter	Good control performance
High silica tread compound	Provide excellent low temperature resistance and adhesion on ice and snow	Good traction and handling performance

SNOWLEOPARD LX



TRACTION



WINTER



SAFETY

SPEED RATE: Q/T

RIM: 15'-20'

SECTION WIDTH: 215-275

RATIO: 55-75

SNOWLEOPARD LX is the special pattern design with single-direction and V style sipe provides excellent performance on ice and snow.



SNOWLEOPARD LX



M+S



Size	Load Index & Speed Rate	/XL	Labeling			UPC	
			Fuel Efficiency	Wet Grip	Noise dB		Noise Grade
235/75R15	105Q		E	C	71)	6924590213807
215/70R15	98T		E	C	72)	6924590213814
215/70R16	100Q		E	C	71)	6924590213821
235/70R16	106Q		E	C	71)	6924590213838
265/70R17	115T		E	C	73)	6924590213845
235/65R17	104T		E	C	71)	6924590213852
265/65R17	112T		E	C	72)	6924590213869
275/65R17	115T		E	C	72)	6924590213876
215/60R17	96T		E	C	71)	6924590213883
225/60R17	99T		E	C	72)	6924590213890
275/65R18	116T		E	C	73)	6924590213906
235/60R18	103T		E	C	71)	6924590213913
235/55R18	104T	XL	E	C	72)	6924590213920
275/60R20	115T		E	C	73)	6924590213937
275/55R20	117T	XL	E	C	73)	6924590213944

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The wide pattern and 3D sawtooth sipe design	Effectively improved grasp force of tire on ice and snow	Traction and Safety
The special V shape and single direction groove design	Increased drainage and brake performance in winter	Good control performance
High silica tread compound and strengthened carcass design	Provide excellent low temperature resistance and adhesion on ice and snow, especially for large diameter tyres	Good traction and handling performance



Snow LEOPARD2



TRACTION



WINTER



OFF-ROAD

SPEED RATE: H/V/W

RIM: 15'/18'/20'

SECTION WIDTH: 265/295

RATIO: 50-60

ON-/OFF-ROAD: 90%/10%

SNOW LEOPARD2 has excellent handling performance on snow and icy roads. The tiny sipes of tyres reduce the noise caused by the impact of the tyre on the road which provide a comfortable driving experience.



Snow LEOPARD2



M+S



Size	Load Index & Speed Rate	/XL	Labeling				UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
175/65R14	82T		C	B	71		6924590215788
185/65R14	90T		C	B	71		6924590215795
185/65R15	92T		C	B	71		6924590215801
195/65R15	95T		C	B	72		6924590215818
185/60R15	88T		C	B	71		6924590215825
215/65R16	102T		C	B	72		6924590215832
205/60R16	96T		C	B	72		6924590215849
215/60R16	99T		C	B	72		6924590215856
205/55R16	94T		C	B	72		6924590215863
215/55R16	97T		C	B	72		6924590215870
225/65R17	106T		C	B	72		6924590215887
225/60R17	103T		C	B	72		6924590215894
215/55R17	98T		C	B	72		6924590215900
225/55R17	101T		C	B	72		6924590215917
225/50R17	98T		C	B	72		6924590215924
225/45R17	94T		C	B	72		6924590215931
235/60R18	107T		C	B	72		6924590215948
265/60R18	114T		C	B	73		6924590215955
285/60R18	116T		B	B	75		6924590215962
225/55R18	102T		C	B	72		6924590215979
245/45R18	100T		C	B	72		6924590215986
235/45R18	98H		*	*	*		*
235/65R18	110T		*	*	*		*
235/40R19	96V		*	*	*		*
245/55R19	107H		*	*	*		*
255/45R19	104H		*	*	*		*
235/45R20	100H		*	*	*		*
185/55R15	82T		C	B	71		6924590216747
205/50R17	93T XL		C	B	72		6924590216792
245/45R19	102H XL		C	B	72		6924590216853
195/50R15	82H		C	B	72		6924590216754
205/55R17	95H XL		C	B	72		6924590216785
255/50R19	107T XL		C	B	73		6924590216846
235/55R19	105H XL		C	B	72		6924590216839
255/40R19	100V/XL		C	B	73		6924590216860
215/55R18	99H XL		C	B	72		6924590216815
225/60R18	104T XL		C	B	72		6924590216808
225/55R19	99H		C	B	72		6924590216822
245/65R17	107T		C	B	72		6924590216778
235/35R19	91V XL		C	B	72		6924590216877
245/70R16	107T		C	B	72		6924590216761

FUNCTION DESCRIPTION

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
The large rigidity block and tiny sipes	provides excellent handling and reduce the noise	Safety and quiet
Multi-cross pattern	provides grip on icy and snowy roads	Optimum grip and safety
Three longitudinal zigzag grooves	provide high drainage performance and handling performance on snow and icy roads	High speed safety

Snow LEOPARD VAN



SPEED RATE: R/T

RIM: 15'-16'

SECTION WIDTH: 185-235

RATIO: 65-75

SNOW LEOPARD VAN is designed for vans which driving on snow and icy roads in winter. It has the coupling block pattern that provides stronger load capacity and stable handling performance ULTIMA VAN can provide comfortable and quiet driving experience for you.



Snow LEOPARD VAN



Size	Load Index & Speed Rate	Load Range	Ply Rating	Labeling				UPC
				Fuel Efficiency	Wet Grip	Noise dB	Noise Grade	
195/70R15C	104/102R	D	8PR	C	A	71))	6924590214989
205/70R15C	106/104R	D	8PR	C	A	71))	6924590214996
215/70R15C	109/107R	D	8PR	C	A	71))	6924590215009
225/70R15C	112/110R	D	8PR	C	A	71))	6924590215016
185/75R16C	104/102R	D	8PR	C	A	71))	6924590215023
195/75R16C	107/105R	D	8PR	C	A	71))	6924590215030
215/75R16C	113/111R	D	8PR	C	A	71))	6924590215047
205/65R16C	107/105T	D	8PR	C	A	71))	6924590215054
215/65R16C	109/107R	D	8PR	C	A	71))	6924590215061
235/65R16C	115/113R	D	8PR	C	A	71))	6924590215405
235/65R16C	121/119R	E	10PR	C	A	71))	6924590215078

FUNCTION DESCRIPTION

GENERAL DESCRIPTION	PRODUCT FEATURE	GENERAL DESCRIPTION	PRODUCT FEATURE
<p>The SnowLeopard VAN tyre is specially designed for commercial vehicle and vans used in winter.</p> <ul style="list-style-type: none"> • Outstanding grip and shorter braking on snow and wet. • High load-carrying capacity. • Lower rolling resistance and fuel consumption. 	<p>The pocket-type pump sipes remove water out of the road surface ensuring stable grip. Guarantee the sturdy novelty drives safely, durably and lightly on the urban streets and country roads alike.</p> <p>The aggressive tread pattern together with the zigzag sipes, the pump sipes boost the tyre's wet grip and ice grip further. The even denser and sharper zigzag siping of the aggressive tread pattern improves the grip in rain, snow and even ice.</p> <p>The extremely strong double steel belt structure can reliably carry even high wheel loads. More flexible steel wire used for the belts improves structural durability and allows the tyre to maintain its state-of-the-art properties. This also reduces rolling resistance, which translates into lower fuel consumption.</p>	<p>Шина SnowLeopard VAN специально разработана для использования в коммерческих автомобилях и микроавтобусах зимой. Мощное сцепление с дождем, снегом и даже льдом. Непревзойденная производительность для средневропейской зимы</p>	<p>Насосы карманного типа удаляют воду с поверхности дороги, обеспечивая стабильное сцепление с дорогой. Гарантирует, что прочная новинка безопасно, долговечно и легко ездит по городским улицам и проселочным дорогам.</p> <p>Агрессивный рисунок протектора вместе с зигзагообразными прорезями, прорези для насоса дополнительно усиливают сцепление шины и льда. Более плотный и резкий зигзагообразный глоток агрессивного рисунка протектора улучшает сцепление с дождем, снегом и даже льдом.</p> <p>Чрезвычайно прочная двойная стальная конструкция ремня может надежно переносить даже высокие нагрузки на колеса. Более гибкая стальная проволока, используемая для ремней, повышает прочность конструкции и позволяет шине сохранять свои самые современные свойства. Это также снижает сопротивление качению, что приводит к снижению расхода топлива.</p>

ICE LEOPARD



TRACTION



WINTER



OFF-ROAD

SPEED RATE: T

RIM: 13'-17'

SECTION WIDTH: 175-225

RATIO: 45-70

EURO:	8x11
TSMI#:	TSMI-#12
LENGTH:	11mm
Head Dia.:	8mm
COLOR:	Silver
WEIGHT:	2.0g
Qty:	100+



ICE LEOPARD



M+S



Size	Load Index & Speed Rate	/XL	Labeling				Number of Studs	UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade		
175/70R13	82T		C	C	71)	112	6924590215115
185/70R14	92T	XL	C	C	71)	120	6924590215122
175/65R14	86T	XL	C	C	71)	114	6924590215139
185/65R14	90T	XL	C	C	71)	116	6924590215146
195/65R15	95T	XL	C	C	72)	128	6924590215153
185/65R15	92T	XL	C	C	71)	132	6924590215160
205/65R15	99T	XL	C	C	72)	132	6924590215177
185/60R15	88T	XL	C	C	71)	128	6924590215184
215/60R16	99T	XL	C	C	72)	128	6924590215191
205/60R16	96T	XL	C	C	72)	128	6924590215207
205/55R16	94T	XL	C	C	72)	124	6924590215214
215/55R17	98T	XL	C	C	72)	128	6924590215221
225/55R17	101T	XL	C	C	72)	132	6924590215238
225/50R17	98T	XL	C	C	72)	128	6924590215245
225/45R17	94T	XL	C	C	72)	124	6924590215252
235/45R18	98T	XL	C	C	72)	128	6924590215740

FUNCTION DESCRIPTION

GENERAL DESCRIPTION

The Ice Leopard studded winter tyre is designed for safe driving in deep snow and icy roads in nordic conditions.

- Outstanding grip on snow and ice.
- Improved water drainage and aquaplaning resistance.
- Adapt to extreme nordic weather conditions.

PRODUCT FEATURE

The directional pattern design with reinforcement on the center and the newly optimized pattern groove guiding angle can effectively improve the drainage performance and enhance the wet performance on wet roads. Makes more responsive to steering.

OUTSTANDING GRIP ON ICE, SNOW AND WET SURFACES Numerous lamellae and hem edges provide outstanding grip performance on ice, snow and wet surfaces.

Optimum traction characteristics. Adapts to snow of different depths, providing optimum traction characteristics.

ADAPT TO EXTREME TEMPERATURE Special Soft rubber compound design guarantees powerful grip in extremely cold climate.

GENERAL DESCRIPTION

Ice Leopard специально разработан для работы в суровых зимних условиях. Прочная шипованная шина обеспечивает безопасное и комфортное вождение в экстремально холодной погоде.

- Отличное сцепление на снегу и льду.
- Улучшенная стойкость к дренажу и аквапланированию.
- Адаптация к экстремальным погодным условиям.

PRODUCT FEATURE

Конструкция направленного рисунка с усилением по центру и оптимизированный угол направления канавки рисунка может эффективно улучшить характеристики дренажа и улучшить характеристики на мокрой дороге. Делает более чувствительным к рулевому управлению

ВЫДАЮЩИЕСЯ СЦЕПЛЕНИЕ НА ЛЬДУ, СНЕГУ И МОКРЫХ ПОВЕРХНОСТЯХ Многочисленные ламели и кромки обеспечивают превосходное сцепление на льду, снегу и мокрых поверхностях.

ОПТИМАЛЬНЫЕ ТЯГОВЫЕ ХАРАКТЕРИСТИКИ. Адаптируется к снегу различной глубины, обеспечивая оптимальные тяговые характеристики.

ПРИСПОСОБЬТЕСЬ К ЭКСТРЕМАЛЬНОЙ ТЕМПЕРАТУРЕ Особый мягкий дизайн резиновой смеси гарантирует сильное сцепление весьма холодном климате.

ICE LEOPARD SUV



TRACTION



WINTER



OFF-ROAD

SPEED RATE: T

RIM: 16'-18'

SECTION WIDTH: 215-285

RATIO: 60-65

EURO:	8x11
TSMI#:	TSMI-#12
LENGTH:	11mm
Head Dia.:	8mm
COLOR:	Silver
WEIGHT:	2.0g
Qty:	100+



ICE LEOPARD SUV



M+S



Size	Load Index & Speed Rate	/XL	Labeling				Number of Studs	UPC
			Fuel Efficiency	Wet Grip	Noise dB	Noise Grade		
265/70R16	112T		C	C	72)	140	6924590215757
215/65R16	102T	XL	C	C	72)	132	6924590215269
225/65R17	106T	XL	C	C	72)	136	6924590215276
235/65R17	108T	XL	C	C	72)	136	6924590215283
265/65R17	116T	XL	C	C	72)	140	6924590215764
215/60R17	100T	XL	C	C	72)	132	6924590215290
225/60R17	103T	XL	C	C	72)	132	6924590215306
265/60R18	114T	XL	C	C	72)	140	6924590215771
285/60R18	116T		C	C	75)	140	6924590215313
LT275/65R18	123/120Q							LT275/65R18

FUNCTION DESCRIPTION

GENERAL DESCRIPTION	PRODUCT FEATURE
<p>The Ice Leopard studded winter tyre is designed for safe driving in deep snow and icy roads in nordic conditions.</p> <ul style="list-style-type: none"> • Outstanding grip on snow and ice. • Improved water drainage and aquaplaning resistance. • Adapt to extreme nordic weather conditions. 	<p>The directional pattern design with reinforcement on the center and the newly optimized pattern groove guiding angle can effectively improve the drainage performance and enhance the wet performance on wet roads. Makes more responsive to steering.</p> <p>OUTSTANDING GRIP ON ICE, SNOW AND WET SURFACES Numerous lamellae and hem edges provide outstanding grip performance on ice, snow and wet surfaces.</p> <p>Optimum traction characteristics. Adapts to snow of different depths, providing optimum traction characteristics.</p> <p>ADAPT TO EXTREME TEMPERATURE Special Soft rubber compound design guarantees powerful grip in extremely cold climate.</p>

GENERAL DESCRIPTION	PRODUCT FEATURE
<p>Ice Leopard специально разработан для работы в суровых зимних условиях. Прочная шипованная шина обеспечивает безопасное и комфортное вождение в экстремально холодной погоде.</p> <ul style="list-style-type: none"> • Отличное сцепление на снегу и льду. • Улучшенная стойкость к дренажу и аквапланированию. • Адаптация к экстремальным погодным условиям. 	<p>Конструкция направленного рисунка с усилением по центру и оптимизированный угол направления канавки рисунка может эффективно улучшить характеристики дренажа и улучшить характеристики на мокрой дороге. Делает более чувствительным к рулевому управлению</p> <p>ВЫДАЮЩИЕСЯ СЦЕПЛЕНИЕ НА ЛЬДУ, СНЕГУ И МОКРЫХ ПОВЕРХНОСТЯХ Многочисленные ламели и кромки обеспечивают превосходное сцепление на льду, снегу и мокрых поверхностях.</p> <p>ОПТИМАЛЬНЫЕ ТЯГОВЫЕ ХАРАКТЕРИСТИКИ. Адаптируется к снегу различной глубины, обеспечивая оптимальные тяговые характеристики.</p> <p>ПРИСПОСОБИТЬСЯ К ЭКСТРЕМАЛЬНОЙ ТЕМПЕРАТУРЕ Особый мягкий дизайн резиновой смеси гарантирует сильное сцепление весьма холодном климате.</p>

WARRANTY

MAZZINI Passenger & Light Truck Standard Limited Warranty

1. WHAT IS WARRANTED AND WHO IS ELIGIBLE UNDER THIS WARRANTY?

Best Choice International Trade Co., LTD., headquartered at 3rd Floor, North Anhua Building, No. 8 Yinghua West Street, Chaoyang District, Beijing, China 100029 ("Best Choice"), warrants to the original consumer purchaser that all MAZZINI passenger and light truck tyres either directly or through an authorized MAZZINI dealer, which are mounted on cars or light trucks and become unserviceable for any reason within the manufacturer' s control. MAZZINI consumer products are warranted to be free from defects in materials and workmanship subject to terms, conditions and limitations as stated below. If our examination of a warrant-able product determines that the product has failed due to defect in materials or workmanship, we will make a reasonable allowance toward the purchase price of a new product or other adjustment within our discretion. Adjustments will be made on a pro-rate basis determined by the amount of usage or service received by the product and will be based on the most recent purchase price (proof of purchase is required). This warranty is not transferable.

TERMS, CONDITIONS AND LIMITATIONS

Under no circumstances is this limited warranty a representation that a tyre failure cannot occur. This limited warranty is only applicable to products sold in and used on consumer vehicles.

Passenger tyres are under 4 years from date of production

Light Truck tyres (LT designation) are under limited warranty if less than 4 years from date of production, or less than 3 years from date-of purchase (purchase proof is needed)

The life of the original usable tread has worn down to 2/32" remaining (worn down to the wear bar indicators in the tread grooves)

A. During the first 2/32" of original usable tread, Best Choice will replace such tyre with a comparable MAZZINI new tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner.

B. After the first 2/32" of the original usable tread, a pro rate credit will be given toward the purchase of a comparable new MAZZINI tyre. Applicable taxes, costs of mounting and balancing and other service charges are payable by the consumer owner.

Example: Amount of credit will be calculated by the following formula:

$$CR = \frac{\text{Remaining Tread Depth} - 7}{\text{Original Usable Tread Depth} - 11} \times 56\% \times \$75.00 = \$42 \text{ Credit } **$$

** refer to Adjustment credit Percentage table to obtain actual percentage amount when calculating formula

C. Adjustment on out-of-round or out-of-balance conditions is allowed only during the first 1/32" of the original tread depth within the first 6 months from the date of purchase , supported with proof of the out-of-round or out-of-balance conditions for every passenger or light truck tyre. Best Choice will replace such tyre with a comparable new MAZZINI tyre free of charge. Applicable taxes on the new tyre and costs for mounting and balancing and any other service charges are payable by the consumer owner. A set of 4 tyres from the same vehicle will not be accepted for out-of-round or out-of-balance claims.

2. WHAT IS NOT COVERED?

A. tyre adjustments will be based on the remaining tread depth. tyres worn to 2/32" tread depth or to the tread wear indicator bars are deemed to have served their full useful tread life and are not adjustable

B. tyres returned for out-of-round or ride disturbance conditions beyond 2/32" of wear will not be considered for adjustment.

C. tyres marked "NA" (nonadjustable) are specifically excluded from this limited warranty.

D. The cost applicable to taxes, mounting, balancing and any other service charges are excluded.

E. tyres returned as a set will not be considered. All tyres must have a warrantable condition.

F. tyres that have been altered in any way including retreaded, altered and repaired improperly to Rubber manufactures Association standards or with section repairs or with self-valancing plug are excluded from the limited warranty.

G. tyres without DOT number are excluded from the limited warranty.

H. tyres with tyre fill, sealant, balancing materials, fillers inside the tyre, tyres notched, buffed, re-grooved or cut are excluded from the limited warranty.

I. Ozone or weather cracking after 2 years from the date of purchase

J. tyre production dates

K. Loss of time, or use, inconvenience, or any incidental or consequential damage.

L. tyres that have been misapplied due to insufficient speed rating, or undersized, or oversized tyres

M. tyres that have become unserviceable due to chemical corrosion, vandalism, chains and flat spotting.

N. tyres involved in race activities.

O. Uneven wear characteristics caused by mechanical irregularity in the vehicle such as misalignment, over inflation and under-inflation

P. Uneven or rapid wear more than 2/32nds across the tread on the same tyre

Q. tyre damage or irregular wear due to road hazard, including punctures, cuts, impact break, bulge, snag, stone drill and car collision.

R. Continued use while run flat or acute under-inflation

S. Improper use of operation, without limitation, improper inflation, overloading, use of improper rim, tyre/wheel balance, worn suspension components, improper mounting or dismounting, misuse, misapplication, fire.

OWNERS OBLIGATIONS

A. Present tyre to the MAZZINI dealer from whom you bought tyres.

B. Complete and sign an MAZZINI adjustment claim form at MAZZINI dealer you bought tyres.

C. Pay the amounts due for a new tyre, less the amount of the credit, including taxes, mounting, balancing, valve stem if needed and any other service that you might require.

3. Replacement Warranty

If you receive a replacement tyre under the MAZZINI warranty, it will be covered by the manufacturer's warranty and the supplemental limited warranty that Best Choice International Trade Co. LTD gives on that tyre.

This is the only expressed warranty given by Best Choice International Trade Co. LTD applicable to MAZZINI replacement tyres. Best Choice does not make any other express warranty or implied warranty of merchant ability or fitness for a particular purpose. Best Choice does not authorize any other persons, including authorized dealers, to change this warranty or create any other obligation in connection with MAZZINI products. Best Choice will not do anything other than what is stated in this warranty if a defect is found to exist in an MAZZINI replacement radial tyre. All other remedies are excluded, including any obligation or liability on the part of Best Choice for consequential or incidental damages (such as loss of use of car, loss of time or inconvenience) arising out of defect.

Legal Rights:

All implied warranties, included any warranty of merchantability or fitness for a particular purpose, are expressly limited to the duration of this written limited warranty. All obligations or liabilities for indirect, incidental or consequential damages are hereby excluded to the extent permitted by law, including economic loss, loss of profit, loss of vehicle, loss of time, inconvenience, personal injury or death. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply. This limited warranty gives the customer legal rights that may vary from state to state. This is the only express warranty applicable to items sold by Best Choice International Trade Co. LTD, and supersedes the terms of any previous warranty. Best Choice International Trade Co. LTD neither assumes nor authorizes anyone to assume for it any other warranty.

Best Choice International Trade Co. LTD