

# Proload



**CATÁLOGO**  
**2020**

**Tire Direct**  
La nueva generación

# Proload

Tire Direct  
La nueva generación



## PL886

**DIRECCIÓN**

SIZE	PLY RATING	PATTERN DEPTH(MM)	LOAD INDEX	SPEED RATING	LOAD CAP. (KG)		INFLATION PRESSURE (KPA)	STANDAR RIM	SECTION WIDTH (MM)	OVERALL Diameter (MM)	WEIGHT (KG)
					SINGLE	DUAL					
11R22.5	16	16	146/143	M	3000	2725	830	8.25	279	1050	52.00
11R24.5	16	16	149/146	L	3250	3000	830	8.25	279	1020	52.00

# Proload

Tire Direct  
La nueva generación



## PL876

**DIRECCIÓN**

SIZE	PLY RATING	PATTERN DEPTH(MM)	LOAD INDEX	SPEED RATING	LOAD CAP. (KG)		INFLATION PRESSURE (KPA)	STANDAR RIM	SECTION WIDTH (MM)	OVERALL Diameter (MM)	WEIGHT (KG)
					SINGLE	DUAL					
11R22.5	16	14.5	146/143	M	3000	2725	830	8.25	279	1050	52.00

# Proload

Tire Direct  
La nueva generación



## PL669

**TODA POSICIÓN**

SIZE	PLY RATING	PATTERN DEPTH(MM)	LOAD INDEX	SPEED RATING	LOAD CAP. (KG)		INFLATION PRESSURE (KPA)	STANDAR RIM	SECTION WIDTH (MM)	OVERALL Diameter (MM)	WEIGHT (KG)
					SINGLE	DUAL					
11R22.5	16	14.5	146/143	M	3000	2725	830	8.25	279	1050	52.00

# Proload

Tire Direct  
La nueva generación



## PL618

TRACCIÓN

SIZE	PLY RATING	PATTERN DEPTH(MM)	LOAD INDEX	SPEED RATING	LOAD CAP. (KG)		INFLATION PRESSURE (KPA)	STANDAR RIM	SECTION WIDTH (MM)	OVERALL Diameter (MM)	WEIGHT (KG)
					SINGLE	DUAL					
11R22.5	16	20.5	146/143	M	3000	2725	830	8.25	279	1050	52.00
11R24.5	16	20.5	149/146	L	3250	3000	830	8.25	279	1020	52.00

# Proload

**Tire Direct**  
*La nueva generación*



Bld. Campestre No. 72  
Col. Casa Blanca, León, Gto.  
C.P. 37170



+52 (477) 718.09.21  
01800 000TIRE (8473)



info@tiredirect.com.mx  
www.tiredirect.com.mx



Tire Direct



Tire Direct

