

Tire Direct
La nueva generación



SRW FORGED ALUMINUM WHEELS



Tire Direct 
La nueva generación

- 1 Lighter in Weight
- 2 Fuel-Efficient
- 3 Better Safety
- 4 Attractive Appearance
- 5 Higher Load Capacity
- 6 Better Driving Amenity
- 7 Tire Wear rate decrease by 26%
- 8 Lower the cost for brake maintenance
- 9 Prolong engine life



Forged Aluminum Wheel Spec Parameter Table

Size	Weight (lbs)	Piloted Type	Bolt holes	Bolt circle.(mm)	Bolt hole Dia.(mm)	Center Bore Dia.(mm)	Offset (mm)	Max load (lbs)	Max infl. PSI
22.5 x 8.25	49	Hub	10	285.75	26	220.1	167.6	7,400	130
22.5 x 8.25	51	Stud	10	285.75	30	221.5	169.1	7,400	130
22.5 x 8.25	54	Hub	10	335	26	281.2	167.6	8,080	130
24.5 x 8.25	55	Hub	10	285.75	26	220.1	167.6	7,400	130
24.5 x 8.25	57	Stud	10	285.75	30	221.5	167.6	7,400	130
24.5 x 8.25	67	Hub	10	335	26	281.2	172.4	8,500	130
22.5 x 9.00	52	Hub	10	285.75	26	220.1	102.6	10,000	130
22.5 x 9.00	60	Hub	10	285.75	26	220.1	176.3	10,000	130
22.5 x 9.00	65	Stud	10	285.75	30	221.5	176.3	10,000	130
22.5 x 9.00	61	Hub	10	335	26	281.2	176	9,090	130
22.5 x 11.75	54	Hub	10	285.75	26	220.0	120	9350	130
22.5 x 11.75	54	Stud	10	335	26	281.0	0	9350	130
22.5 x 13	67	Hub	10	285.75	26	220.1	88.9	13,000	130
22.5 x 13	80	Hub	10	335	26	281.2	178	13,000	130
22.5 x 14.00	56	Hub	10	285.75	26	220.1	24.9	12,800	130
22.5 x 14.00	56	Hub	10	285.75	26	220.1	50.8	12,800	130

Finish option: Machine Finish / Mirror Machine Finish / Polish

创新 · 品质 · 诚信 · 责任

Innovation Quality Integrity Responsibility



Tire Direct

La nueva generación



Bldv. Campestre No. 72
Col. Casa Blanca, León, Gto.
C.P. 37170



+52 (477) 718.09.21
01800 000TIRE (8473)



info@tiredirect.com.mx
www.tiredirect.com.mx



Tire Direct



Tire Direct

www.tiredirect.com.mx