

SURETRAC TIRES

PCR/LTR CATALOGUE



Tire Direct 
La nueva generación



TIRE DIRECT



/TIRE_DIRECT



/TIREDIRECTMX



TIRE DIRECT

Tire Direct 
La nueva generación



WIDE CLIMBER R/T (Rugged Terrain Tire)



- The WIDE CLIMBER R/T is designed to conquer rough terrain without sacrificing the ride and comfort of an A/T tire
- The Construction of 3-ply polyester contributes to excellent durability, impact resistance, and handling
- The optimized tread design reduces noise for improved driving comfort
- Open shoulder blocks enhance grip in muddy, sandy or snowy off-road condition

Size	PR	Load Index/Speed Rating	Standard Rim	Section Width (Inch)	Overall Diameter (Inch)	Max.Load		Max.Pressure		Tread Depth 32nds
						LBS	KG	PSI	KPA	
33×12.50R20LT	12PR	119R	10	12.2	32.5	3000	1360	80	550	16
35×12.50R20LT	12PR	125R	10	12.3	34.5	3640	1650	80	550	16
33×12.50R22LT	12PR	114R	10	11.9	32.5	2600	1180	80	550	16
35×12.50R22LT	12PR	121R	10	12.1	34.5	3195	1450	80	550	16
33×12.50R24LT	12PR	106R	10	12.5	32.5	2150	975	80	550	16
35×12.50R24LT	12PR	116R	10	12.5	34.6	2755	1250	80	550	16
P275/55R20	—	111T	81/2J	11.2	31.9	2403	1090	44	300	12

WIDE CLIMBER M/T III (Mud Terrain Tire)



- Three-ply sidewall protection and sidewall traction bars
- Burly lugs for maximum grip, aggressive traction and control
- Optimized block positions that reduce tire noise while transitioning from mud trails to asphalt streets
- Reinforced rubber belt that delivers load-bearing durability over a range of applications

Size	PR	Load Index/Speed Rating	Standard Rim	Section Width (Inch)	Overall Diameter (Inch)	Max.Load		Max.Pressure		Tread Depth 32nds
						LBS	KG	PSI	KPA	
LT285/55R20	10PR	122/119S	9	11.6	32.4	3305 3000	1500 1360	80	550	19
33×12.50R18LT	10PR	118Q	10	12.4	32.5	2910	1320	65	450	16
33×12.50R20LT	10PR	114Q	10	12.2	32.5	2600	1180	65	450	19
35×12.50R20LT	10PR	121Q	10	12.4	34.5	3195	1450	65	450	19
33×12.50R22LT	10PR	109Q	10	12.4	32.5	2270	1030	65	450	19
35×12.50R22LT	10PR	117Q	10	12.4	34.5	2835	1285	65	450	19
33×12.50R24LT	12PR	107Q	11	12.0	32.5	2150	975	80	550	19
35×12.50R24LT	12PR	116Q	11	12.1	34.5	2755	1250	80	550	19



WIDE CLIMBER H/T (Highway Terrain Tire)

- High way terrain & All Season Traction
- This model is designed with all season traction in mind. Its tread is densely populated with biting edges in the form of sipes, lateral notches, and grooves
- The robust shoulder blocks are laterally siped for a better grip during cornering. The tire's driving stability is greatly improved by the reinforced sidewalls
- The combination of the detailed tread footprint and the premium rubber compound reduce the tire's rolling resistance

Size	Load Index/Speed Rating	RIM	Section Width (Inch)	Overall Diameter (Inch)	Max.Load		Max.Pressure		Tread Depth 32nds
					LBS	KG	PSI	KPA	
235/75R15	105T	6 1/2	9.3	28.9	2039	925	44	300	11
215/70R16	100T	6 1/2	8.7	27.9	1764	800	44	300	11
225/70R16	103T	6 1/2	9.0	28.4	1874	850	44	300	11
235/70R16	106T	7.0	9.5	29.0	2094	950	44	300	11
265/70R16	112T	8.0	10.7	30.6	2469	1120	44	300	11
245/70R17	110T	7.0	9.8	30.6	2205	1000	44	300	11
265/70R17	115S	8.0	10.7	31.7	2679	1215	44	300	11
235/65R17	104H	7.0	9.5	29.1	1984	900	44	300	11
245/65R17	111XL T	7.0	9.8	29.5	2403	1090	49	340	11
235/65R18	106H	7.0	9.5	30.0	2094	950	44	300	11
275/65R18	116H	8.0	11.0	32.1	3415	1550	80	550	11
235/60R18	107XL V	7.0	9.5	29.1	1929	875	44	300	11
245/60R18	105H	7.0	9.8	29.6	1984	900	44	300	11
265/60R18	110H	8.0	10.7	30.5	2337	1060	44	300	11
275/60R20	115V	8J	11.0	33.0	2679	1215	36	250	11
245/50R20	102W	7.0	9.4	29.1	1984	1215	44	300	11
LT225/75R16	115/112S	6.0	8.8	29.3	2680	1215	80	550	12
LT245/75R16	120/118S	7.0	9.8	30.5	3042	1380	80	550	12
LT245/75R17	121/118S	7.0	9.8	31.5	3195	1450	80	550	12
LT265/70R17	121/118S	8.0	10.7	31.7	3195	1450	80	550	12



COMFORTRIDE (High Performance Comfortride)

- Four wide grooves within the tread force water out of the tire to reduce the risk of hydroplaning on wet roads
- The Comfortride's dense siping and angled tread blocks increase traction and handling performance in any condition

Size	Load Index/Speed Rating	RIM	Section Width (Inch)	Overall Diameter (Inch)	Max.Load		Max.Pressure		Tread Depth 32nds
					LBS	KG	PSI	KPA	
185/70R14	88H	5 1/2	7.4	24.3	1235	560	44	300	10
195/70R14	91H	6.0	7.9	24.8	1356	615	44	300	10
185/65R14	86H	5 1/2	7.4	23.5	1168	530	44	300	10
185/60R14	82H	5 1/2	7.4	22.8	1047	475	44	300	10
235/75R15	109XL T	6 1/2	9.3	28.9	2039	925	44	300	10
215/70R15	98H	6 1/2	8.7	26.9	1653	750	44	300	10
185/65R15	88H	5 1/2	7.4	24.5	1235	560	44	300	10
195/65R15	91H	6.0	7.9	25.0	1356	615	44	300	10
205/65R15	94H	6.0	8.2	25.5	1477	670	44	300	10
195/60R15	88H	6.0	7.9	24.2	1235	560	44	300	10
205/60R15	91H	6.0	8.2	24.7	1356	615	44	300	10
205/65R16	95H	6.0	8.2	26.5	1709	775	49	340	10
215/65R16	98H	6 1/2	8.7	27.0	1653	750	44	300	10
205/60R16	92H	6.0	8.2	25.7	1389	630	44	300	10
215/60R16	95H	6 1/2	8.7	26.1	1521	690	44	300	10
225/60R16	98H	6 1/2	9.0	26.6	1653	750	44	300	10
205/55R16	91H	6 1/2	8.4	24.9	1356	615	44	300	10
225/65R17	102H	6 1/2	9.0	28.5	1874	850	44	300	10
215/60R17	96H	6 1/2	8.7	27.2	1565	710	44	300	10
215/55R17	94H	7.0	8.9	26.3	1477	670	44	300	10



INFINITE SPORT 7
(Ultra High-Performance Tire)

- Four wide grooves drain water out of the tire to reduce the risk of hydroplaning on wet roads
- Infinite Sport 7's angled tread blocks and large shoulders boost traction and performance year-round

Size	Load Index/Speed Rating	RIM	Section Width (Inch)	Overall Diameter (Inch)	Max.Load		Max.Pressure		Tread Depth 32nds
					LBS	KG	PSI	KPA	
225/55ZR17	97W	7	9.2	26.8	1819	825	49	340	9
225/50ZR17	94W	7	9.2	25.9	1653	750	49	340	9
215/45ZR17	91XL W	7	8.4	24.7	1356	615	49	340	9
225/45R17	94XL W	7 1/2	8.9	25.0	1477	670	49	340	9
235/50R18	101XL V	7 1/2	9.7	27.3	1819	825	50	340	9
225/45ZR18	91W	7 1/2	8.9	25.9	1356	615	44	300	9
235/45R18	98XL W	8J	9.3	26.3	1653	750	50	340	9
225/40ZR18	88W	8	9.1	25.1	1235	560	44	300	9
245/40R19	98XL W	8 1/2J	9.8	26.7	1653	750	50	340	9
255/35R19	105XL V	7 1/2J	9.7	29.2	2094	925	50	340	9
275/55R20	113V	8 1/2J	11.2	31.9	2833	1285	49	340	9
245/45ZR20	99W	8J	9.8	28.7	1709	775	44	300	9
225/35ZR20	90XL W	8	9.1	26.2	1323	600	49	340	9
245/35R20	91W	8 1/2J	9.8	26.8	1521	690	42	290	9
255/35ZR20	93W	9	10.2	27.0	1609	730	49	340	9
265/35ZR22	98W	9J	10.7	29.3	1874	850	42	290	9
305/45ZR22	118XL W	10J	11.8	32.8	2910	1320	44	300	9
305/40ZR22	110W	11J	12.3	31.6	2601	1180	50	340	9
295/35ZR24	110XL W	10 1/2J	11.9	32.1	2337	1060	42	290	9
305/35ZR24	112XL W	11	12.3	32.4	2469	1120	49	340	9

